

NOAA COASTAL MAPPING PROGRAM PROJECT COMPLETION REPORT

PROJECT OR2202-CS-T

Portland, Oregon

Introduction

Coastal Mapping Program (CMP) Project OR2202-CS-T provides highly accurate digital shoreline data for key areas of change in the port of Portland, Oregon. The Geographic Cell (GC) may be used in support of the NOAA Nautical Charting Program (NCP) as well as geographic information systems (GIS) for a variety of coastal zone management applications.

Project Design

The design of Project OR2202-CS-T was accomplished by the Systems & Quality Assurance Branch (SQAB) of the Remote Sensing Division (RSD) in response to the need for updates to the NOAA chart suite in key ports. Project requirements were formulated as a result of analysis conducted within the Coast and Shoreline Change Analysis Program (CSCAP), in which NOAA nautical chart products are compared to contemporary high-resolution imagery in order to ascertain the need for more current shoreline data. Commercial satellite imagery was utilized for the CSCAP analysis. A Chart Evaluation File (CEF) was created once the change analysis was complete. Refer to the CSCAP memorandum for OR2202-CS-T for details regarding the chart comparison process.

Field Operations

Routine CMP field operations did not apply for this project based on the origin of the project source data. Existing sources of horizontal control were used for the georeferencing process.

Georeferencing

Georeferencing tasks were conducted by a member of the Applications Branch (AB) of RSD in April 2022. Two orthorectified, pan-sharpened WorldView-3 images were obtained via the Enhanced View Web Hosting Site. Subsets of the original images, downloaded as sets of tiles, were re-mosaicked and georeferenced using feature data from previous CMP projects OR0202 and WA0301E using Esri's ArcGIS (ver. 10.8.1) desktop GIS software. Within ArcGIS, the Georeferencing tool was used, and the images were re-sampled using the Nearest Neighbor method with a 1st order polynomial model. Check points from OR0202 and WA0301E were used to assess the accuracy of the resampled images, and the RMS of the residuals for each measured check point was used to compute predicted horizontal circular error (CE) of 0.8 – 1.0 meters based on a 95% confidence level. The CE values were doubled and added to the accuracies of the source datasets from the which check points were extracted in order to conservatively predict the accuracy of well-defined points measured during compilation. All positional data for this project is referenced to the North American Datum of 1983 (NAD 83).

Compilation

Data compilation was accomplished by a member of AB in April 2022. Using Esri's ArcGIS desktop GIS software (ver. 10.8.1), digital feature data was compiled in shapefile format from the satellite imagery. Feature attribution was assigned in compliance with the Coastal

Cartographic Object Attribute Source Table (C-COAST), which provides the definition and attribution scheme for the full range of cartographic features pertinent to the CMP. Selected features were further modified with additional descriptive information to refine general classification.

Spatial data accuracies for OR2202-CS-T were determined according to standard Federal Geographic Data Committee (FGDC) practices. Cartographic features extracted from the satellite imagery were tested to have horizontal accuracies of 2.8 (image #1) and 2.5 (image #2) meters at the 95% confidence level. These accuracies are based on comparison of the georeferenced imagery with an independent source of higher accuracy. The table below provides information on imagery used in the completion of this project.

Image #	Image Source	Source File Name	GSD	Acquisition Date/ Time	Tide Level*
1	WorldView-3	20210621_WV03_ORI_mos.jp2	0.31 m	06-21-2021 / 19:12	0.4 m
2	WorldView-3	20210704_WV03_ORI_mos.jp2	0.36 m	07-04-2021 / 19:18	0.4 m

* Tide level is given in meters above MLLW and is based on verified observations recorded at the time of image acquisition by the NOS gauge at Vancouver, WA (#9440083). The elevation of MHW at the Vancouver gauge is 0.805 meters above MLLW.

Quality Control / Final Review

Final review tasks were completed in May 2022. The review process included analysis of image georeferencing and assessment of the identification and attribution of digital feature data within the GC according to image analysis and criteria defined in C-COAST. The quality control process concluded with an inspection of topological connectivity within the GC using ArcGIS. The entire suite of project products was evaluated for compliance to CMP requirements.

End Products and Deliverables

The following specifies the location and identification of end products generated during the completion of this project:

Remote Sensing Division Electronic Data Library

- CSCAP evaluation memorandum
- Project database
- GC11778 in shapefile format
- Project Completion Report (PCR)
- CEF in shapefile format


NOAA Shoreline Data Explorer

- GC11778 in shapefile format
- Metadata file for GC11778
- PCR in Adobe PDF format


End of Report

PORTLAND

OREGON



Overview



OR2202-CS-T

GC11778