

Diag'd. en Diag. Ch. No. 1204-2

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

Planimetric Air Photographic
Type of Survey (Shereline)

Field No. CS-272 Office No. T-5992

LOCALITY

General locality Coast of Maine

Maine

Locality Damariscetta River - Johns River - Pemaguid River

194 3

CHIEF OF PARTY F.L.Peaceck

LIBRARY & ARCHIVES

DATE april 13- 1949

B-1870-1 (I)









T- 5992

Quadrangle (II):

Boothbay, Maine (15')

Project No. (II): CS-272

Sub-Project CS-272-B

Field Office:

U. S. C. & G. S. Bath, Maine

Chief of Party:

Henry O. Fortin

Compilation Office:

Air Photographic Party No. 2

Baltimore, Maryland Instructions dated (II III);

Chief of Party:

Fred. L. Peacock

Copy filed in Descriptive Report No. T-(VI)

January 12, April 1, 1942

Completed survey received in office: 8 Aug. 1843

Reported to Nautical Chart Section;

Reviewed: Aug. 1947

Applied to chart No. 3/4

Date: 9-10-46

Redrafting Completed: 10 June, 1948

Registered: 16 July 1948

Published: // June, 1944 (Whatman, woult)

Compilation Scale: 1:9,670

Published Scale: ///0000

Scale Factor (III): 1.03413 .

Geographic Datum (III): N. A. 1927

Datum Plane (III): Mean Sea Level

Reference Station (III): Kenniston 1858, 1934, r.1942

Lat.: 43° 53' 03.35" 103.4m Long.: 69° 37' 15.69" 350.3m

<u>adjusted</u> Unadjusted

(Field)

State Plane Coordinates (VI): Maine (West Zone)

X =

Military Grid Zone (VI)

PHOTOGRAPHS (III)

Number	Date	Time	Scale	Stage of Tide
7028 & 7029	10/20/41	-9:18a.m.	1:10,000	10.4' above M. L. W.
704	10/20/41	9:36a.m.	1:10,000	10.7' above M. L. W.
7045 & 7046	10/20/41	9:37a.m.	1:10,000	10.7' above M. L. W.
7047	10/20/41	-9:38a.m.	1:10,000	10.7' above M. L. W.
7062	10/20/41	9:55a.m.	1:10,000	10.8' above M. L. W.
7063 & 7064	10/20/41	9:56a.m.	1:10,000	10.8' above M. L. W.
7065	10/20/41	9:57a.m.	1:10,000	10.8' above M. L. W.
7080 & 7081	10/20/41	10:36a.m.	1:10,000	10.6' above M. L. W.
7082	10/20/41	10:37a.m.	1:10,000	10.6' above M. L. W.
7083	10/20/41	10:38a.m.	1:10,000	10.6' above M. L. W.

Tide from (III): Predicted tables, reference station Portland, Maine, with time correction to East Boothbay, Damariscotta River, Maine Mean Range: 9.1' Spring Range: 10.4'

Camera: (Kind or source) U. S. Coast & Geodetic Survey nine lens camera (focal length $8\frac{1}{4}$ "). All negatives are on file in Washington Office

Field Inspection by:Lt. Henry O. Fortin

date: Fall, 1942

Field Edit by: None

date:

Date of Mean High-Water Line Location (III):

October 20, 1941

Projection and Grids ruled by (III) John C. O'Neill date: February 11, 1943

n n checked by: John C. O'Neill date: February 13, 1943

Control plotted by: Ruth M. Whitson date: February, 1943

Control checked by: Walter E. Schmidt date: February, 1943

Radial Plot by: Walter E. Schmidt date: Feb. and March, 1943

Detailed by: Margaret A. Velich (Shoreline, rough draft) date: April to July, 1943

Reviewed in compilation office by: Michael G. Misulia date: July & August, 1943

Elevations on Field Edit Sheet checked by:

None

date

STATISTICS (III)

Land Area (Sq. Statute Miles): None

Shoreline (More than 200 meters to opposite shore): 38.1 Statute Miles

Shoreline (Less than 200 meters to opposite shore): 15.2 Statute Miles

Number of Recoverable Topographic Stations established: 17

Number of Temporary Hydrographic Stations located by radial plot: 256

Leveling (to control contours) - miles:

Roman numberals indicate whether the item is to be entered by,

(II) Field Party, (III) Compilation Party, or, (VI) the Washington Office.

When entering names of personnel on this record give the surname and initials (not initials only).

Remarks:

26 CONTROL:

The control plotted and the control transferred from adjoining map drawings consists of thirteen (13) U. S. Coast & Geodetic Survey triangulation stations. They have been shown with the usual triangulation symbol.

The following control stations fall within the detail limits of this map drawing:

Six (6) U. S. Coast & Geodetic Survey Triangulation Stations:

**AULD, 1859

**CHILD'S, CAPT. HOUSE, CUPOLA, 1859, r.1942

**DODGE, 1859

**KENNISTON, 1858, 1934, r.1942 west map limits

**LARGE HOUSE, WEST CHIMNEY, 1859, r1942

**+SQUARE HOUSE, 1859, r.1942

See Review Report.

The following control stations fall just outside the detail limits of this map drawing:

Seven (7) U. S. Coast & Geodetic Survey Triangulation Stations:

*BOOTHBAY, CENTER BROWN SPIRE, 1857, r.1942
*BOOTHBAY, CENTER WHITE SPIRE, 1857, r.1942
*+BOOTHBAY HODGDEN'S HOUSE, 1857, r.1942
*NEW HARBOR CROSS ON M. E. CHURCH STEEPLE, 1934, r.1942
*LOOKOUT HILL, 1866, r.1942
*+DAVIS'S, LUTHER, HOUSE, 1859, r.1942
**BEECH, 1860

+Stations have been shown with dashed black or red acid ink triangles. (N.B.) Refer to report on radial plots for the area included within the limits of Surveys Nos. T-5985 to T-5994 inclusive, which has been submitted as an appendix to the descriptive report for map drawing, Survey No. T-5986. Filed in Div. of Photogrammetry-

*The positions of these stations have been transferred from adjoining map drawings on which they had been previously plotted from submitted geographic coordinates, and the stations have been shown with red acid ink triangles on map drawing, Survey No. T-5992.

**The positions of these stations have been plotted on map drawing, Survey No. T-5992, from submitted geographic coordinates, and the stations have been shown with black acid ink triangles.

27 RADIAL PLOT:

(N.B.) A report on the radial plots for the area included within the limits of Surveys Nos. T-5985 to T-5994 inclusive, has previously been submitted as an appendix to the descriptive report for map drawing, Survey No. T-5986.

28 DETAILING:

The shoreline and immediate adjacent culture have been detailed on this map drawing in accordance with the Director's letters dated January 12, 1942 and April 1, 1942, pertaining to Project No. CS-272. The area of Survey No. T-5992 is a part of sub-project No. CS-272-B.

All detail on the map drawing has been shown with the standard symbols recommended by the Washington Office, and notes fully describing any deviation therefrom have been shown on the overlay sheet in order that the planimetry may be clearly interpreted by those concerned.

In some areas, considerable difficulty was encountered in establishing the positions of tertiary points because of deep shadows, relief displacement, and dense vegetation along the shoreline.

The field inspection party did not submit any data to assist the compiler in identifying bluffs along the shoreline. Therefore, they were detailed according to stereoscopic examination of the office photographs. Since the character of most bluffs, whether rock or soil, could not be determined satisfactorily by stereoscopic examination, the dirt bluff symbol was used throughout, except where rocky bluffs could be definitely identified by this compilation office on the office photographs. These rocky bluffs were shown with the standard rock bluff symbol.

No field inspection data were submitted for the shoreline of the body of water just north of Clark Cove. It has been detailed in accordance with the interpretation of the area from the office photographs by this compilation office. Such detail should be checked by future field parties.

The area between Latitudes 43° 54' 00" and 43° 56' 15" and Longitudes 69° 37' 00" and 69° 37' 30" which was outlined in red acid ink on the map drawing, and which was originally a part of Survey No. T-5992, was detailed within the extended eastern limits of map drawing, Survey No. T-5987, in order to include the full detail of Oven Mouth River on that map drawing.

28 DETAILING: (cont'd)

The projector was used in detailing the planimetry in areas where there was an appreciable scale difference between the photographs and the map drawing.

The field inspection party did not submit any data for the classification of roads immediately adjacent to the shoreline. Therefore, all roads have been classified by this compilation office. The classification of these roads should be checked by future field parties.

30 MEAN HIGH-WATER LINE:

The Mean High-Water Line (firm ground) has been detailed in accordance with the submitted field inspection data and has been shown with a solid heavy-weight black acid ink line, the center of which should be taken as the true position.

31 LOW-WATER AND SHOAL LINES:

The approximate limits of rock ledges were detailed in accordance with the submitted field inspection data, and have been shown with dashed light-weight black acid ink lines. The note "Rock Ledge" has been shown on the overlay sheet. Other notes have also been shown on the overlay sheet recommending investigations by the hydrographic party of questionable areas. The approximate limits of rock ledges as detailed and shown on the map drawing, are for the use of the hydrographer only.

32 DETAILS OFFSHORE FROM HIGH-WATER LINE:

The approximate limits of several offshore reefs were detailed in accordance with the submitted field inspection data, and are shown with dashed light-weight black acid ink lines. The note "Reef" has been shown on the overlay sheet.

Rocks, old piling areas, etc., have been detailed in accordance with the submitted field inspection data, and have been shown with the standard symbols. The extent to which rocks bare at Mean Low-Water or Mean High-Water has been shown by notes on the overlay sheet.

33 WHARVES AND SHORELINE STRUCTURES:

Piers, cribbing, etc., have been detailed on the map drawing in accordance with the submitted field inspection data, and shown with the standard symbols.

34 LANDMARKS AND AIDS TO NAVIGATION:

The following recommended two (2) landmarks have been shown on the map drawing with 22mm black acid ink circles, and their scaled geographic positions as radial plotted have been submitted on Form No. 567:

Fort, stone, circular Cupola, barn, grey

35 HYDROGRAPHIC CONTROL:

The positions of seventeen (17) recoverable topographic stations, and two hundred and fifty-six (256) temporary hydrographic stations, have been established on the map drawing. The positions of two hundred and fifty-three temporary hydrographic stations have been radial plotted and the stations have been shown with red or green ink circles on the glossy side of the celluloid map drawing, depending on whether their positions were believed to be relatively strong or weak respectively.

The positions of the remaining three temporary hydrographic stations were determined by detailing from radial plotted positions of minor detail points in the immediate vicinity. These three temporary hydrographic stations have been shown with dashed green ink circles on the glossy side of the celluloid map drawing.

The recoverable topographic stations and temporary hydrographic stations have been shown on the dull side of the celluloid map drawing with 22mm black acid ink circles.

The numbers and descriptions of the recoverable topographic stations have been shown on the map drawing. The number of each temporary hydrographic station has been shown on the overlay sheet. The descriptions of both types of stations have been compiled in a list and submitted as an appendix to this descriptive report. Two copies of the appendix have been previously submitted for use of the hydrographic parties.

The descriptions and scaled geographic positions as radial plotted, of the following seventeen (17) recoverable topographic stations have been submitted on Form No. 524:

Mac	ZEO	468	718
Nos.	371	470	748
	389	655	866
	447	681	897
	451	691	898
	1,60	704	

37 JUNCTIONS:

Map Drawing, Survey No. T-5993, north side; the junction is in agreement.

Map Drawing, Survey No. T-5999, east side; no junction was necessary because of undetailed interior land area.

Map Drawing, Survey No. T-5991, South side; the junction is in agreement.

Map Drawing, Survey No. T-5987, west side; no junction was necessary because of undetailed interior land area, except the area discussed under Paragraph No. 28 in this descriptive report, concerning the extended eastern detail limits of map drawing, Survey No. T-5987.

38 CABLE CROSSING AREAS:

A cable crossing has been detailed on the map drawing in accordance with the submitted field inspection data. It has been shown by a dashed light-weight black acid ink line, and a descriptive note has been shown on the overlay sheet.

39 RECOMMENDATIONS FOR FUTURE SURVEYS:

Map drawing, Survey No. T-5992 is believed to be complete in all details of importance for charting and no additional surveys are recommended.

It is believed that the probable error in the positions of radial points and well-defined objects along the shoreline, is not greater than 0.5mm.

(N.B.) For a discussion of the factors determining the probable error in the positions of secondary points radial plotted on map drawing, Survey No. T-5992, refer to the report on the radial plots for the area within the limits of Surveys Nos. T-5985 to T-5994, submitted as an appendix to the descriptive report for map drawing, Survey No. T-5986.

40 GEOGRAPHIC NAMES:

An investigation of geographic names in the area of Surveys Nos. T-5985 to T-5994 inclusive, was made by Lieut. Henry O. Fortin in the fall of 1942. A special report, by Lieut. H. O. Fortin, of this investigation, has been previously submitted to the Washington Office.

40 GEOGRAPHIC NAMES: (cont'd)

A list of undisputed and disputed geographic names is submitted herein.

41 POWER LINE CROSSINGS:

The two (2) power line crossings have been detailed in accordance with the submitted field inspection data and have been shown with the standard symbol. The vertical clearances above Mean High Water have been shown on the overlay sheet.

Щ COMPARISON WITH EXISTING TOPOGRAPHIC QUADRANGLES:

Boothbay, Maine (15') Quadrangle, U.S.G.S., Edition of October, 1893, reprinted 1941, scale 1:62,500.

Because of difference in scale between the map drawing and the above mentioned quadrangle, planimetric detail could not be readily compared. However, planimetry common to both is in fair agreement.

45 COMPARISON WITH NAUTICAL CHARTS:

Chart No. 313, Scale 1:40,000, published July, 1933, reissued August, 1938.

Chart No. 1204, scale 1:80,000, published March, 1942.

Because of difference in scale between the map drawing and the above mentioned charts, planimetric detail could not be readily compared. However, planimetry common to both is in fair agreement except the following:

A power line crossing/approximately Latitude 43° 53' 30" and Longitude 69° 35' 20" and a cable crossing at approximately Latitude 43° 53' 20" and Longitude 69° 35' 00", as detailed on the map drawing in accordance with the submitted field inspection data, are not shown on the above mentioned charts.

Respectfully submitted, August 5, 1943

Margaret A. Velich Engineering Draftsman

Compilation & Descriptive Report Reviewed by:

Michael G. Misulia

Jr. Topographic Engineer

Supervised by:

Walter E. Schmidt

Asst. Photogrammetric Eng.

Approved & Forwarded: August 6, 1943

Fred. L. Peacock

Chief, Air Photographic

Party No. 2

Disputed

· · Cavis Cove -Clarke Point

Coombs Cove (RX) = 05Bth dessi Sproul Point Fossett Cove (Rt) Fossetts Cove Blaisdells Cove

Foster Cove (Q*) / - Foster Island (R*) . Gov. Lobster Pound

J. Graveyard Cove V . Lowes Cove (R*)

> Clarks Cove Point Narrows

· North Branch (R*)

· Peters Island J. Plummer Cove Plummer Islands

> These are two separate islands shown.

√ • Plummer Point Webber Island (0x) · · Wentworth Point (R*)

· West Branch (as on colluloid) (R*) · Robinson Cove (as on celluloid) (Rx)

Pools Cove Clarks Point McClinic Point

Salt Pond Cove

Eastern Cove, Eastern Branch

Pools Island Growers Cove Toms Creek Ware Cove Jones Cove

• McGuire Point The Narrows

Western Branch T-5442) Western Branch Peter Island Mill Cove

Farmer | Island (old name) Plummers Island (new name)

v • Hodgdone Island (old name) Strattons Island (new name) -Kelseys Point

v. Fort Island Browns Point

Location disputed ---West Branch (new name)

(Rx) = submitted to U.S.B. b. N, no decision yet rendered.

LIST OF GEOGRAPHIC NAMES

Undisputed

· Back Narrows . Marsh Cove V · Bradstreet Cove · Miller Island · Burnham Cove V . Outer Seal Cove V. Carlisle Island · Peabow Island V . Carlisle Point v - Pemaquid Falls V. Cavis Point · · Pemaquid Harbor v. Clark Cove V. Pemaquin Harbor (town) Clarks Cove Point(see Discussor Pemaquid River V. Pemaquid and Pemaquid Beach V. Damariscotta River Eastern Ledge (not shown)

Fort Willaw Henry State Park

Pleasant Cove Ledges

Fort Point ve Fort Point ve Seal Cove v. Graveyard Point ✓ • Soldiers Cove v. High Island · Soldiers Cove Ledge (not shown) v . Hodgdons Point v - Thur stons Cove Johns River v. Thurston Ledges Long Cove . Thurston Point / · McFarlands Cove v . Wadsworth Cove • McFarlands Ledges (not shown) /. McFarlands Point . Western Ledge (not shown) V. Sall RK. v · Boyd Pond

· State No. 130 (at Pemagnid)
· State No. 129 (at West Bristol)
(also near Bradstreet
Cove)

Names precoded by are approved. L. Heck.

Recent decisions of the U.S.B.G.N. affecting names on T-5992:

1)	Coombs Cove, application of name unchanged
2)	Fossetts Cove, add final s on sheet
3)	Poorhouse Cove, includes area named as West Branch and Robinson Cove, west of a line from High Island to Sproul Pt. (see its 4 below)
4)	Bradstreet Cove, unchanged application, but distinct from main body of Poorhouse Cove
5)	Fort Island, application on sheet unchanged
6)	Hodgsons Island, replaces Hodgdon Island on sheet
7)	Farmers Island, add final s to Farmers on sheet
8)	Lawes Cove, application on sheet unchanged
97	Sproul Point, " " "
10)	North Branch, " "
11)	Foster Island, " " "
12)	Eastern Branch, " " "
13)	Pemaguid.

Additional correction: delete final s on Lowers Narrows to make it

Lower Narrows

April 12, 1949.

DESCRIPTIONS OF

HYPROGRAPHIC SIGNALS & SIGNAL SITES

LOCATED BY RADIAL PLOT ON MAP DRAWING

SURVEY NO. T-5992

PROJECT OS 272 - COACT OF MAINE

(Shown by number on the map manuscript)

Division of Photogrammetry

Review Report of

Planimetric Map Manuscript T-5992

August 1947 bers not used in this repor

Subject numbers not used in this report have been adequately covered in other parts of the descriptive report.

26. Control.

The triangulation station, Square House, 1859 has been removed from the map manuscript. The station was lost when the house was destroyed by fire. Goodsy was notified.

28. Detailing.

Corrections and additions made by the reviewer have been shown in red acid ink on the map manuscript.

31. Low-Water and Shoal Lines.

A number of low-water and shoal lines had been shown on the map manuscript in red acid ink as they appeared on the hydrographic survey sheet H-6843. Since this conflicted with instructions, contained in a memorandum dated 27 August 1946 and titled, "Review of Alongshore details on topographic and planimetric maps and shoreline surveys", these lines were deleted from the map manuscript.

43. Comparison with Contemporary Hydrographic Surveys.

н-6843

1:10,000

1943

This survey is in good agreement with the map manuscript.

44. Comparison with Existing Topographic Surveys.

U.S.G.S. Boothbay, Maine 15' Quadrangle, 1944, 1:62,500.

Two power line crossings and a cable crossing, at approximate latitude 43°53'20" and longitude 69°34'15" to 69°35'20", and an old stone dike in the vicinity of Pemaquid Harbor do not appear on the quadrangle.

T-995 T-1032 1:10,000

1865

Planimetry common to these previous surveys and T-5992 are only in fair agreement.

45. Comparison with Nautical Charts

Scale 1:40,000 Scale 1:80,000

Planimetry common to the charts and the map manuscript is in fair agreement with the following exceptions.

mate Latitude 43°53'30" and longitude 69°35'20" and the ch. 313 cable crossing at approximate latitude 43053'20" and longitude 69035'00" as detailed on the map manuscript, and an old stone dike in the vicinity of Pemaquid Harbor have dike on not been shown. 313 +314

Chart No. 1204 - The cable crossing and the stone dike referred to on chart No. 313 have not been shown.

This manuscript has been applied to nautical chart 314.

Reviewed by:

Reviewed under direction of:

Thomas Hynson Photogrammetrist

8-14-47

Chief, Review Section

APPROVED BY:

13. a. goves 3/49 Technical Assist. to the Chief, Nautical Chief, Div. of Photogrammetry Division of Charts Technical Assist. to the

Chief, Div. of Photogrammetry Chief, Div. of

SIGNAL NUMBER

DESCRIPTION

354 RADIAL	Center line of end of pier on point. (Note: End about ready to fall off) PLOTTED ON MAP DRAWING SURVEY No. 7-5991
/ 357	West gable of very small white cottage near sand beach.
/ 358	South gable of most westerly of group of tourist cottages.
/ 359	Top center of old circular stone fort. Do not use flag pole. RECOVERABLE TOPOGRAPHIC STATION (LANDMARK)
/ 360	Northwest corner of lobster and clam pier at end of point. Flag pole on same corner.
/ 361	White store selling lobsters, shaped like a light house.
/ 362	Northeast corner of house on pier (Gilberts Lobster Pound)
363	East gable of most easterly of row of tourist cottages.
364	East gable of most eastern section of three section white house.
/ 365	Southwest corner of old small lobster shack.
/ 366	East gable of small fish house.
/ 367	North gable of most easterly of three small fish shacks.
/ 369	West end grey 3' boulder at high-water mark at head of cove (Signal station)
√ 368	South gable of white cottage in field.
√ 370	West gable of long boat house with green roof on point.

SIGNAL NUMBER	DESCRIPTION
371	West gable of large grey shingled barn near grey weathered farm house. RECOVERABLE TOPOGRAPHIC STATION
/ 372	South gable of large grey barn near L - shaped white house.
√ 373	15 lone spruce on east side of small bight (Signal Site)
√ 374	White rock loose on point at high-water mark.
375	Lone spruce (10') at North edge of brush (Signal Site)
/ 376	More westerly of two spruces at water's edge on rounded point.
/ 377	White tip of boulder at point 1' above high water (Signal Site)
/ 378	Long white boulder at high-water mark, stumps to north of it 15°.
✓ 379	Center of grass patch just after rounding point. Banner site at M. H. W. line.
/ 383	Banner site at M. H. W. at tip of point.
√ 381	Big bush at head of bight near water's edge.
/ 380	Cupola on large white building. Cupola is open - air, green roof.
J 382	Brown boulder at high-water level on point.
√ 384	South end of extension of grey fish house.
√ 385	East gable of chicken house in center of field on side of hill.

SIGNAL NUMBER	DESCRIPTION
386	Lone (30') oak tree on shore line.
/ 387	30° apruce on west side of small cove.
√ 388	South gable of green roofed white barn west of house.
389	Top of boulder above high-water mark between small island and shore point. RECOVERABLE TOPOGRAPHIC STATION
√ 390	White boat house with green roof, east gable.
391.	Northeast corner of small wooden pier in front of old stone foundation.
/ 392	East gable of white house with dormer on north roof. Sits back on hill amongst trees.
/ 393	Northeast gable of grey shingle house on point at end of telephone line, white trim.
√ 394	South gable of lobster shack with wharf.
√ 395	End of steps at high-water mark, leading to boat land-ing.
396	Bush on rounded point edge hay field at high-water mark (Signal Station)
397	Southwest corner of grass covered rock pier at edge of small hay field.
J 398	Fixed end center line of small pier on north side of bight.
399	Northeast corner of old pier off large white boat house.
7.400	Northeast corner of fixed end of wharf at white boat house.

DESCRIPTION
Center line of fixed end of private white pier, criss- crossed railing.
West gable of yellow 2 story cottage with red and yellow checked roof.
Outer center line of pier (fixed)
Highest point on middle of Thurston ledges grassy covered white promontory eastern side of ledge (Signal station)
Center of outer end of fixed pier at head of bight, green railings.
Center of outer end of fixed pier belonging to large grey shingled house with green trim.
Squat double 6' spruce on edge of tree line on rounded point (Signal site)
White oblong loose 6' boulder on white rocks at point, sand beach to east (Signal site) RECOVERABLE TOPO SEAPHIC STATION
Large round 5 - 6' white boulder at high-water mark (Signal station)
Lone 15' spruce on grassy rounded point.
Top center of rounded white ledge above high-water mark, separate from shore at high tide. RECOVERABLE TOPOGRAPHIC STATION
End of small pier belonging to red cottage with white trim.
Northwest corner of pier of picket fish pond where pole is; not unused support to west.

SIGNAL NUMBER	DESCRIPTION
454	Northwest gable of small tar paper lobster shack on white rock off pound.
J 455	Center line outer end of lobster pier, green paper shack.
/ 456	Large white boulder just above high-water mark, well off shore (Signal site)
457	Sharp pointed boulder on east side of muddy bight 4 - 5' diam.
/ 458	Top center of grassy grey island ledge with white rock at south end.
459	Cuter end center of green railed fixed pier.
√ 461	30° double spruce on point.
J 460	South gable of white L-shaped house with grey roof and white (highway) post fence, grey barns. Recoverable Topographic STATION 57
J 462	Outermost tree at treeline on point, tallest of its group (Banner site)
√ 463	More northerly and larger of two white boulders at high- water mark.
1 464	West gable of abandoned grey shingle house on Foster Island.
465	Low 2º flat bush at edge of grass on south tip of island at H. W. line.
466	Tallest tree on small island southwest of Foster, nest in top.
467	Top of white spot on bank west of stairway (probably shells) (Signal site)

SIGNAL NUMBER	DESCRIPTION
/ 468	Top center of south end of bare rock ledge with small grass patch and small bush. RECOVERABLE TOPOGRAPHIC STATION
420	Northeast end of small shingle boat house at north end of small wooded island (Peabow)
707	South tip of island at line of vegetation.
708	North end of yellow-white bare reef awash at high water. Top center of high part is point.
712	Edge of grassline on grassy rounded point, white rocks at H. W. mark.
/ 713	Edge of vegetation on north tip of small brown rocky point.
724	Top center of white rock on south tip of small island at H. W.
/ 715	North end of long rounded whitish rock reef awash at H. W. top center of north part.
716	Top center of grey white rock on point in small cove.
J 717	Top of peaked white rock on top of reef, isolated at H. W.
/ 718	Top center of white rock ledge just awash at H. W., off bushy point. RECOVERABLE TOPOGRAPHIC STATION
719	Top center of ragged brown ledge, grass tufts to east.
/ 720	Edge of grassline on tip of grassy point, light rocks at water line.
V 721	Top center of western part of white ledge lying south of lone pine on point (Signal site)

SIGNAL NUMBE	<u>DESCRIPTION</u>
/ 722	Rounded grey rock point at head of small cove (Signal Site)
/ 723	Large white 6° boulder in grass just above H. W. mark.
724	Flat grey-brown rock just about awash at H. W. line (Signal site)
/ 725	Fence post at M. H. W. line, post closest to grassline (Banner site)
726	Small rock pile at H. W. level below overhanging bushes.
727	Top of white rock on point near dump (Signal site)
/ 728	Taller of two spruce trees (20°) at edge of hay field.
/ 729	Grassline on tip of white rock point (Signal site)
/ 730	Brush line on grassy point (Signal site)
/ 733	Small whitish ledge just awash at east side of cove.
/ 731	Round white boulder at break in trees on edge.
732	White ledge top center at head of cove.
470	Cupola on large grey barn on hill with silo on east side. RECOVERABLE TOPOGRAPHIC STATION (LANDMARK)
/ 734	South gable of two story long white house, chimney.
735	Top center of white isolated ledge south of point.
/ 736	Between two green bushes on south end of small grassy island (Signal site)

SIGNAL NUMBER	DESCRIPTION
/737	Sumac bush on shore east of sand bank (Banner site)
738	Rounded rock ledge at point 6' out from grassline (Signal site)
/ 739	Bared white area (probably a white rock ledge) at head of cove (Signal site)
/ 740	White rock ledge, isolated at H. W., top center; is in mouth of small cove branching south from Bradstreet Cove.
/ 741	S' bush at grassline on rocky point (birch?) (Banner site)
/ 742	Tip of rock ledge just awash at H. W. Lies west of white rock point (Signal site)
/ 744	Tip of peaked yellow-white isolated rock off east side of point.
/ 743	Smaller of two trees on south side of road at head of bight (spruces)
745	Bare post in center of causeway (Signal site)
7146	Center of yellow-brown clay bank at water's edge (Signal site)
/747	6° south of last spruce on grassy southern tip of small island.
748	North tip of same island at line of vegetation. 5 VY RECOVERABLE TOPOGRAPHIC STATION
√ 749	6' south of last spruce on small rocky point (Signal site)
/750	Top center of yellowish white ledge (west of clump of tall rangy spruces), isolated at H. W.)

SIGNAL NUMBER	DESCRIPTION
√ 75 1	High point on rock ledge forming north tip of high island.
752	North edge of small grass patch at edge of brush line on point, north of wire house (Signal Site)
753	Northeast gable of rustic cottage on northeast point of island.
1 754	Outer end center of concrete fixed pier east of gravel beach.
755	Eget end of shack on lobster wharf.
y 756	High part of ragged ledge in center of bight (Banner site)
J 757	Outer end center of fixed pier, white rails.
758	30° flag-pole south of red cottage, ship weathervane.
759	Rough white peaked rock just above H. W. level (Signal eite)
/ 760	light yellow house with dark shingle roof and white ridge. East gable is point.
√ .76 1	6' south of largest of several small spruce on point. (McFarland Point) (Banner site)
, 762 h	East gable of gray shingle house with white trim on door at head of bight.
763	Outer end center of fixed pier.
, 764	Outer end center of fixed pier.
765	Outer end center of fixed pier.

SIGNAL NUMBER	DESCRIPTION	
√ 766	30° flagpole in center of field.	
767 RADIAL PLOTTED	Small (2') tree (spruce?) on rounded white offshore ledge (Signal site) ON MAP DRAWING SURVEY No. 7-5991	
/855	Spruce tree (8°) on south end of grassy island in cove.	
√ 856	West gable of grey shingle shack on pier at head of cove.	
V 854	West gable of white two part house in field.	
√ 857	White loose boulder at east entrance to narrow part of cove (Signal site?)	
/ 858	Edge of vegetation on brushy point. A small white rock is point (Signal Site)	
/859	White boulder off cove mouth 4° above H. W.	
√ 860	West gable of red roofed house on pier.	
/ 861	Lone spruce (20°) on white rock on north side small bight.	
/862	Flat brown ledge 1° above H. W. L. on point (Signal site)	
863	Top center of white ledge west of white rock point.	
√ 864	Center of brush on rounded brown rock point.	
V 865	White boulder on east side of long smooth brown ledge.	
√ 866	High part of rock ledge off brushy point (Signal site) 5 MY RECOVERABLE TOPOGRAPHIC STATION	
√ 867	Tip brushline on rock, sumac covered point (Signal site)	

SIGNAL NUMBER	DESCRIPTION		
√ 868	Northwest corner of log and rock pier.		
√ 869	Tip of brushline on brown rock point (Signal site)		
/ 870	North gable of boathouse.		
V 871	South point of long island at brushline (Signal site)		
/ 888	South gable of shingle shack on east side of Plummer Island.		
√ 897	White boulder on north tip of eastern Plummer Island.		
₹ 872	Top center of white ledge off grassy bight. Point is at edge of brush.		
/ 873	Rock point in middle of grassy northwest side of bight. Point is on flat part. (Signal site)		
√ 874	Top of grassy rounded grey rock on north tip of island.		
875	Top of small white rock ledge in center of main cove.		
¥ 876	Rock point edge of grass at H. W. mark (Signal site)		
/ 877	Lone pine on north end of point (Signal site)		
√ 878	At grassline on white rounded rock on east side of small bight.		
879 RADIAL PLOTTED	Halfway between road and H. W. Mark at end of bight opposite largest spruce tree (20') ON MAP DRAWING SURVEY No. T- 5991		
/ 880	Edge of grassline on grassy point just north of shingle beach (flat rocks), grey rock point, not white one (Signal site)		
/881	Leaning oak with top broken off (Signal site)		

SIGNAL NUMBER	DESCRIPTION		
✓ 882	Top center of grassy island ledge (Signal site)		
√ 883	Top of north part of bare brown island ledge, tuft of grass (Signal site)		
/ 884	Large white boulder at base of leaning spruce.		
/ 885	Blocky boulder on grassy rock point 8º long.		
✓ 886	91 pine on northwest side of point (Signal site)		
√ 887	Flat white table rock on point. North of grassy bight.		
√ 889	North tip of grassline on white rocky point (Signal site)		
√ 890	6' out from treeline on white rock point. White ledge follows shore line for 40' to south, then jumps to next point south. Point is about 100' south of grey whale-back ridge (Signal site)		
/ 891	Top center of high eastern part of white rock point (Signal site)		
· _/ 892· · · ·	High part of south end of long white island ridge.		
.∕ 893	Northernmost high part of light - rock ridge off point (Signal site)		
/ 894	Tip grassline on rock dump (Signal site)		
/ 895	Stone fireplace on top of tan smooth rock.		
/ 896	Outer end center of fixed pier.		
J 1001	Brown tip rock on point just inside of ledge with white boulder southeast on brown ledge, highest part (Signal site)		

soule of light yellow t-shaped home from touch on hill; north side distroval 5ry

SIGNAL NUMBER	<u>DESCRIPTION</u>		
1002	Lone pine on island ledge (Signal site)		
, 1003	South end brush patch on white island ledge on west side of Peters Island (Signal site)		
- 1004	Top center of white tipped island ledge off beach (Signal site)		
/1005	Center of grass patch on white rock point (Signal site)		
/1006	Outer end center of fixed pier belonging to yellow house		
/ 1007	Outer end center of fixed pier.		
y 1008	Top center of outermost white rock ledge off causeway (Signal site)		
J 1009	Outer end center fixed pier on north tip of peninsula.		
√ 1 010	Cuter edge of trush on high rough point in bight. (Signal site)		
/ 1011	Top center of yellow-brown boulder about awash at H. W., white birch inshore (Signal site)		
1012	Top center of rounded white rock ledge on small point between two grass beaches (Signal site)		
√ 1013	White boulder on south side of dark rock point with clay bank behind (Signal site)		
✓ 1017	White tilted boulder at earth bank on south end of point		
V 1016	Northwest corner of shack in field.		
/ 1015	South gable of south part of two part white weathered house in field south of road.		

SIGNAL HULBER	DESCRIPTION		
/ 1014	West side center of concrete culvert on roadway. (Signal site)		
// 1018	Flat outermost white rook on rock point west of cove. (Signal site)		
	White vein in dark rocks on point at H. W. level. (Signal site)		
/ 1020	Southwestern most piling on west end of group of old pilings (Signal site)		
/ 1021	West gable of small grey boat house with white trim on shore.		
× 1022	Large yellowish boulder awash at high water; lies just east of salt grass patch (Signal site)		
, 1023	Southeast gable of weathered dilapidated shingle boat- house.		
, 1024	Top center of white boulder lying on flat bare rock (Don't confuse with boulder in grass to east) (Signal site)		
/ 1025	Grassline on point where small loose white boulder is.		
1026	White chimney on green roofed cabin on hill top, on eas		
√1027	Large rounded boulder at foot of 40° leaning pine on south side of cove.		
/1028	Edge of grass on inshore edge of bare patch of red bricks on shore.		
√1030 -	White boulder embedded in soil bank on point separating two branches of cove.		
/1031	White boulder (2½) at edge of grass on grey rock point on north side of cove.		

SIGNAL NUMBER	DESCRIPTION		
1032	Top center of large grey boulder just offshore from rock and brush dump (Signal site)		
/ 1033	Outer end center of fixed pier.		
V 1034	Juniper bush at grassline to north of path emerging on white and brown rock point.		
/ 1035	Top center of large gently rounded white ledge just west of grassy beach (Signal site)		
√ 993	East gable of shingled boat house.		
J 994	Rounded peaked grey boulder on south side of bight, most westerly of three large boulders in line.		
√ 995	Southwest corner of stone pier.		
/ 996	North high part of yellow ledge offshore (Signal site)		
/ 997	East gable of boat house with cupola at head of bight.		
705	East gable of small weathered shed at tree line, dock to north.		
704	Large boulder at north tip of Pleasant Cove Ledge 8' diameter. RECOVERABLE TOPOGRAPHIC STATION		
998	Lone pair of trees on brow of hill in field (Signal site)		
703	Isolated yellow white boulder, 2 - 3' above high-water level, 100 meters † north of point.		
V 702	Sharp peaked white boulder in grassy bight, stands alone 4° high.		
694	Point where rock ledge emerges from beneath clay terrace on south corner of said terrace.		

SIGNAL NUMBER	DESCRIPTION	
/692	Outer end of fixed pier below hayfield.	
691	Northeast gable of red ended grey shingle barn west or road. RECOVERABLE TOPOGRAPHIC STATION 5	
693	Top center pile of rocks off point (base of old pier) (Signal site)	
706	Tip of point at high-water level on flat rocky ledge (Signal site)	
√ 695	South end of row of trees and bushes following shore line east of hayfield (Signal site)	
√ 697	White rock ledge (flat) at high-water mark on side of cove opposite hayfield (Signal site)	
/ 696	North end of rocky point at high-water line. Ledge is on west side of long narrow cove opposite diving board. (Signal site)	
√ 698	Grassline on top of white rounded ridge forming part of east entrance to narrow part of cove. (Signal site)	
√ 699	Point at north edge of patch of grass on white rounded point (Signal site)	
J 700	Wire fence meets white rock at head of bight on top of rock (Signal site)	
√ 701.	Northernmost of two or three apple trees on slope of hayfield.	
/ 690	Top center of brown small rock ledge west of grassy point awash at high tide.	
✓ 689	Grassline on north tip of point, center of curve.	
√ 688	Cupola on long, grey-white barn southwest of cove.	

- 17 -

SIGNAL NUMBER	DESCRIPTION	
687	White peak of boulder at high-water level, east side of cove.	
√686 ·	North end of shack in valley at head of cove.	
/ 685	White boulder opposite clay bank on south end of island.	
/684	Lone 20° birch on north end of island.	
683	Southeast corner of small bare rock, space surrounded on east and south by brush.	
682	Brush on high part of rock ridge on north point of island.	
681	White 3' boulder just west of point on south end Car- lisle Island. A darker grey boulder lies to east on point. Don't confuse. PECOVERABLE TOPOGRAPHIC STATION 5-24	
√ 680	Three oak trees east of grassy clearing on shoreline (Signal site)	
/ 999	White flat rock ledge on northwest corner Miller Island at grassline (Signal site)	
1000	White boulder at high-water line just east of white roc ledge on southeast corner of island.	
√ 679	Outermost of two jagged rocks off rounded point covered with oaks (Banner site)	
/ 678	Small pine tree on rock point and just east of small beach and white birch tree.	
V 677	Bare rock point at edge of grass and pine needle line. A white pole is there at present date. (Signal site)	
676	More southerly of two white boulders at high-water level	

SIGNAL NUMBER	DESCRIPTION		
675	Grey-brown rock point; point 675 is 6' north of high-water level at end of point. (Signal site)		
/674	Lone 25° oak on point south of swath cut in woods (Signal site)		
/673	Boulder at high-water line on point opposite north end of Webber Island, isolated at high tide.		
667	At outer (S.W.) point of grey rock (P.M.) (Banner site)		
/898	South gable light yellow L shaped house back on hill. RECOVERABLE TOPOGRAPHIC STATION		
666	East gable of white house on west side of road, grey roof.		
√ 665	Pole at northeast corner of swimming pool.		
√ 664	East gable of green summer house with white roof.		
663	Southeast gable of long boat house.		
√662	White rock at edge of grass on point north of birches and pines (Signal site)		
661	Top of white ridge at grassline.		
√ 660	Northwest corner (inshore end) of old wooden pier.		
659	Outer end of overhanging tree in cove (Signal site)		
√ 658	Northeast corner of stone pier.		
√ 65 7	Southeast corner of small rustic summer house on pier.		
.√ 656	Top center of white rounded ledge south of stone jetty. (Signal station)		

SIGNAL NUMBER	DESCRIPTION			
655	East gable of white house with grey barn. RECOVERABLE TOPOGRAPHIC STATION 5-21			
654	High part of grey rock ledge lying off pine covered point (Signal)			
653 RADIAL PLOTTED	Grey rock point near head of cove at foot of large oak, 3' back from high-water line (Signal site) OH MAP DRAWING SURVEY - No-15991			
652 RADIAL PLOTTED	North gable of two story white house with red shutters. ON MAP DRAWING SURVEY NO 7-5991			
√ 668 ·	Center of round bush at foot of brown sand bank.			
√ 669	Top of grey brown rock offshore from Indian shell-bank.			
670	Twin spruce about 14° high on grassy point where cable crosses underwater.			
√ 671°	Spruce on point just above white ledge and east of shell terrace, 18° high.			
672	White rock at brush line on gently rounded point (Banner site)			
1864 RADIAL PLOTTED	10' pine on east side of wooded "island" in salt grass (Signal site) ON MAP DEAWING SURVEY No. 7-5987			
1865 RADIAL PLOTTED	High part of brown rock ledge in salt grass bight (Signal site) ON MAP DRAWING SURVEY No. T-5987			
1866 RADIAL PLOTTED	West gable of shingled shed on stone sea-walled terrace. ON MAP DRAWING SURVEY NO. 7-5987			
1867 RADIAL PLOTTED	Edge of grass on light tan and grey rounded rock point; tall yellow pine east of point 8 + (Signal site) ON MAP DRAWING SURVEY NO. 7-5987			
1868	High part of middle and highest of three chocolate ledges off grassy bight (Signal site) ON MAP DRAWING SURVEY No. 7-5987			
1869 RADIAL PLOTTED	12' southwest of three leaning spruces at north entrance to a bight (Signal site) 'ON MAP DRAWING SURVEY No. 7-5987			

7-5992

LVA

SIGNAL NUMBER	DESCRIPTION
1870 RADIAL PLOTTED	North tip of high-water rock on south side of cove. Rock is offshore 2' above M. H. W. (Signal site) ON MAP DRAWING SURVEY NO. 7-5987
1871 RADIAL PLOTTED	White spot on rock south of claybank on point. ON MAP DRAWING SURVEY No. 7-5987
1872 RADIAL PLOTTED	More westerly of two bushy 10' pines at shore at head of bight. (Signal site) ON MAP DRAWING SURVEY NO. 7-5987
1863 RADIAL PLOTTED	Center of Junipers on most easterly of two similar rock points (Signal site) ON MAP DRAWING SURVEY NO. 7-5987
2111 RADIAL PLOTTED	Telephone pole # 432 at head (S.S.) of cove. ON MAP DRAWING SURVEY NO. T. 5987
442 Southmen	South gable of big grey shingled two story cottage with white trim; green porch roof.

has mort word ilid to obte no elder dase from head

/ 471

Large barn, east gable on side of hill back from head of cove.

たったいりこ トンロアン・・・

THE PROPERTY OF THE SECOND


RADIAL FILOTILD CH

RAPIAL FLOTTED 24 475 - 35 F - 464 South gable of big grey shingled two story cottage appliance march roof. The roof was singled two story cottage appliance and search roof.

Large barn, east gable on side of hill back from head of cove.

have such sond with its entering and trans franks for the entering and the enteri

NAUTICAL CHARTS BRANCH



Record of Application to Charts

DATE	CHART	CARTOGRAPHER	REMARKS
9/10/46	Reconst 314	Everety-Walley	Before Axer Verification and Review
	1204 re	constr. HEM	Before After Verification and Review Ulan 314-313
3-20-50	314	Malos	Before After Verification and Review % fulfill
			Before After Verification and Review
7/5/50	3 (3	R.D. Goodwil	Before After Verification and Review July applied.
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			0
		,	

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.