


10488 ORIGINAL

Diag. Cht. No. 1210-2.

Form 504	
U. S. DEPARTMENT OF COMMERCE	
COAST AND GEODETIC SURVEY	
DESCRIPTIVE REPORT	
Type of Survey	Planimetric
Field No. Ph-163	Office No. T-10488
LOCALITY	
State	Rhode Island

00

00



DESCRIPTIVE REPORT - DATA RECORD

- 2 -

T- 10488

Ph-163

Project No. (II): *25120*

Quadrangle Name (IV):

Field Office (II): **East Providence, R. I.**

Chief of Party: **Ira R. Rubottom**

Photogrammetric Office (III):
Baltimore District Office

Officer-in-Charge: **William F. Deane**

Instructions dated (II) (III):

Copy filed in Division of
Photogrammetry (IV)

(II) **9 April 1956**
13 March 1957

Method of Compilation (III): **Kelsh Plotter**

Manuscript Scale (III): **1:10,000**

Stereoscopic Plotting Instrument Scale (III): **1:6000**
(Pantograph ratio 3/5)

Scale Factor (III): **1.000**

Date received in Washington Office (IV):

MAY 3 - 1958

Date reported to Nautical Chart Branch (IV):

Applied to Chart No.

Date:

Date registered (IV):

Publication Scale (IV):

Publication date (IV):

Geographic Datum (III): **N.A. 1927**

Vertical Datum (III): **MHW**

~~XXXXXXXXXXXXXXXXXXXX~~

Elevations shown as (25) refer to mean high water
Elevations shown as (5) refer to sounding datum
i.e., mean low water or mean lower low water


Reference Station (III): **SALLY, 1913**

Lat. **41° 40' 15.199" (468.9 m)** Long. **71° 25' 33.885" (783.8 m)**

Adjusted

DESCRIPTIVE REPORT - DATA RECORD

71° 26.25'



41° 41.25'

PLANIMETRIC

41° 37.5'

71° 22.5'

Areas contoured by various personnel
(Show name within area)
(II) (III)

DESCRIPTIVE REPORT - DATA RECORD

- 5 -

Camera (kind or source) (III): C&GS Camers "W" - "6" focal length

Number	Date	PHOTOGRAPHS (III) Time (EST)	Scale	Stage of Tide
56-W-162 thru 164	5/1/56	0830	1:30,000	1.4 ft above MLW
56-W-185 and 186	"	0847	"	1.8 " " "

Tide (III)
(from predicted tables)

Reference Station: NEWPORT, R. I.
Subordinate Station: East Greenwich
Subordinate Station:

Ratio of Ranges	Mean Range	Spring Range
	3.5	4.4
	4.4	5.5

Washington Office Review by (IV): S.G. BLANKENBAKER

Date: NOV. 1966

Final Drafting by (IV):

Date:

Drafting verified for reproduction by (IV):

Date:

Proof Edit by (IV):

Date:

Land Area (Sq. Statute Miles) (III): 6

Shoreline (More than 200 meters to opposite shore) (III): 14

Shoreline (Less than 200 meters to opposite shore) (III): 0

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II): 8

Recovered: 3

Identified: 3

Number of BMs searched for (II):

Recovered:

Identified:

Number of Recoverable Photo Stations established (III): 2

Number of Temporary Photo Hydro Stations established (III): See para. 38


Remarks:

One (1) third-order triangulation station established.

PLANIMETRIC MAPPING PROJECT PH-163

Narragansett Bay, Mass. - Rhode Island

-67



OFFICIAL MILEAGE FOR COST ACCOUNTING

SHEET NO.	Lin. Mi. SHORELINE	AREA SQ. MI.
10472	10	12
10473	7	13
10474	- 0 -	14
10475	8	10
10476	6	11
10477	2	13
10478	1	13
10479	7	12
10480	2	13
10481	4	13
10482	8	4
10483	6	11
10484	8	8
10485	8	10
10486	7	10
10487	3	13
10488	6	6
10489	7	3
10490	8	7
10491	8	6
10492	4	11
10493	3	13
10494	2	13
10495	5	6
10496	5	4
10497	5	7
10498	- 0 -	14
10499	10	7
10500	6	4
10501	2	13

TOTALS 158 294

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORTS
T-10489, T-10487, T-10488 and T-10489
80 Job PH-163

Job PH-163, comprised of thirty planimetric surveys, covers Narragansett Bay, Rhode Island-Massachusetts.

A complete field inspection preceded compilation. Limited field edit was accomplished in conjunction with contemporary hydrographic surveys H-8313 and 8395. The project was bridged by multiplex and compiled by Kelsh plotter.

Difficulties were encountered in smooth plotting H-8395. Refer to the addendum to this Summary.

Cronaflex copies of the maps will be registered.

- 8 -

ADDENDUM TO SUMMARIES TO ACCOMPANY
JOB PH-163 MAPS T-10472 through T-10501
(ACCURACY AND FUTURE SURVEYS)

Most of the project maps were used in contemporary hydrographic survey operations. Four hydrographic surveys accomplished in the period of time between 1943 and 1955 cover the project area outside the areas of contemporary surveys.

The contemporary hydrographic surveys have been registered. With one exception they are classified "basic". Survey H-8367 is classified as "basic for charting only".

Considerable difficulty was experienced during smooth plotting and verification of some hydrographic surveys in using signals located by plane table methods. Many of the objects were identified on field photographs by the plane table party. Field identification of these objects was re-examined in the Baltimore Office, Compilation Unit. Some of the objects were relocated photogrammetrically and this revised information was furnished for use in smooth plotting.

The Norfolk Processing Office Addendum to Accompany Survey H-8316 mentions difficulties experienced when plotting sextant angles locating piles, piers, shoreline changes, etc. -- they were seldom in agreement with photogrammetric manuscript positions. The Washington office verifier was unable to adjust the subject information using the available hydrographic data. To assist in resolving the discrepancies, the Photogrammetry Division (Washington Office Review Group) rechecked signal locations on Maps T-10472, T-10473, T-10475 and T-10476. Fifty-seven signal locations and random portions of shoreline were revised by graphic methods using available field photographs that included field identified primary control and signals. This additional work is subject to error due to the condition of the photographs and the more limited use of project control; many discrepancies between the surveys, however, were resolved by using the revised information. No requests for similar rechecks were made by verifiers of other hydrographic surveys.

In part, the problems encountered in survey H-8316 (and H-8394) during hydrography and by verifiers can be attributed to the enlargement of these photogrammetric maps from 1:10,000 to 1:5,000 scale for use in hydro support. Similar problems on

other hydrographic surveys were attributed, in part, to incorrect transfer of signals, substandard plotting and use of weak sextant fixes.

Control for project bridging (multiplex) was classified "over abundant" (150 stations). While 25% of the stations were "difficult to see", only two stations were not held. Pass points between strips were averaged-adjustment less than 0.5 mm.

In addition to the previously mentioned supplemental work (relocation of signals and shoreline), two stereoplanigraph models were set to test horizontal map accuracy. The models covered parts of maps T-10472 and T-10473. A datum difference was found to exist between Bureau control and MGS and USGS control. Adjustment of these difference produced no appreciable shift in map details.

Rock information mapped on some of the photogrammetric surveys was incomplete as the result of poor photography inadequately supplemented by field inspection. The hydrographer located many rocks missed on the photogrammetric survey; and, in addition, the hydrographic survey reviewers found it necessary to bring forward considerable rock information without the benefit of verification by either the photogrammetric surveys or the contemporary hydrographic surveys.

These surveys have been used, in part, for nautical charting through both direct application of details and indirectly through contemporary hydrographic surveys. As previously mentioned, all but one of the contemporary hydrographic surveys have been registered as "basic surveys". Registration of these maps is recommended. Future use of the maps for hydro support purposes is not recommended due to the previously discussed problems that were encountered. Re-bridging by analytic aerotriangulation and new mapping with new color and infrared photography is recommended.

S. G. Blankenbaker
S. G. Blankenbaker

NOTE: POLITICAL BOUNDARIES - With the exception of the Mass. - Rhode Island state line, none of the numerous mapped political boundaries are shown on modern charts. In consideration of the loss of some field photographs, and requests by photogrammetric office reviewers for field verification of boundaries, it is recommended that the project maps not be considered sources for political boundaries (with the exception of the state line). See

FIELD INSPECTION REPORT

Project 25120

Map T-10488

Please refer to the Field Inspection Report for Map T-10480
for all data pertaining to this map.

Leo F. Beugnet

Leo F. Beugnet
Cartographic Survey Aid

Approved:

Ira R. Rubottom

Ira R. Rubottom
Chief of Party

FIELD INSPECTION PHOTOGRAPHS -

56W 162 THRU 164

184, 185

54W 1022, 1048, 1049,

1051, 1052, 1101, 1102

SCALE FACTOR 1.000

1 FT. = .3048006 METER	COMPUTED BY: A. K. Heywood	DATE: 3/29/57	CHECKED BY: Henry P. Eichert	DATE: 8/13/57	COMM-DC-57843
------------------------	----------------------------	---------------	------------------------------	---------------	---------------

- 12 -
- 9 -

COMPILATION REPORT
Survey T-10488
Project Ph-163

The photogrammetric plot report for this survey is part of the descriptive report for survey No. T-10472.

31. DELINEATION

The delineation was done by Kelsh Plotter.

32. CONTROL

Horizontal control was adequate.
Vertical control is inapplicable.

33. SUPPLEMENTAL DATA

U.S.G.S. East Greenwich quadrangle for county boundaries.
Copy of boat sheet H-8313 for comparison.
Final Name Standard dated 5 March 1957.
Station Map of U. S. Naval Construction Battalion Center, 1956.

34. CONTOURS AND DRAINAGE

Contours are inapplicable.
Drainage is complete.

35. SHORELINE AND ALONGSHORE DETAILS

All shoreline was field inspected and is complete and adequate.

All low water line was field inspected except for that part from Pojac Point southward to Wild Acres which is from office interpretation.

Refer to paragraph 7 of the field report regarding non-existent submerged cable crossing at Old Warwick Ave.

36. OFFSHORE DETAILS

Refer to paragraph 48 for nine submerged features that could not be delineated from the photographs. See para. 8 of the field report.

The sextant fix to locate Round Rock is recorded on the back of photograph 56-W-185.

37. LANDMARKS AND AIDS

Forms 567 have been submitted for three landmarks and one aid to navigation to be charted.

38. CONTROL FOR FUTURE SURVEYS

Two recoverable topographic stations were established. *

Refer to the attached notes regarding the photo-hydro stations in the area of this survey and to the "Descriptive Report to accompany Graphic Control Survey Sheets Ph-1-A-56 thru Ph-1-N-56" submitted for this project.

39. JUNCTIONS

Junctions have been made with the following:

- To the north with survey No. T-10481.
- To the east with survey No. T-10489.
- To the south with survey No. T-10495.
- To the west with survey No. T-10487.

40. HORIZONTAL AND VERTICAL ACCURACY

No comment.

41. BOUNDARIES

The county boundary lines were transferred from the U.S.G.S. East Greenwich Quadrangle in the vertical projector. ALSO DISCREPANCY NOTE IN GODDARD STATE PARK Boundary - between this survey and old quad.

42 through 45. Inapplicable.

46. COMPARISON WITH EXISTING MAPS

Geological Survey, East Greenwich, R. I. quadrangle, scale 1:24,000 edition of 1959.

Bureau Surveys T-5749 (1944) and T-5751 (1944), scale 1:20,000, date of issue 1949.

47. COMPARISON WITH NAUTICAL CHARTS

Chart No. 278, scale 1:20,000, Tenth edition, revised to 8/25/58.

Items to be applied to nautical charts immediately: None.

Items to be carried forward: None.

Respectfully submitted
6 February 1958

Approved and forwarded

William F. Deane
William F. Deane,
CDR, C&GS
Baltimore District Officer

Joseph W. Vonasek
Joseph W. Vonasek
Carto. (Photo.)

* CARDS (FORM 524) NOT FOUND AT TIME
OF FINAL REVIEW

PHOTOGRAMMETRIC OFFICE REVIEW

T. 10488

1. Projection and grids ☒ 2. Title ☒ 3. Manuscript numbers ☒ 4. Manuscript size ☒

4a. Classification label ☒

CONTROL STATIONS

5. Horizontal control stations of third-order or higher accuracy ☒ 6. Recoverable horizontal stations of less than third-order accuracy (topographic stations) ☒ 7. Photo hydro stations ☒ 8. Bench marks ☒
9. Plotting of sextant fixes ☒ 10. Photogrammetric plot report ☒ 11. Detail points ☒

ALONGSHORE AREAS

(Nautical Chart Data)

12. Shoreline ☒ 13. Low-water line ☒ 14. Rocks, shoals, etc. ☒ 15. Bridges ☒ 16. Aids to navigation ☒ 17. Landmarks ☒ 18. Other alongshore physical features ☒ 19. Other along-shore cultural features ☒

PHYSICAL FEATURES

20. Water features ☒ 21. Natural ground cover ☒ 22. Planetable contours ☒ 23. Stereoscopic instrument contours ☒ 24. Contours in general ☒ 25. Spot elevations ☒ 26. Other physical features ☒

CULTURAL FEATURES

27. Roads ☒ 28. Buildings ☒ 29. Railroads ☒ 30. Other cultural features ☒

BOUNDARIES

31. Boundary lines ☒ 32. Public land lines ☒

MISCELLANEOUS

33. Geographic names ☒ 34. Junctions ☒ 35. Legibility of the manuscript ☒ 36. Discrepancy overlay ☒ 37. Descriptive Report ☒ 38. Field inspection photographs ☒ 39. Forms ☒

40. Joseph W. Voss Henry J. Eicher
Reviewer Supervisor, Review Section or Unit

41. Remarks (see attached sheet)

FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT

42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.

S. G. BLANKENBAKER Henry J. Eicher
Compiler Supervisor

43. Remarks:

NOV. 1966

-15-

REVIEW REPORT
T-1048⁸⁰9, T-10487, T-10488 and T-10489
November 1966

61. General Statement

These surveys provided shoreline -- applied to smooth sheet during verification -- for H-8313; and, T-10489 provided, in part, support for H-8395. Changes in photogrammetric survey details shown in red on the hydrographic surveys were applied to the subject maps during this review.

62. through 65. Comparisons

All prior Bureau topographic information (topographic and hydrographic surveys -- and the subject maps) located in the alongshore area was evaluated by contemporary hydrographic survey verifiers. Prior Bureau surveys were not compared with the new maps during the subject review.

Comparisons with nautical charts and maps of other agencies were made by photogrammetric compilers. A number of discrepancies -- involving features (school and street names and boundaries) not applicable to either hydrographic surveys or modern charts -- between these surveys and USGS quadrangles were noted on discrepancy prints or in the compilation reports. These discrepancies can be disposed of only through a field check.

66. Adequacy of Results and Future Surveys

Refer to the Summary and Addendum to the Summary included in this Descriptive Report.

Reviewed by:

Approved by:

S. G. Blankenbaker
S. G. Blankenbaker

Charles L. Hannon
Chief, Photogrammetric Branch

J. Ralph Sobieralski FEB 06 1968
Chief, Photogrammetry Division

John D. Boyer 2/26/68
Chief, Marine Chart Division

1-9-68

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-163 (Rhode Island)

T-10488

Allen Harbor-J.P.

Baker Creek

Bluff Point

Buttonwoods

Buttonwoods Cove

Calf Pasture Point

Calf Pasture Rock

Clump Rock

Flat Rock-J.P.

Goddard State Park

Gould Ledge

Greenwich Bay

Crescent Lake-J.P.

Marsh Point

Narragansett Bay-J.P.

North Kingstown

North Quidnessett

Oakland Beach

Old Warwick Cove

Pojac Point

Portsmouth-J.P.

Potowomut

Potowomut Neck

Potowomut River

Round Rock-J.P.

Potowomut Rock-J.P.

Sally Rock

Sally Rock Point

Sandy Point

Southeast Ledge

Spire 1956-J.P.

Spring Rock

The Mount

Tibbets Creek

Warwick

Warwick Neck

Warwick Point

West Passage-J.P.

Wild Acres

Crack Rock-J.P.

Kent County-J.P.

Hunt Ledge-J.P.

Newport County-J.P.

Washington County-J.P.

Approved by:

A. Joseph Wraight

A. Joseph Wraight
Chief Geographer

Prepared by:

Frank W. Pickett
Frank W. Pickett
Cartographic Technician

-17-

NOTES TO ACCOMPANY CRONAFLEX PRINT
OF SURVEY T-10488, PROJECT PH-163

The map manuscript was compared with copies of graphic control sheets No. PH-I-E-56, PH-I-G-56 and PH-I-H-56, Projects 13870 and 25120, scale 1:10,000. The following is a list of photo-hydro stations, indicating how far and in what direction the photogrammetric position

