

10879

Gray

Diag. Cht. No. 6157 Inset.

<p>Form 504 U. S. DEPARTMENT OF COMMERCE COAST AND GEODETIC SURVEY</p> <h2 style="text-align: center;">DESCRIPTIVE REPORT</h2>	
Type of Survey	Shoreline
Field No.	Ph-5807
Office No.	T-10879
LOCALITY	
State	Oregon & Washington
General locality	Columbia River
Locality	Boardman
<u>19 59</u>	
CHIEF OF PARTY	
Lorne G. Taylor, Photogrammetric Office	
LIBRARY & ARCHIVES	
DATE	May 1962

USCOMM-DC 5087

62801

DESCRIPTIVE REPORT - DATA RECORD

T - 10879

Project No. (II): Ph-5807 Quadrangle Name (IV):

Field Office (II): Umatilla, Oregon Chief of Party: Lorne G. Taylor
Photogrammetric Office (III): Portland, Oregon Unit Chief: K. W. Jeffers
Officer-in-Charge: Lorne G. Taylor

Instructions dated (II) (III): Undated Copy filed in Division of
Field and Office Photogrammetry (IV)
Modification: Letter 73/rrj dated 9 March 1959
Letter 83/es dated 12 March 1959
Letter 732/rrj dated 21 May 1959

Method of Compilation (III): Kelsh Stereoscopic Instrument Viewing Scale
Manuscript Scale (III): 1:10,000 Stereoscopic Plotting Instrument Scale (III): 1:6000
Pantograph Scale
Scale Factor (III): None 1:10,000

Date received in Washington Office (IV): Date reported to Nautical Chart Branch (IV):
Applied to Chart No. Date: Date registered (IV): 19 June 1961

Publication Scale (IV): Publication date (IV):
Geographic Datum (III): N.A. 1927 Refer to datum pro-
Vertical Datum (III): file on manuscript.
Mean sea level except as follows:
Elevations shown as (25) refer to ~~mean high water~~
Elevations shown as (5) refer to ~~sounding datum~~
i.e., ~~mean low water or mean lower low water~~
U. S. Engineers Columbia River
Low-Water Profile.


Reference Station (III): None were recovered.
(Refer to T-10878 or T-10881.)
Lat.: Long.: Adjusted
Unadjusted

Plane Coordinates (IV): State: Zone:
Y= X=

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office,
or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.

DESCRIPTIVE REPORT - DATA RECORD



Areas contoured by various personnel
(Show name within area)
(II) (III)

DESCRIPTIVE REPORT - DATA RECORD

Field Inspection by (II): R. B. Melby (Shoreline) Date: 4-13-59
W. V. Hull (Interior) Sept. 1959

Planetable contouring by (II): Date:

Completion Surveys by (II): Date:

Shoreline

~~Mean High Water~~ Location (III) (State date and method of location): Located by field inspection on 4-13-59 on single lens ratio prints taken 8-28-58 and delineated by Kelsh Stereoscopic Instrument on models of same photography. The shoreline is the normal gradient of the Columbia River at 110,000 cfs.

Projection and Grids ruled by (IV): P. J. Dempsey Date: 7-24-59

Projection and Grids checked by (IV): Shoup Date: 8-3-59

Control plotted by (III): J. L. Harris (Pass Points) Date: 7-27-59

Control checked by (III): C. C. Harris Date: 10-1-59

Radial Plot or Stereoscopic Control extension by (III): John D. Perrow, Jr. Date: June 1959

Stereoscopic Instrument compilation (III): Planimetry D. N. Williams Date: 10-14-59

Contours Date:

Manuscript delineated by (III): W. V. Hull (Scribing) Date: 1-14-60
C. C. Harris (Stick-up) 1-22-60

Photogrammetric Office Review by (III): J. L. Harris (Rough Draft) Date: 10-16-59
J. L. Harris (Advance) 3-31-60

Elevations on Manuscript checked by (II) (III): Date:

DESCRIPTIVE REPORT - DATA RECORD

Camera (kind or source) (III): U.S.C.&G.S. Single lens 58-S

Number	Date	PHOTOGRAPHS (III)		Scale	The Dalles Dam Stage-of-Tide Forebay
		Time			
58-S-7624A thru 7626A	8-28-58	9:23	1:30,000 (contact) 1:10,000 (ratio)		159.8' above M.S.L. Arlington Gage and Paterson Gage flow was 107,000 cfs.
58-S-7664A & 7665A	"	9:45		DO	

Tide (III)

Reference Station:
Subordinate Station: **Not Applicable.**
Subordinate Station:

Ratio of Ranges	Mean Range	Spring Range

Washington Office Review by (IV): *J. Streifler*
Final Drafting by (IV): *Portland Photo. Office*
Drafting verified for reproduction by (IV): *J. Streifler*
Proof Edit by (IV): *J. Streifler*

Date: *March 1961*
Date: *Jan-March 1960*
Date: *March 1961*
Date: *June 1961*

Land Area (Sq. Statute Miles) (III): **9**
Shoreline (More than 200 meters to opposite shore) (III): **12 Statute Miles**
Shoreline (Less than 200 meters to opposite shore) (III): **1 " "**
Control Leveling - Miles (II):
Number of Triangulation Stations searched for (II): **1** Recovered: **0** Identified: **0**
Number of BMs searched for (II): **None** Recovered: Identified:
Number of Recoverable Photo Stations established (III): **9**
Number of Temporary Photo Hydro Stations established (III): **None**

Remarks:

SUMMARY
to accompany Shoreline Map Manuscripts
T-10870 through T-10885

The sixteen (16) subject surveys represent the eastern portion of project Ph-5807. The project consists of forty-nine (49) shoreline surveys of the Columbia River (Ore.-Wash.) from Bonneville eastward to Umatilla and was designed to aid in the construction of a new series of nautical charts. T-10870 thru T-10885 extend from Arlington to Umatilla, which are covered by a stereoplanigraph bridging plot done in the Washington Office in June 1959.

The map manuscripts were compiled by Kelsh stereoscopic instruments in the Portland Photogrammetric Office from photography of August 1958 and field inspection information (shoreline - April 59, interior - September 59).

The completed compilations as submitted to the Washington Office are the result of adequately scribed sheets and suitable for the direct reproduction of registration copies.

A cronar film positive at the compilation scale of 1:40,000 and the Descriptive Report of each will be registered and filed in the Bureau Archives.

May 1961

FIELD INSPECTION REPORT

Map Manuscript T-10879

Project Ph-5807

Refer to the Field Inspection Report for T-10876 thru T-10881 which is included in the Descriptive Report for T-10876 (1959).

PHOTOGRAMMETRIC PLOT REPORT

Map Manuscript T-10879

Project Ph-5807

Refer to the Photogrammetric Plot Report (Stereoplanigraph Bridge) for T-10870 thru T-10885 which is included in the Descriptive Report for T-10870 (1959).

COMPILATION REPORT

Map Manuscript T-10879

31. Delineation:

The Kelsh Stereoscopic Instrument was used to compile the planimetry.

The C&GS photography of 8-28-58 was adequate to compile the planimetry to the detail limits indicated on the project index.

Refer to last paragraph Item 31, Delineation of the Descriptive Report for T-10837 (1959).

32. Control:

Refer to the Photogrammetric Plot Report (Stereoplanigraph Bridge) T-10870 thru T-10885 which is included in the Descriptive Report for T-10870 (1959).

33. Supplemental Data:

Refer to Plat (no title or date) Scale, approximately 1"=600' for data from which the city limits of City of Boardman, Oregon were compiled.

34. Contours and Drainage:

Contours are not applicable.

The drainage shown on the manuscript was delineated from field inspection notes supplemented by minute examination of the Kelsh Models for drainage and by visual inspection of the U.S.G.S. topographic quadrangle, "Blalock Island", Oreg. - Wash., Scale 1:125,000, published 1906.

35. Shoreline and Alongshore Details:

The shoreline shown on this map manuscript is at the normal river gradient of 110,000 cfs flow. A graph showing this gradient from which the elevation of the shoreline may be determined for any place along the river is shown on the manuscript.

Refer to correspondence included in the Descriptive Report for T-10837 (1959) for a detailed report on this feature.

36. Offshore Details:

Refer to remarks under this heading in the Descriptive Report for T-10865 (1959).

37. Landmarks and Aids:

Form 567 was submitted to Washington on 1 Dec. 1959 for eight fixed aids to navigation. There are no aeronautical aids or landmarks.

38. Control for Future Survey:

In addition to the eight fixed aids mentioned in Item 37 one object was located as a recoverable topographic station. All are listed under Item 49, Notes to the Hydrographer.

39. Junctions:

A satisfactory junction was made with T-10877 on the west, T-10878 on the north and T-10881 on the east. There is no contemporary survey to the south.

40. Horizontal and Vertical Accuracy:

Refer to remarks under this item in the Descriptive Report for T-10837 (1959).

46. Comparison with Existing Maps:

Comparison was made with U.S.G.S. 30 minute "Blalock Island" Oreg. - Wash. quadrangle, Scale 1:125,000, published 1906.

47. Comparison with Nautical Charts:

Refer to remarks under this heading in the Descriptive Report for T-10853 (1959).

Approved:

for Fred Stella
Lorne G. Taylor
CDR, C&GS
Officer-in-Charge

Respectfully submitted:

J. Edward Deal
J. Edward Deal
Cartographer
C&GS

48. GEOGRAPHIC NAMES LIST

Benton County
Blalock Island
Boardman

*Columbia River
Columbia River Hwy.

Morrow County

Oregon

Spokane, Portland & Seattle R.R.

Union Pacific R.R.

Washington

* B.G.N. Decision

George DuBois
GEOGRAPHIC NAMES SECTION
1 MAY 1960

49. Notes to the Hydrographer:

Form 567 was submitted to Washington listing the scaled geographic positions of eight fixed aids to navigation located by Kelsh Instrument:

- Canoe Encampment Rapids Range 2.5 Front Light
- Canoe Encampment Rapids Range 2.5 Rear Light
- Canoe Encampment Rapids Range 3 Front Light
- Canoe Encampment Rapids Range 3 Rear Light
- Miller Drift Range 1 Front Light
- Miller Drift Range 1 Rear Light
- Miller Drift Range 2 Front Light
- Miller Drift Range 2 Rear Light

One recoverable topographic station was located by Kelsh Instrument:

North Gable Pump House at Cemetery, 1959

14

PHOTOGRAMMETRIC OFFICE REVIEW

T-10879

1. Projection and grids X 2. Title X 3. Manuscript numbers X 4. Manuscript size X

CONTROL STATIONS

5. Horizontal control stations of third-order or higher accuracy None 6. Recoverable horizontal stations of less than third-order accuracy (topographic stations) X 7. Photo hydro stations None 8. Bench marks None 9. Plotting of sextant fixes X 10. Photogrammetric plot report X 11. Detail points X

ALONGSHORE AREAS

(Nautical Chart Data)

12. Shoreline X 13. Low-water line None 14. Rocks, shoals, etc. X 15. Bridges None 16. Aids to navigation X 17. Landmarks None 18. Other alongshore physical features X 19. Other along-shore cultural features X

PHYSICAL FEATURES

20. Water features X 21. Natural ground cover X 22. Planetable contours None 23. Stereoscopic instrument contours None 24. Contours in general None 25. Spot elevations None 26. Other physical features X

CULTURAL FEATURES

27. Roads X 28. Buildings X 29. Railroads X 30. Other cultural features X

BOUNDARIES

31. Boundary lines X 32. Public land lines None

MISCELLANEOUS

33. Geographic names X 34. Junctions X 35. Legibility of the manuscript X 36. Discrepancy overlay None 37. Descriptive Report X 38. Field inspection photographs X 39. Forms X

40. _____
Reviewer J. Edward Deal
Supervisor, Review Section or Unit

41. Remarks (see attached sheet)

FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT

42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.

Compiler Supervisor

43. Remarks:

REVIEW REPORT OF
SHORELINE MAP MANUSCRIPTS T-10870 through T-10885
May 1961

62. Comparison with Registered Topographic Surveys:

There are no registered topographic surveys of this area.

63. Comparison with Maps of Other Agencies:

- ARLINGTON, ORE.-WASH. 1:125,000, 1916, U.S. Geological Survey
- BLALOCK IS., ORE.-WASH. 1:125,000, 1906, U.S. Geological Survey
- UMATILLA, ORE.-WASH. 1:125,000, 1908, U.S. Geological Survey

Because of scale difference a detailed comparison is impractical.

64. Comparison with Contemporary Hydrographic Surveys:

There are no contemporary hydrographic surveys of subject area.

65. Comparison with Nautical Charts:

The first nautical charts of this portion of the Columbia River are being constructed now. Incomplete compilations are not available for comparison.

66. Adequacy of Results and Future Surveys:

T-10870 through T-10885 have been compiled according to instructions and meet the adequacy and accuracy requirements for this type of survey.

Reviewed by:

Josef J. Streifler

 Josef J. Streifler

Approved by:

L. C. Lande

 Chief, Review & Drafting Sec.
 Photogrammetry Division

Marvin Paulson

 Chief, Nautical Chart Division

Jenkinson 5/14/62

 Chief, Photogrammetry Div.

G. B. Mack 6/19/62

 Chief, Operations Division

NAUTICAL CHARTS BRANCH

SURVEY NO. T-10879

Record of Application to Charts

DATE	CHART	CARTOGRAPHER	REMARKS
6/24/76	6161	D. CORDTS	Before After Verification and Review Superseded by T-13215, 13216, 12150
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.