

11537 11538
11539

Diag. Cht. Nos. 8862 and 8863-2.

Form 504

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT

Type of Survey Topographic

T-11537

Field No. Ph-34 Office No. T-11538
T-11539

LOCALITY

State Alaska

General locality Andreanof Islands

Locality Great Sitkin Island,

Ulak Island

19-53-56

CHIEF OF PARTY

W.H.Bainbridge, Chief of Field Party
G.A.Nelson, Chief of Field Party
J.W.Swanson, Div. of Photo, Wash., D.C.

LIBRARY & ARCHIVES

DATE October 1962

USCOMM-DC 5087

DATA RECORD

11537
T 11538
11539

Project No. (II): ~~2-6034~~
(Ph-34) Quadrangle Name (IV):

Field Office (II): Ships: PIONEER
EXPLORER
Photogrammetric Office (III): Washington, D.C. Chief of Party: W.H. Bainbridge
G.A. Nelson
Officer-in-Charge: L.W. Swanson

Instructions dated (II) (III): Field: 4 Mar. 1953, 25 Feb. 16 Dec Copy filed in Division of
Office: 2 Nov. 1954 1954 Photogrammetry (IV)
31 Oct. 1955
25 Oct. 1956

Method of Compilation (III): Graphic (shoreline)
Nine lens plotters (topography)
Manuscript Scale (III): 1:20,000 Stereoscopic Plotting Instrument Scale (III): 1:20,000

Scale Factor (III): 1.0

Date received in Washington Office (IV): *MAY 24 1958* Date reported to Nautical Chart Branch (IV):

Applied to Chart No. Date: Date registered (IV): *5 Dec 1957*

Publication Scale (IV): Publication date (IV):

Geographic Datum (III): N.A. 1927

Vertical Datum (III):

Mean sea level except as follows:
Elevations shown as (25) refer to mean high water
Elevations shown as (5) refer to sounding datum
i.e., mean low water or mean lower low water

Reference Station (III):


Lat.: Long.: Adjusted
~~imprecise~~

Plane Coordinates (IV): UTM Grid. State: Zone: 1

Y= UTM grid, Zone 1 X=

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office, or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.



**Areas contoured by various personnel
(Show name within area)
(II) (III)**

Camera (kind or source) (III): C8GS 9-Lens

PHOTOGRAPHS (III)

Number	Date	Time	Scale	Stage of Tide
41988	9-21-53	15:12	1:20,000	2.5 above MLLW
46052	9-6-54	14:39	"	2.5 above MLLW
46053	"	14:40	"	"
46059	"	14:49	"	"
46060	"	14:50	"	"
46061	"	14:51	"	"
46062	"	14:52	"	"
46064	"	14:57	"	"
46065	"	14:58	"	"
46068	"	15:01	"	2.6 above MLLW
46069	"	15:02	"	"
46071	"	15:06	"	"

Tide (III)

Diurnal	
Ratio of Ranges	Mean Range
Spring	Range
1.0	3.7
0.97	3.6

Reference Station: Sweeper Cove, Kuluk Bay, Adak Island

Subordinate Station: Sand Bay, Great Sitkin I.

Subordinate Station:

Washington Office Review by (IV): *J. J. Streifler*

Date: *Oct. 57*

Final Drafting by (IV):

Date:

Drafting verified for reproduction by (IV):

Date:

Proof Edit by (IV):

Date:

Land Area (Sq. Statute Miles) (III):

Shoreline (More than 200 meters to opposite shore) (III):

Shoreline (Less than 200 meters to opposite shore) (III):

Control Leveling - Miles (II):

Number of Triangulation Stations searched for (II):	Recovered:	Identified:	
Number of BMs searched for (II):	Recovered:	Identified:	
Number of Recoverable Photo Stations established (II):	6		
Number of Temporary Photo Hydro Stations established (III):	T-11537 18	T-11538 37	T-11539 None

Remarks:

Continued from PHOTOGRAPHS (III)

46072	9-6-54	15:07	1:20,000
46073	"	15:08	"
46074	"	15:08	"
46077	"	15:13	"
46078	"	15:13	"
46079	"	15:14	"

FIELD INSPECTION REPORT, 1953

See descriptive Report
T-11328 for 1956 Field
Insp. Report

2. Area Field Inspection:

The area covered is Great Sitkin Island. The work was accomplished by personnel from the ship PIONEER in conjunction with ship-to-shore Triangulation. Field Inspection was limited to the areas where landings were made.

The Island is typical of this area; it has few sand beaches and the interior terrain is rough. The photography is poor; clouds obscured the detail in large areas on some of the photographs.

3. Horizontal Control:

(a) The following stations were established by ship-to-shore Triangulation:

1. AKUYAN 1953
2. SULFUR 1953
3. SAVER 1953
4. SWALLOW 1953
5. T POT 1953

The following control station identification cards are submitted:

Sub. PT. AKUYAN 1953
Saddle Rock
Pinnacle off Swallow
Swallow Horn
Picture PT. 2
Willy Rock, Cape Kiugilak
Sub PT A GREAT SITKIN (USN) 1934
Sub PT B " " " " "
Sub PT. EAST (USN) 1934
Sub PT. T POT 1953
Pinnacle West of ULAK
Small Pinnacle South of Sulphur Pt.
Large Pinnacle South of " " "
Tea Pot Sprout
Outer Rock Sulphur Pt.
Outer Rock Bugle Pt.
Rock No. 2 off Sulphur Pt.
Teapot Rock
Sub PT. SAVER 1953

The following identification cards are submitted for points that are to be located by the radial plot:

Swallow Head Light
Amos 1953
AAA
Cone 1953
Fall 1953

Listed below are the Triangulation Intersection Stations (Un-Marked) that were established for control of the radial plot:

Swallow Horn
Pinnacle off Swallow
Outer Rock Sulphur Point
Pinnacle West of ULAK
Outer Rock Bugle PT.
Tea Pot Spout
Rock No. 2 off Sulphur PT.
Tea Pot Rock
Largest Pinnacle South of Sulphur PT.

Single cuts were obtained to several points that have been identified on the Field photographs. Control Station identification cards are submitted for these points.

(b) Inapplicable

(c) The following stations were established by the U.S. Navy and were obtained from the list of Geographic Positions of Triangulation Stations Alaska Vol. V.

1. GREAT SITKIN (USN) 1934
2. EAST (USN) 1934
3. ULAK (USN) 1934

(d) Inapplicable

(e) Inapplicable

4. Vertical Control:

The elevation of Triangulation Station GREAT SITKIN (USN) 1934 was obtained by running a line of wye levels from the high water line to the stations. This elevation was carried to the other stations by trigonometric leveling. A list of the elevations established is included with the data submitted.

5. Contours and Drainage:

Inapplicable

6. Woodland Cover:

There is no woodland cover. The cover consists of grass and tundra.

7. Shoreline and Alongshore Features:

(a) The mean high-water line has been delimited on the photographs in several places; this was accomplished only where landings were made and time would permit.

(b) The low-water line was not delimited.

- (c) In general the foreshore is rocks and low boulders. Several of the sand beaches have been indicated on the Field Photographs as well as some boulder beaches.
- (d) Bluffs or Cliffs; There are many bluffs within the area; these have been indicated in one or two places on the Field Photographs.
- (e) Docks, Wharves, Piers, Landings; The only area on the Island having docks, wharves and etc., was not visited by this party.
- (f) Submarine Cables; There are no submarine cables in the area covered by this party.
- (g) Other Shoreline Structures; There were no other shoreline structures worthy of note.

8. Offshore Features:

The only offshore feature worthy of note is Tea Pot Rock; its elevation was determined by trigonometric leveling. The mean low water-line was not determined.

9. Landmarks and Aids:

All the pertinent information can be obtained from Form 567.

10. Inapplicable.

11. Other Control:

AMOS 1953
HARD 1953
AAA 1953
CONE 1953
FALL 1953

12. Other Interior Features:

There are no interior features worthy of note.

13. Geographic Names:

This will be the subject of a report to be submitted at a later date.

14. Special Reports and Supplemental Data:

List of Elevations
List of Geographic Positions
Cahier of List of Directions
Cahier of Description of Recoverable Topographic Stations

15. Due to steep slopes near the stations and cloud covers, no cuts were obtained to peaks in the interior.

Respectfully submitted,

Allen L. Powell

Allen L. Powell

Lt., USC&GS

Ship PIONEER

Approved and forwarded:

W.H. Bainbridge

W.H. Bainbridge

CMDR. USC&GS

Comdg Officer

Ship PIONEER

DATA RECORD

Project Number CS-343

Chief of Party: W.H. Bainbridge

Instructions dated: Supplemental Instructions, dated 4 March 1953

Field Inspected by: A.L. Powell
K.A. MacDonald

Control Leveling Miles 0

Number of Triangulation Stations searched for: 3
Recovered 3 Identified 3

Number of BM's searched for: 0 Recovered 0 Identified 0

Technical Assistant to Chief,
Division of Photogrammetry

30 March 1954

Thru : XXXX : Chief, Administrative & Planning Branch
From : Charles Hanavich

Field data - project Ph-34 (CS-343), Atka and Great Sitkin
Islands, Alaska

Field survey operations in 1953 consisted of the following:

- 1) Recovery, establishment and identification of horizontal control.
- 2) Establishment of vertical control.
- 3) Very limited inspection of the shoreline and offshore details (rocks, ledges, etc.).
- 4) Identification of several photo-topo stations on Great Sitkin Island.

The ship-intersection method of establishing horizontal control was used. The Division of Geodesy has or is adjusting this work and will classify it as of third-order accuracy.

Field inspection work on Atka Island was done on 1951 Navy photography, ratioed to 1:20,000 scale. The area of this photog-

NONFLOATING AIDS OR LANDMARKS FOR CHARTS

TO BE CHARTED STRIKE OUT ONE
NONFLOATING AIDS

I recommend that the following objects which have ~~not~~ been inspected from seaward to determine their value as landmarks be charted on ~~charts~~ the charts indicated.
The positions given have been checked after listing by John Stark

STATE Alaska, Great Sitkin Island

CHARTING NAME	DESCRIPTION	POSITION			METHOD OF LOCATION AND SURVEY NO.	DATE OF LOCATION	CHARTS AFFECTED
		° - D.M.METERS	° -	D.P.METERS			
SWALLOW HEAD LIGHT	White skeleton tower 60 ft. high approx. 80 ft above water level	52 07		176 09	NA 1927	May 1953	9193 8000
					CS-343		8863, 9102

W. H. Bainbridge
Officer in Charge

9 June 1953

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and *nonfloating aids* to navigation, if redetermined, shall be reported on this form. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

NOTE: SEEING-SPOTS OR LANDMARKS FOR CHARTS

TO BE CHARTED
TO BE CHARTED
STRIKE OUT ONE

I recommend that the following objects which have ~~been~~ been inspected from seaward to determine their value as landmarks be charted on ~~the~~ the charts indicated.

III: BAPTIST CHIEF OF PARTY

STATE	ALASKA, Great Sitkin Island		POSITION			METHOD OF LOCATION AND SURVEY NO.	DATE OF LOCATION	CHARTS AFFECTED
	CHARTING NAME	DESCRIPTION	LATITUDE	LONGITUDE	DATUM			
CHARTING NAME	SIGNAL NAME	D. M. METERS	D. P. METERS	DATUM	CHART	CHART	CHART	CHART
TEA POT	A large teapot shaped rock lying Rock	52 06 38.812	176 03 05.663	W.A.1927	triang. CS-343	May 1953	8863 9102 9193	9000

This form shall be prepared in accordance with Hydrographic Manual, pages 800 to 804. Positions of charted landmarks and *nonfloating aids* to navigation, if redetermined, shall be reported on this form. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

PROJECT 7-6034
PHOTOGRAMMETRIC PLOT REPORT
T-11537 thru 11539, T-11548 thru T-11551,
T-11553 and T-11554
Scale 1:20,000
February 1956

21. AREA COVERED:

A continuous radial plot was assembled covering that area of the Andreanof Island group which includes Great Sitkin Island and the eastern half of Little Tanaga Island, and extending east to Ikiginak Island.

22. METHOD:

Manuscripts: The plot was assembled on the manuscripts on which the polyconic projections and 1000 meter interval Alaska Zone 1 UTM grids were ruled at 1:20,000 scale. The numbers of the manuscripts included in the plot are as follows:

T-11537 (ADV)	T-11548 (INCOMP)	T-11554 (INCOMPLETE)
T-11538 "	T-11549 "	T-11550 (PRELIMINARY)
T-11539 "	T-11553 "	T-11551 "

The part of the plot covering manuscripts T-11537, T-11538, T-11539, T-11548, T-11549, T-11553 and T-11554 was assembled on field identified control and is considered final. The part of the plot covering manuscripts T-11550 and T-11551 was assembled on office identified control and is classified preliminary.

Templets: The templets were prepared on vinylite sheets using the 1953 and 1954 master calibration templets for adjustment. Templets used in the Great Sitkin and Little Tanaga preliminary plots were reused in the subject plot.

Photographs: Nine-lens metal mounted photographs were prepared in the conventional manner. Photo numbers are:

41914 thru 41918	42199, 42201, 42202
41931, 41932	42127 thru 42132
41934 thru 41938	46052 " 46054
41978, 41979, 41988	46059 " 46062
41991, 41992	46064 " 46069
42108 thru 42114	46071 " 46074
42122, " 42124	46077 " 46079

Assembly: Adequate closure on control and good intersections of radials were obtained throughout the plot. Forty of the total of 55 templets were assembled at the time the plot was drilled. The 15 templets left out did not contribute to the solution of the plot. Better selections of pass point intersections and more accurate results in drilling were obtained by leaving the templets out of the plot. These templets were adjusted in position on the base sheets and their centers drilled after the plot was disassembled. The map positions of photogrammetric points were then pricked on the templets. Pass points in the mountainous area of Great Sitkin Island were not drilled. The positions for these points were cut in by reorienting the templets, one at a time, after the plot was disassembled.

23. ADEQUACY OF CONTROL: Twenty three of the 27 photo identified control stations available for use in the radial plot were field identified. Totals of 21 field identified and 3 office identified stations held within 0.2 mm. These measurements were made before the plot was drilled. After the plot was drilled it was noted that variations on the manuscripts between the plotted positions and the drill holes amounted to 0.2 or 0.3 mm on some of the stations that were "held" in the plot. A list of control stations showing the measured differences in MM between their plotted positions and their radial plot positions is included in the radial plot report. Seven field identified control stations were thrown out either during assembly of the preliminary radial plot on Great Sitkin Island or the preparation of the photographs. This was due to questionable identification. With the exception of Pinnacle off Swallow, 1953 none of these stations are included in the 27-station total mentioned as available for use in the radial plot. The stations are: Picture Pt. No. 2, 1953; Outer Rk. Sulphur Pt., 1953; Sulphur Pt. Rock No. 2, 1953; Outer Rock, Bugle Pt., 1953; East (USN) 1953; Largest Pinnacle South of Sulphur Pt., 1953.
24. SUPPLEMENTAL DATA: Inapplicable.
25. PHOTOGRAPHY: The photography is considered adequate as to definition, coverage and overlap for radial plotting purposes. Photograph No. 41988 is badly tilted. Its templet was adjusted in position and its center located after the plot was drilled. The effects of tilt were noted on the templets in the Great Sitkin Island area. Sea level

The Field Inspection that was done on 1947 Nine lens and 1951 Navy photography was transferred to the 1953 and 1954 Nine lens photos.

points were used in adjusting the plot. As mentioned in Section 22 of the report, the positions of elevated pass points affected by tilt were established after the plot was drilled.

Approved:


K. N. Maki

Submitted:


S. G. Blankenbaker
Cartographer (Photogrammetry)

List showing the measured differences in millimeters
 between the radial plot positions and the plotted
 geographic positions of Horizontal Control Stations

<u>Station Name</u>	<u>Measurements taken Prior to drilling</u>	<u>Measurements taken on the Manuscripts after drilling</u>
Pinnacle off Swallow	not held (approx. 1.0mm)	not held (approx. 1.0mm)
Swallow Horn	held	held
Saver (Sub. Pt.)	held	held
Akuyan (Sub. Pt.)	held	held
T-Pot Rock	held	held
T-Pot (Sub. Pt.)	held	held
Shelter *	not held (approx. 0.3mm)	not held (approx. 0.3mm)
Pass	held	not held (approx. 0.3mm)
Great Sitkin (S. Pts. "A" and "B")	held	"A" held "B" not held (approx. 0.2m)
Asuksak (Sub. Pt.)	not held (approx. 0.5mm)	not held (approx. 0.5mm)
Chugul	held	held
Tagadak (S. Pts. "D" and "C")	held	"C" held "D" not held (approx. 0.3mm)
Pinn. W. of Ulak	held	held
Ego (Sub. Pt.)	not held (approx. 0.2mm)	not held (approx. 0.2mm)
Cove	held	held
Anagaksik	held	not held (approx. 0.2mm)
Umak (S. Pt. #1)	held	held
Little Tanaga	held	Drilled in Adak Plot
Ice	held	Drilled in Adak Plot
July (Topo Sta)	held	held
Bat (Sub. Pt. #1)	held	not held (approx. 0.2mm)
Kig *	held	held
Seal *	not held (approx. 0.5mm)	not held (approx. 0.5mm)
Mal	held	not held (approx. 0.2mm)
Key (Sub. Pt.)	held	not held (approx. 0.2mm)
Sid (Sub. Pts. 1 and 2)	held	held
Dak *	held	held

*Office identified station

1/ Not drilled

PINNACLE OFF. SMALL

SWALLOW HORN 460

PICTURE

POINT

APT. 1833

(460, 70) SAWER, 1833

(460, 70) AKUYAN, 1833

◎ 46070

◎ 46068

11537

CAT. 3700 (JUN)

(460, 70) 1833

ASUSSAK 42

◎ 419

ASUSSAK 42
LITTLE TANAKA

ICE (460, 70)

◎ 41913

T-1152-8

ADAK, W SIDE, LITTLE
TANAKA, FINAL PLOT

◎ 4213

JULY 19

MAP T. 11537 PROJECT NO. Ph-34 SCALE OF MAP 1:20,000 SCALE FACTOR

PROJECT NO. Ph-34

SCALE OF MAP 1:20,000

1 FT. = .3048006 METER

DATE 1 April 19

DATE 1 April 1955

CHECKED BY: S. G. Blanckenhorn DATE: 3 May 1955

112 - 2388-12

SCALE FACTOR

N.A. 1927 - DATUM		FACTOR DISTANCE FROM GRID OR PROJECTION LINE	
DISTANCE FROM GRID OR PROJECTION LINE IN METERS		IN METERS	
FORWARD	(BACK)	FORWARD	(BACK)
1658.5	(196.0)		
1069.4	(72.3)		
1784.0	(70.5)		
951.6	(190.1)		
204.3	(1650.2)		
936.1	(205.6)		
1017.6	(836.9)		
214.6	(927.3)		
1200.5	(654.0)		
108.9	(1033.0)		
1225.8	(628.7)		
101.4	(1040.4)		
332.7	(1521.8)		
321.0	(821.9)		
1259.8	(594.7)		
382.4	(760.3)		
1189.1	(665.4)		
379.7	(763.0)		
694.5	(1160.0)		
489.7	(653.5)		
1049.2			
211.9			

DATE 3 May 1955
KET

SCALE OF MAP 1:20,000 SCALE FACTOR 1.0

SCALE OF MAP 1:20,000

SCALE FACTOR 1.0

checked by G. Auburn

Feb. 1956

Compilation Report

T-11537 T-11538 T-11539

31. Delineation

Shoreline and foreshore features were delineated ~~both~~ from field inspected photographs of 1:20,000 scale.

The work sheet method was used to delineate the MHWL and near shore features. Adjusting the planimetry to manuscript scale was done by holding to the compilation points of near sea level elevation.

32. Control

See the attached photogrammetric report and control sketch for summary of control.

33. Supplemental data

T-6938 No. A	1:24,422.4	1934
T-6939 No. C	1:24,422.4	1934

No supplemental data was carried forward to the manuscripts from these surveys.

34. Contours and Drainage

Contours (50 foot intervals) and drainage were added to the shoreline manuscripts with nine-lens photos used on the Reading Plotter. Radial plot points along the shore and triangulation stations were given preference to interior points during compilation.

35. Shoreline and Alongshore Details

The map manuscripts were delineated from office photographs

36. Offshore Details - con.

The compiled position for triangulation stations Outer Rock Sulphur Point fell on its plotted positions, thereby, verifying the approximate photo location given by both the 1953 and 1955 field parties.

The 1955 photo position for triangulation station Rock No.2 off Sulphur Point, when compiled, fell on its plotted position. The 1953 position for the same rock fell further offshore on a feature now shown as a reef on the manuscript.

37. Landmarks and Aids

The position of Swallow Head Lt. was determined by radial plot. It is reported on Forms 524 and 567.

38. Control for Future Surveys

Six (6) recoverable topographic stations have been located photogrammetrically and their scaled geographic positions have been reported on Form 524.

T-11537	Cone	1953
T-11537	Fall	1953
T-11538	AAA	1953
T-11538	Amos	1953
T-11538	Hard	1953
T-11538	Swallow	
	Head Lt.	1953

Seventeen (17) field inspected photo-hydro stations on T-11537 and thirty-eight (38) on T-11538 have been located on ~~their consecutive manuscript~~



46. Comparison with Existing Maps

Adak, Alaska, Alaska reconnaissance topographic series, 1:250,000, 1951. Also refer to item 33 of this report.

47. Comparison with Nautical Charts

9139	1:30,000	Corrected to 6/2/52
9193	1:20,000	Corrected to 7/5/54
	1:120,000	

These manuscripts supersede present charted information for shoreline and alongshore features and for interior planimetry and contours.

"Items to be Applied to Nautical Charts Immediately" - None

"Items to be Carried Forward" - None

APPROVED BY:

Louis Levin

SUBMITTED BY:

Clarence E. Mayfield

PI 34
Project ~~21050 (6034)~~

T-11537, T-11538, T-11539, T-11548 & T-11549

Notes for the Hydrographer:

The field inspection of the 1956 Season has been applied to the above manuscripts. Except for final review, they are in final form.

Corrections applied comprised additional data on rocks and some changes or refinements to the delineation of shoreline. In a few cases intricate shoreline features were badly obstructed by shadow or overhang of bluffs and are shown as dashed for approximate shoreline.

A very slight shift, approximately 0.3mm, was made in the eastern part of T-11549. The effect on photo-hydro stations for this area was negligible and the positions were not changed. There was no indicated datum shift for other areas of these surveys when the new 1956 control identification was applied to the surveys.

On T-11548 a rock awash was compiled at approximately 1/4 mile east of hydro-station WAR. It is discernible on all photographs but had no field inspection. It should therefore be verified by hydrographic surveys. For a few rocks, slight differences in datum references were noted between field inspection notes on different photographs. In such cases, values were taken for greater safety to the mariner.

Except for Anagaksik Island which had no field inspection and Ulak Island which had little field inspection, all areas appear fairly complete in alongshore rocks. All surveys should be adequate as a topographic base for hydrography.

T-11538


6 March 1956

OFFICE MEMORANDUM

Subject: Photogrammetric manuscripts T-11537 and T-11538,
Great Sitkin Island, Aleutian Islands, Alaska

This memorandum is for insertion in Descriptive Reports
H-8237, T-11537, and T-11538. Copies shall also be forwarded
to the Ship EXPLORER.

Incomplete photogrammetric manuscripts T-11537 and T-11538
were forwarded to the Ship EXPLORER in August 1955. The
~~EXPLORER was informed that the~~ medical plot and navigation



GEOGRAPHIC NAMES

Survey No.

T-11537

Name on Survey

A On Chart
No.
B On previous survey
No.
C On U. S. quadrangle
Maps
D From local
information
E On local Maps
F P. O. Guide or Map
G Rand McNally Atlas
H U. S. Light List
K

GEOGRAPHIC NAMES

Survey No.

T-11538

GEOGRAPHIC NAMES

Survey No.

T-11539

Name on Survey

A

On Chart
No.

On previous survey
No. _____
On U

S. quadrangle Maps From local information

On local Maps

P. O. Guide or Map
Rand

McNally Atlas
U. S. Li

Light List

Bering Sea	1
Bugle Point	2
Ulak Island	3
<u>Great Sitkin Island</u>	4
	5
	6
Names approved 8-16-57	7
L. Heck	8
	9
See note on manuscript re title	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	27
	28

Review Report of
Topographic Maps T-11537, T-11538 and T-11539
September 1957

62. Comparison with Registered Topographic Surveys:

T-6938	USN	1:24,422.4	1934
T-6939	USN	1:24,422.4	1934
T-10001		1:20,000	1943

Extensive cultural changes on the south portion of Great Sitkin Island account for the only major differences between subject surveys and above-listed registered topographic surveys. T-11537 through T-11539 are completely detailed topographic maps with adequate control and are to supersede above-listed surveys for nautical charting purposes for common areas.

63. Comparison with Maps of Other Agencies:

Adak, Alaska and Atka, Alaska of Alaska Reconnaissance Topographic Series of 1951 and 1952 by the U. S. Geological Survey at scale of 1:250,000. The considerable difference in scale does not permit a conclusive comparison.

64. Comparison with Contemporary Hydrographic Surveys:

H-8233	1:40,000	1955
H-8237	1:20,000	1955

Preliminary shoreline of the three topographic surveys was furnished for the two listed hydrographic surveys. Minor changes and additions of shoreline and foreshore features resulting from field inspection and final Washington Office review have* yet to be applied to these hydro-surveys. None of these corrections appear to interfere with the hydrographic information shown.

65. Comparison with Nautical Charts:

* Applied to H-8237 11-14-62 D.R.E.


9139	1:30,000	Corrected to 52 6/2
9193	1:120,000	June 1957

Recent hydrographic surveys (listed under 64) will effect reprinting or new editions of nautical charts of this area. Chart number 9193 - 3rd edition, June 1957 does not include information made available by the three subject topographic surveys and hydrographic surveys listed under 64.

66. Adequacy of Results and Future Surveys:


Field inspection of shoreline and foreshore is incomplete, however, appeared adequate. Roads, buildings and other interior features were not field inspected. Such detailing by office interpretation only may be subject to error. Some field inspection photographs were not available during final review. Other than these no deficiencies in accuracy and adequacy were indicated.

Reviewed by:




Josef J. Streifler

Approved:




L. C. Lande
Chief, Review & Drafting Sec.
Photogrammetry Division



Marvin Carlson
Chief, Nautical Chart Branch
Charts Division



J. E. Waugh 10/9/62
Chief, Photogrammetry Div.



May B. Roberts
Chief, Coastal Surveys

Summary
To Accompany Topographic Maps
T-11537, T-11538 and T-11539

These three topographic surveys are part of Project Ph-34 (6051). Except for the southern tip of Great Sitkin Island they cover this and Ulak Island. Great Sitkin and Ulak Islands belong to the Andreanof Islands group of the Aleutians, Alaska.

Shoreline, foreshore and offshore were compiled graphically in 1955 from 1953 and 1954 nine-lens photos and furnished as preliminary manuscripts for hydrographic surveys. The three topographic compilations were completed in 1957 on the Reading Plotter.

The maps will be published by the Army Map Service as standard topographic quadrangles at the scale of 1:25,000 with the addition of hydrographic information.

A "Cronar" film positive at manuscript scale of 1:20,000 and the descriptive report as well as a cloth-backed printed copy in colors after final printing by AMS, will be registered and filed in the Bureau Archives.

NAUTICAL CHARTS BRANCH

SURVEY NO. T-11537 thru 11539.

Record of Application to Charts

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

M-2168-1