

11871

Diag. Cht. No. 5101-2.

Form 504

U. S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

DESCRIPTIVE REPORT

Type of Survey SHORELINE (PHOTOGRAMMETRIC)

Field No. PH 6011 Office No. T-11871

LOCALITY

State CALIFORNIA

General locality DANA POINT TO MISSION BAY

Locality CARLSBAD

1960 - 19 62

CHIEF OF PARTY

FRED NATELLA

LIBRARY & ARCHIVES

DATE

USCOMM-DC 5087

11871

DESCRIPTIVE REPORT - DATA RECORD
T - 11871

PROJECT NO. (II): 21033			
FIELD OFFICE (II): OCEANSIDE, CALIFORNIA		CHIEF OF PARTY UNIT CHIEF	FRED NATELLA R. B. MELBY
PHOTOGRAMMETRIC OFFICE (III): PORTLAND, OREGON		OFFICER-IN-CHARGE FRED NATELLA	
INSTRUCTIONS DATED (II) (III): 20 DEC. 1960			
AMENDMENT I: 31 AUG. 1961 II, III			
AMENDMENT I: 25 APR. 1963 III			
AMENDMENT II: 1 OCT. 1963 III			
METHOD OF COMPILATION (III): KELSH INSTRUMENT			
MANUSCRIPT SCALE (III): 1:10,000		STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III): 1:6000 PANTOGRAPH SCALE: 1:10,000	
DATE RECEIVED IN WASHINGTON OFFICE (IV):		DATE REPORTED TO NAUTICAL CHART BRANCH (IV):	
APPLIED TO CHART NO.		DATE:	DATE REGISTERED (IV):
GEOGRAPHIC DATUM (III): N.A. 1927		VERTICAL DATUM (III): MEAN SEA LEVEL EXCEPT AS FOLLOWS: X <i>Elevations shown as (25) refer to mean high water</i> <i>Elevations shown as (5) refer to sounding datum</i> <i>i.e., mean low water or mean lower low water</i>	
REFERENCE STATION (III): MULL, 1887			
LAT.:	LONG.:	<input checked="" type="checkbox"/> ADJUSTED <input type="checkbox"/> UNADJUSTED	
33° 08' 55.754"	177° 20' 45.181"		
PLANE COORDINATES (IV):		STATE	ZONE
= 359,110.22	x = 1,664,574.89	CALIFORNIA	VI
ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE, OR (IV) WASHINGTON OFFICE. WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.			

DESCRIPTIVE REPORT - DATA RECORD

FIELD INSPECTION BY (II): ROBERT B. MELBY		DATE: SEPT. 1961 - MARCH 1962
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION): DECEMBER 1961 BY FIELD INSPECTION. COMPILATION BY KELSH INSTRUMENT.		
PROJECTION AND GRIDS RULED BY (IV): A.R.		DATE 4-12-63
PROJECTION AND GRIDS CHECKED BY (IV): L.F.B.		DATE 4-15-63
CONTROL PLOTTED BY (III): D. N. WILLIAMS		DATE 5-22-63
CONTROL CHECKED BY (III): R. H. MEYER		DATE 5-22-63
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III): HENRY P. EICHERT		DATE APRIL 1963
STEREOSCOPIC INSTRUMENT COMPILATION (III):	PLANIMETRY L. L. GRAVES	DATE 6-7-63
	CONTOURS	DATE
MANUSCRIPT DELINEATED BY (III): SMOOTH DRAFT: C. C. HARRIS		DATE 10-1-63
SCRIBING BY (III): STICK-UP: C. C. HARRIS		DATE 12-17-63
PHOTOGRAMMETRIC OFFICE REVIEW BY (III): ROUGH DRAFT: C. C. HARRIS ADVANCE: J. L. HARRIS		DATE 10-1-63 1-16-64
REMARKS:		

DESCRIPTIVE REPORT - DATA RECORD

CAMERA (KIND OR SOURCE) (III):

C&GS SINGLE LENS "S"

PHOTOGRAPHS (III)

NUMBER	DATE	TIME	SCALE	STAGE OF TIDE
60 S 515A THRU 517A	9-2-60	10:20	1:30,000	2.5' ABOVE M.L.L.W.
60 S 521A THRU 525A	"	10:35	"	2.4' " "
60 S 439A THRU 445A	"	09:20	1:20,000	3.4' " "
RATIO PRINTS OF ABOVE AT 1:10,000				
COMPUTED FROM PREDICTED TIDE TABLES.				

TIDE (III)

		RATIO OF RANGES	MEAN RANGE	DIURNAL RANGE
REFERENCE STATION:	SAN DIEGO, CALIFORNIA		4.2	5.8
SUBORDINATE STATION:	SAN CLEMENTE, CALIFORNIA		3.7	5.3
SUBORDINATE STATION:				
WASHINGTON OFFICE REVIEW BY (IV):		DATE:		
PROOF EDIT BY (IV):		DATE:		
NUMBER OF TRIANGULATION STATIONS SEARCHED FOR (II):	11	RECOVERED: 8	IDENTIFIED: 3	
NUMBER OF BM(S) SEARCHED FOR (II):	NONE	RECOVERED:	IDENTIFIED	
NUMBER OF RECOVERABLE PHOTO STATIONS ESTABLISHED (III):		NONE		
NUMBER OF TEMPORARY PHOTO HYDRO STATIONS ESTABLISHED (III):		NONE		

REMARKS:

FIELD INSPECTION REPORT

MAP MANUSCRIPT T-11871

PROJECT 21033

REFER TO THE FIELD INSPECTION REPORT BY ROBERT B. MELBY FOR
T-11864 THRU T-11877, SEPTEMBER 1961 - MARCH 1962 INCLUDED WITH THE
DESCRIPTIVE REPORT FOR T-11864.

PHOTOGRAMMETRIC PLOT REPORT

MAP MANUSCRIPT T-11871

PROJECT 21033

REFER TO THE PHOTOGRAMMETRIC PLOT REPORT No. 1 BY HENRY P.
EICHERT, APRIL 1963 AND INCLUDED WITH THE DESCRIPTIVE REPORT FOR
T411864.

COMPILATION REPORT
MAP MANUSCRIPT T-12033
PROJECT 21033

ITEMS 31 AND 32:

REFER TO THE COMPILATION REPORT FOR T-11864.

33. SUPPLEMENTAL DATA:

MAP OF CITY OF CARLSBAD
MAP OF CITY OF OCEANSIDE
MAP OF CARLSBAD BEACH STATE PARK

ITEMS 34 AND 35:

REFER TO THE COMPILATION REPORT FOR T-11864.

36. OFFSHORE DETAILS:

NONE.

37. LANDMARKS AND AIDS:

ONE LANDMARK IS SHOWN ON THIS MANUSCRIPT. FORM 567 IS SUBMITTED.

38. CONTROLS FOR FUTURE SURVEYS:

NONE.

39. JUNCTIONS:

SATISFACTORY JUNCTIONS WERE MADE WITH T-11870 ON THE NORTH AND WITH T-11872 ON THE SOUTH. THE PACIFIC OCEAN IS ON THE WEST. THERE IS NO CONTEMPORARY SURVEY ON THE EAST.

40. HORIZONTAL AND VERTICAL ACCURACY:46. COMPARISON WITH EXISTING MAPS:

COMPARISON WAS MADE WITH THE U.S.G.S. $7\frac{1}{2}$ MINUTE SAN LUIS RAY, CALIFORNIA, QUADRANGLE, SCALE 1:24,000, EDITION 1948.

47. COMPARISON WITH NAUTICAL CHARTS:

COMPARISON WAS MADE WITH NAUTICAL CHART 5101, SCALE 1:234,270 AT LAT. $33^{\circ} 20'$, 5TH EDITION, JAN. 6, 1947, REVISED 5-18-59.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:


NONE.

ITEMS TO BE CARRIED FORWARD:

NONE.

APPROVED:

RESPECTFULLY SUBMITTED:


FRED NATELLA, CAPT, C&GS
PORTLAND DISTRICT OFFICER


JAMES L. HARRIS
CARTOGRAPHER

48. GEOGRAPHIC NAME LIST:

THE GEOGRAPHIC NAMES ON THIS MANUSCRIPT ARE LISTED BELOW AND WERE FURNISHED BY THE WASHINGTON OFFICE ON A FINAL NAME SHEET, A COPY OF THE U.S.G.S. SAN LUIS REY, CALIFORNIA 7½ MINUTE QUADRANGLE, SCALE 1:24,000, EDITION 1948.

AQUA HEDIONDA LAGOON
BUENA VISTA LAGOON
CARLSBAD
* CARLSBAD BEACH STATE PARK *OK*
FARR
GULF OF SANTA CATALINA
OCEANSIDE
PACIFIC OCEAN
** SOUTH OCEANSIDE *OK. B.J.W.*

* THIS NAME WAS TAKEN FROM THE MAP OF THIS FEATURE.

** THIS COMMUNITY IS INCLUDED WITHIN THE CORPORATE LIMITS OF OCEANSIDE.

*Names checked
and approved
8-3-65*

A. J. Wright

49: NOTES FOR THE HYDROGRAPHER:

NONE.

PHOTOGRAMMETRIC OFFICE REVIEW

T-10368 11871

1. PROJECTION AND GRIDS ✓	2. TITLE ✓	3. MANUSCRIPT NUMBERS ✓	4. MANUSCRIPT SIZE ✓
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY ✓	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations) None		7. PHOTO HYDRO STATIONS None
8. BENCH MARKS None	9. PLOTTING OF SEXTANT FIXES None	10. PHOTOGRAMMETRIC PLOT REPORT ✓	11. DETAIL POINTS None
ALONGSHORE AREAS (Nautical Chart Data)			
12. SHORELINE ✓	13. LOW-WATER LINE None	14. ROCKS, SHOALS, ETC. None	15. BRIDGES ✓
16. AIDS TO NAVIGATION ✓	17. LANDMARKS ✓	18. OTHER ALONGSHORE PHYSICAL FEATURES ✓	19. OTHER ALONGSHORE CULTURAL FEATURES ✓
PHYSICAL FEATURES			
20. WATER FEATURES ✓		21. NATURAL GROUND COVER ✓	22. PLANETABLE CONTOURS Not Applicable
23. STEREOSCOPIC INSTRUMENT CONTOURS Not Applicable	24. CONTOURS IN GENERAL Not Applicable	25. SPOT ELEVATIONS None	26. OTHER PHYSICAL FEATURES ✓
CULTURAL FEATURES			
27. ROADS ✓	28. BUILDINGS ✓	29. RAILROADS ✓	30. OTHER CULTURAL FEATURES ✓
BOUNDARIES			
31. BOUNDARY LINES ✓		32. PUBLIC LAND LINES None	
MISCELLANEOUS			
33. GEOGRAPHIC NAMES ✓		34. JUNCTIONS ✓	35. LEGIBILITY OF THE MANUSCRIPT ✓
36. DISCREPANCY OVERLAY None	37. DESCRIPTIVE REPORT ✓	38. FIELD INSPECTION PHOTOGRAPHS ✓	39. FORMS ✓
40. REVIEWER <i>Loarita L. Harris</i>		SUPERVISOR, REVIEW SECTION OR UNIT	
41. REMARKS (See attached sheet)			
FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT			
42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.			
COMPILER		SUPERVISOR	
43. REMARKS			

Review Report
Shoreline Maps
T-11870 through T-11877
August 1965

61. General Statement

Area- The project encompasses the California Coast from Dana Point to Mexico.

Purpose- The purpose of this project is to provide shoreline maps for our nautical and aero-nautical charting program.

62. Comparison with Registered Topographic Surveys

T-5374	1:10,000	1934
T-5375	1:10,000	1934
T-5410	1:10,000	1934
T-5411	1:10,000	1934
T-5412	1:10,000	1934
T-5413	1:10,000	1934

There are cultural and shoreline differences due, in the most part, to the time interval.

63. Comparison with Maps of Other Agencies

Oceanside	1:24,000	1947
San Luis Rey	1:24,000	1948
Encinitas	1:24,000	1948
Del Mar	1:24,000	1953
La Jolla	1:24,000	1953

Due to new construction there are cultural and shoreline differences.

64. Comparison with Contemporary Hydrographic Surveys

None

65. Comparison with Nautical Charts

5101	1:234,270	1965
5107	1:20,000	1964

See item 47

66. Adequacy of Results and Future Surveys

These maps were prepared according to project instructions and are of standard map accuracy.

Reviewed by:

L. C. Lande
L. C. Lande

Approved by:

Charles L. ...
Chief, Photogrammetric Branch

L. J. Woodcock
Chief, Photogrammetry Division

Chief, Nautical Chart Division

~~NONWORKING~~ LANDMARKS FOR CHARTS

TO BE CHARTED
~~TO BE REMOVED~~
~~TO BE DELETED~~

STRIKE OUT TWO

Portland, Oregon 16 JAN. 19 64

I recommend that the following objects which have ~~(insert name)~~ been inspected from seaward to determine their value as landmarks be charted on ~~(insert name)~~ the charts indicated.

The positions given have been checked after listing by J. L. HARRIS

STATE CALIFORNIA CHIEF OF PARTY FRED NATELLA

CHARTING NAME	DESCRIPTION	SIGNAL NAME	POSITION				METHOD LOCATION AND SURVEY NO.	DATE OF LOCATION	HARBOR CHART	INSHORE CHART	OFFSHORE CHART	CHARTS AFFECTED	
			LATITUDE*		LONGITUDE*								DATUM
			D. M. METERS	° / ' "	D. M. METERS	° / ' "							
STACK MIDDLE OF 3	SAN DIEGO GAS AND ELECTRIC CO. CENTER STACK, 1959 HT=154' (188')		33 08	11 983	368.7.	117 20	09.134	N.A.	5-21-62			X	5101

This form shall be prepared in accordance with Hydrographic Manual, Publication 20.2, Sec. 1-55, 2-39, 6-36, 7-18 to 22 inclusive, and Fig. 79. Positions of charted landmarks and nonfloating aids to navigation, if redetermined, shall be reported on this form. Revisions shall show both the old and new positions. The data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

* TABULATE SECONDS AND METERS

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. T-11871

INSTRUCTIONS

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.
1. Letter all information.
 2. In "Remarks" column cross out words that do not apply.
 3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
5101	8/3/67	John P. Wein	Full Part Before After Verification Review Inspection Signed Via Drawing No. <i>Examined, no critical correction</i>
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.