

11910

Diag. Cht. No. 4116.

Form 504	
U. S. DEPARTMENT OF COMMERCE	
COAST AND GEODETIC SURVEY	
DESCRIPTIVE REPORT	
Type of Survey	SHORELINE (PHOTOGRAMMETRIC)
Field No. Ph-6012	Office No. T-11910
LOCALITY	
State	Hawaii
General locality	Maui Island
Locality	Paina Point
1962 *	
CHIEF OF PARTY	
H. J. Seaborg, Honolulu District Office	
W. E. Randall, Baltimore District Office	
LIBRARY & ARCHIVES	
DATE	

USCOMM-DC 5087

* Refer to page 3 of Descriptive Report
(Remarks - Field edit)

11910

DESCRIPTIVE REPORT - DATA RECORD

T-11910

PROJECT NO. (II): PH 6012		
FIELD OFFICE (III): Honolulu, Hawaii		CHIEF OF PARTY H. J. Seaborg
PHOTOGRAMMETRIC OFFICE (III): Baltimore, Maryland		OFFICER-IN-CHARGE W. E. Randall
INSTRUCTIONS DATED (II) (III): 14 November 1960 28 November 1960 13 June 1961 16 January 1962		
METHOD OF COMPILATION (III): Kelsh Plotter		
MANUSCRIPT SCALE (III): 1:5,000	STEREOSCOPIC PLOTTING INSTRUMENT SCALE (III): 1:5,000	
DATE RECEIVED IN WASHINGTON OFFICE (IV):	DATE REPORTED TO NAUTICAL CHART BRANCH (IV):	
APPLIED TO CHART NO.	DATE:	DATE REGISTERED (IV):
GEOGRAPHIC DATUM (III): Old Hawaiian		VERTICAL DATUM (III): MSL MEAN SEA LEVEL EXCEPT AS FOLLOWS: <i>Elevations shown as (25) refer to mean high water</i> <i>Elevations shown as (5) refer to sounding datum</i> <i>i.e., mean low water or mean lower low water</i>
REFERENCE STATION (III): KAPUKAULUA (HGS) (HTS 1929), 1878		
LAT.: 20° 47' 43.576"	LONG.: 156° 00' 14.363"	<input checked="" type="checkbox"/> ADJUSTED <input type="checkbox"/> UNADJUSTED
PLANE COORDINATES (IV): Y = 168,298.94 X = 726,351.77		STATE Hawaii
		ZONE 2
ROMAN NUMERALS INDICATE WHETHER THE ITEM IS TO BE ENTERED BY (II) FIELD PARTY, (III) PHOTOGRAMMETRIC OFFICE, OR (IV) WASHINGTON OFFICE. WHEN ENTERING NAMES OF PERSONNEL ON THIS RECORD GIVE THE SURNAME AND INITIALS, NOT INITIALS ONLY.		

DESCRIPTIVE REPORT - DATA RECORD

FIELD INSPECTION BY (II):		DATE:
J. C. Lajoie		March 1962
MEAN HIGH WATER LOCATION (III) (STATE DATE AND METHOD OF LOCATION):		
Mean high water located by Kelsh Plotter from 1960 panchromatic and 1962 color photography.		
PROJECTION AND GRIDS RULED BY (IV):		DATE
R.A.C.		11-30-60
PROJECTION AND GRIDS CHECKED BY (IV):		DATE
J.D.C.		12-6-60
CONTROL PLOTTED BY (III):		DATE
L.A. Senasack		3-7-62
CONTROL CHECKED BY (III):		DATE
I.O. Neterer		3-7-62
RADIAL PLOT OR STEREOSCOPIC CONTROL EXTENSION BY (III):		DATE
Aerotriangulation - Washington Office		1961
STEREOSCOPIC INSTRUMENT COMPILATION (III):	PLANIMETRY	DATE
	D.M. Brant	5-62
	CONTOURS	DATE
D.M. Brant	Inapplicable	
MANUSCRIPT DELINEATED BY (III):		DATE
D.M. Brant		5-62
SCRIBING BY (III):		DATE
PHOTOGRAMMETRIC OFFICE REVIEW BY (III):		DATE
J.D. Mc Evoy		5-62
REMARKS:		

4/


COMPILATION RECORD

COMPLETION DATE

REMARKS

Alongshore area for Hydro	June 1962	superseded
Final Compilation	June 1964	

Mapping Scales



CHANNEL

OFFICIAL MILEAGE FOR COST ACCOUNTS

Sheet No.	Shoreline (Miles)	Area (Sq. Miles)
331	2.5	1.5
332	4.5	12
333	5	8
334	2.7	3
335	2.5	4
336	5	4
337	5	6
338	4.5	3
339	2.5	2
340	2.5	2

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT T-11910

Shoreline manuscript T-11910 is one of forty-nine similar maps in this project and covers a part of the coastline of Maui Island. This was a Kelsh project in advance of hydrographic surveys in the area. The field operations preceding compilation included recovery and identification of horizontal control and field inspection. The Kelsh compilation was at 1:5,000 scale from 1:25,000 scale photography obtained October 15, 1960. A cronaflex positive showing shoreline, alongshore features and shoreline pass points was furnished for the preparation of the hydrographer's boat sheet along with 1:5,000 scale ratio prints for the location of hydro signals and for field edit purposes.

The compilation manuscript is a vinylite sheet 1 minute 52.5 seconds in latitude by 1 minute 52.5 seconds in longitude on which the smooth sheet was drafted and reproduced on cronaflex. One cronar positive and one cronar negative are provided for record and registry.

FIELD INSPECTION REPORT
T-11910

Please refer to the Field Inspection Report for Maui Island,
Hawaii bound with the Descriptive Report for T-11991.

U.S. DEPARTMENT OF COMMERCE
DESCRIPTIVE REPORT

COAST AND GEODETIC SURVEY
CONTROL RECORD

MAP T. 11910 PROJECT NO. PH-6012 SCALE OF MAP 1:5,000 SCALE FACTOR

STATION	SOURCE OF INFORMATION (INDEX)	DATUM	LATITUDE OR y -COORDINATE LONGITUDE OR x -COORDINATE	DISTANCE FROM GRID IN FEET. OR PROJECTION LINE IN METERS		DATUM CORRECTION	N.A. 1927 - DATUM DISTANCE FROM GRID OR PROJECTION LINE IN METERS		FACTOR DISTANCE FROM GRID OR PROJECTION LINE IN METERS
				FORWARD	(BACK)		FORWARD	(BACK)	
THERE IS NO HORIZONTAL CONTROL OF THIRD ORDER ACCURACY OR BETTER WITHIN THE LIMITS OF THIS SURVEY.									

COMPILATION REPORT T-11910

For additional data pertaining to this survey please refer to the Field Inspection Report for Maui Island bound with T-11991 and the Photogrammetric Plot Report bound with T-11907.

Items 31 thru 36

Please refer to the Compilation Report bound with T-11896

37. LANDMARKS AND AIDS

There are no landmarks, aids to navigation, or aeronautical aids within the limits of this survey.

38. CONTROL FOR FUTURE SURVEYS

No control for future surveys was established.

39. JUNCTIONS

Satisfactory junctions were made with T-11909 to the west and with T-11911 to the south. The Pacific Ocean is on the north and east.

46. COMPARISON WITH EXISTING MAPS

Comparison was made with U.S.G.S. Hana, Hawaii quadrangle, 1:24,000 scale, edition of 1957

47. COMPARISON WITH NAUTICAL CHARTS

Comparison was made with nautical chart 4116, 1:250,000 scale, 12th edition, August 17, 1964.

10.
ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None

ITEMS TO BE CARRIED FORWARD

None

Respectfully submitted:

Joseph Steinberg
For: Donald M. Brant
Carto. (Photo.)

Approved:

J. Hollis
for J. Bull
Capt. C&GS
Norfolk Regional Officer

11.
T-11910

48. Geographic Names List:

The Geographic Names listed below were furnished by the Washington Office on U.S.G.S. Hana, Hawaii 7½ minute quadrangle, 1:24,000 scale, edition of 1957.

Kuaiwa Point
Pacific Ocean
Paina Point

A. J. Wright
ALL NAMES ARE FROM THE
GEOGRAPHIC NAMES SECTION
UNLESS OTHERWISE MARKED.

Ph-6012
Maui Island, Hawaii
T-11910 and T-11911

49. NOTES FOR THE HYDROGRAPHER

A set of ratio photographs (taken in 1960 and 1962) has been prepared for use during photo-hydro support.

Color photography was used as an aid in interpreting offshore details and foul lines.

The positions of the following hydrographic signal sites identified on field inspection photographs have been established photogrammetrically for the following surveys:

Signal No.	Description	Photo. No.
	<u>T-11910</u>	
1001	Rag on point	2960
	<u>T-11911</u>	
8907	North of two palms n. m.	2377
1101	Hawaiian church steeple	2376
1102	Northeast corner of wharf	2376
1103	Dome shaped rock	2376
1104	East corner of pavillion	2376
1105	Hana Bay Range Front Daybeacon	2374
1106	Hana Bay Range Rear Daybeacon	2374
1107	Ironwood tree	2376
1108	Flag at east end of log	2960
1109	Center of red roof	2960
1110	High point of overhanging rock	2960
1111	Flag at indentation	2960
1112	High point of rock	2960
1113	Center of offshore rock	2960

FORM 182
(3-61)

PHOTOGRAMMETRIC OFFICE REVIEW

U.S. DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY

T-T-11910

1. PROJECTION AND GRIDS <i>LFB</i>		2. TITLE <i>LFB</i>		3. MANUSCRIPT NUMBERS <i>LFB</i>	4. MANUSCRIPT SIZE <i>LFB</i>
CONTROL STATIONS	5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY <i>LFB</i>		6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (TOPOGRAPHIC STATIONS) <i>None</i>		
	7. PHOTO HYDRO STATIONS <i>None</i>	8. BENCH MARKS <i>None</i>	9. PLOTTING OF SEXTANT FIXES <i>None</i>	10. PHOTOGRAMMETRIC PLOT REPORT <i>LFB</i>	
	11. DETAIL POINTS <i>LFB</i>				
ALONGSHORE AREAS (Nautical Chart Data)	12. SHORELINE <i>LFB</i>	13. LOW-WATER LINE <i>LFB</i>	14. ROCKS, SHOALS, ETC. <i>LFB</i>	15. BRIDGES <i>LFB</i>	
	16. AIDS TO NAVIGATION <i>None</i>	17. LANDMARKS <i>None</i>	18. OTHER ALONGSHORE PHYSICAL FEATURES <i>LFB</i>		
	19. OTHER ALONGSHORE CULTURAL FEATURES <i>LFB</i>				
PHYSICAL FEATURES	20. WATER FEATURES <i>LFB</i>		21. NATURAL GROUND COVER <i>LFB</i>		
	22. PLANETABLE CONTOURS <i>None</i>		23. STEREOSCOPIC INSTRUMENT CONTOURS <i>None</i>		
	24. CONTOURS IN GENERAL <i>None</i>		25. SPOT ELEVATIONS <i>None</i>		
	26. OTHER PHYSICAL FEATURES <i>LFB</i>				
CULTURAL FEATURES	27. ROADS <i>LFB</i>	28. BUILDINGS <i>LFB</i>	29. RAILROADS <i>None</i>		
	30. OTHER CULTURAL FEATURES <i>LFB</i>				
BOUNDARIES	31. BOUNDARY LINES <i>None</i>		32. PUBLIC LAND LINES <i>None</i>		
	33. GEOGRAPHIC NAMES <i>LFB</i>				
MISCELLANEOUS	34. JUNCTIONS <i>LFB</i>			35. LEGIBILITY OF THE MANUSCRIPT <i>LFB</i>	
	36. DISCREPANCY OVERLAY <i>LFB</i>		37. DESCRIPTIVE REPORT <i>LFB</i>		
	38. FIELD INSPECTION PHOTOGRAPHS <i>LFB</i>		39. FORMS <i>LFB</i>		
	SIGNATURE OF REVIEWER <i>Leo F. Beugnot</i>		SIGNATURE OF SUPERVISOR, REVIEW SECTION OR UNIT <i>Joseph Steinberg</i>		
	40. FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT: Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted in remarks on reverse side.				
SIGNATURE OF COMPILER <i>Leo F. Beugnot for Del Brant</i>			SIGNATURE OF SUPERVISOR <i>Joseph Steinberg</i>		

USE REVERSE SIDE FOR REMARKS

USCOMM-DC 25353-P61

FIELD EDIT REPORT
T-11910

No formal Field Edit Report was received. Please refer to the two following Memorandums concerning the field edit of this manuscript.

MEMORANDUM

24 10 146

Page 8 July 1962

[REDACTED]

Information

15.
C 6314

TO : Chief, Photogrammetry Division

DATE: January 24, 1964

C 631/w

FROM : Commanding Officer
USCGCSS PATHFINDER
705 Federal Office Bldg.
Seattle 4, Washington 98104

SUBJECT: Field Edit data, Project 2103 (Ph-6012), Maui Island,
Hawaii

Manuscripts T-II907 and T-II991 were corrected and
sent 1/9/64 with transmittal letter PATH I-64. Man-
uscripts T-II906, T-II908 through T-II911 and T-II992
are being sent. Shoreline revision was necessary on
T-II909 and T-II908 only.

Replying to 6314/1h

for
H. J. Seaborg Capt. USCGC
Ship PATHFINDER
Seattle, Washington

Joe
You will not receive any objection
to this letter re Field Edit of
manuscripts with no changes noted. The
manuscripts are being sent to the
ship (T-II906) for review and
retransmission with no changes.
Sent back to the ship (T-II906) for review
and retransmission.

1/31/64

REVIEW REPORT T-11910
SHORELINE

61. GENERAL STATEMENT

See summary accompanying Descriptive Report

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

A visual comparison was made with Registered Planetable survey No. 3274, 1:20,000 scale dated March 20, 1914.

Shoreline manuscript T-11910 supersedes this prior survey and should be used for all nautical chart construction.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

Comparison was made with U.S.G.S. Hana, Hawaii 7½ minute quadrangle, 1:24,000 scale, edition of 1957.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

Comparison was made with a copy of boat sheet H-8719-PF-10-2-63 sheet CC. The minor differences between the manuscript and boat sheet are shown on the comparison print.

65. COMPARISON WITH NAUTICAL CHARTS

Comparison was made with nautical chart 4116, 1:250,000 scale edition of August 17, 1964.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with instructions and meets the National Standards of Map Accuracy.

Reviewed by:

Leo F. Buznet

Approved by:

S. Hollis
J. Bull, Director, Atlantic Marine Center

Approved by:

Charles Hansen
Chief, Cartographic Branch

L. F. Woodcock
Chief, Photogrammetry Division

John D. Boyer 2/21/68
Chief, Chart Division
Marine

Chief, Operations Branch

