

T-12252

T-12252

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline

Job No. PH-6211 Map No. T-12252

Classification No. Final Edition No. ...^I

Field Edited

LOCALITY

State Washington

General Locality Hood Canal

Locality Camp Harmony

1962 TO 1989

REGISTRY IN ARCHIVES

DATE

MAP NOT INSPECTED BY
QUALITY CONTROL OF PHOTOGRAMMETRY DIVISION
PRIOR TO REGISTRATION

NOAA FORM 76-36A (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN. DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	SURVEY TP. <u>12252</u> MAP EDITION NO. (1) MAP CLASS <u>Field Edited</u> JOB PH. <u>6211</u>
PHOTOGRAMMETRIC OFFICE Rockville, MD OFFICER-IN-CHARGE V. Ralph Sobieralski		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Original June 15, 1964 Amendment No. 1 Nov. 22, 1965 Amendment No. 2 Feb. 16, 1966 Amendment No. 3 July 1, 1966 Amendment No. 4 April 5, 1967		Field Feb. 5, 1963 Field Supplement Feb. 23, 1967	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION		4. GRID(S)	
Polyconic		STATE Washington	ZONE North
5. SCALE 1:10,000		STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION C-8 Stereoplanigraph BY J. Gerlach			Jan. 1965
METHOD: & 1 strip analytical LANDMARKS AND AIDS BY J. D. Perrow, Jr.			Aug. 1966
2. CONTROL AND BRIDGE POINTS PLOTTED BY M. Webber			Sept. 1966
METHOD: <i>HAND PLOT</i> CHECKED BY H. Lucas			Sept. 1966
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY M. C. Webber			June 1967
COMPILATION CHECKED BY J. Battley			June 1967
INSTRUMENT: B-8 Stereoplotter		CONTOURS BY N/A	
SCALE: 1:10,000		CHECKED BY N/A	
4. MANUSCRIPT DELINEATION PLANIMETRY BY M. C. Webber			June 1967
METHOD: Graphic - B-8 Worksheets		CHECKED BY J. P. Battley, Jr.	June 1967
SCALE: 1:10,000		CONTOURS BY N/A	
HYDRO SUPPORT DATA BY M. C. Webber			June 1967
CHECKED BY J. P. Battley, Jr.			June 1967
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY J. N. Maki			June 1967
6. APPLICATION OF FIELD EDIT DATA BY J. Battley, Jr.			Aug. 1969
CHECKED BY J. N. Maki			Aug. 1969
7. COMPILATION SECTION REVIEW BY J. Battley, Jr.			Sept. 1976
8. FINAL REVIEW BY P. Dempsey			Nov. 1981
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY			
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY			
11. MAP REGISTERED - COASTAL SURVEY SECTION BY <u>H. D. Wolfe</u>			<u>MAR 10 1969</u>

COMPILATION SOURCES

T-12252

1. COMPILATION PHOTOGRAPHY

CAMERA(S) "W" & "L" Cameras 6" focal length		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE		
TIDE STAGE REFERENCE		(C) COLOR	SCALE	ZONE	<input type="checkbox"/> STANDARD	
<input checked="" type="checkbox"/> PREDICTED TIDES		(P) PANCHROMATIC		Pacific	MERIDIAN	<input checked="" type="checkbox"/> DAYLIGHT
<input type="checkbox"/> REFERENCE STATION RECORDS		(I) INFRARED		105th		
<input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY						
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE		
65-W-5409 thru 5412	6/7/62	1110	1:30,000	3.2' above MLLW		
65-L-5640 thru 5642	8/15/65	1015	1:25,000	N/A		

REMARKS

2. SOURCE OF MEAN HIGH-WATER LINE:

Office interpreted from computed tide values that determined the stage of tide at the time of photography.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

There is no MLLW line on this map.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
T-12247	T-12253	T-12257	T-12251

REMARKS

HISTORY OF FIELD OPERATIONS.

T-12252

I. FIELD INSPECTION OPERATION FIELD EDIT OPERATION.

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. B. Melby	May 1963
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY	R. B. Melby May 1963
	PRE-MARKED OR IDENTIFIED BY	N/A
		R. B. Melby May 1963
3. VERTICAL CONTROL	RECOVERED BY	N/A
	ESTABLISHED BY	N/A
	PRE-MARKED OR IDENTIFIED BY	N/A
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY	R. B. Melby May 1963
	LOCATED (Field Methods) BY	N/A
	IDENTIFIED BY	R. B. Melby May 1963
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE	BY
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	N/A
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N/A

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED
One

2. VERTICAL CONTROL IDENTIFIED

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
62-W-5410	Hood Canal Light 10, 1963		

3. PHOTO NUMBERS (Clarification of details)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED
One

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
62-W-5410	Hood Canal Light 10, 1963		

5. GEOGRAPHIC NAMES: REPORT NONE

6. BOUNDARY AND LIMITS: REPORT NONE

7. SUPPLEMENTAL MAPS AND PLANS
None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)
None

HISTORY OF FIELD OPERATIONS.

T-12252

1. FIELD INSPECTION OPERATION FIELD EDIT OPERATION.

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. E. Moses	April 1969
2. HORIZONTAL CONTROL	RECOVERED BY	N/A
	ESTABLISHED BY	N/A
	PRE-MARKED OR IDENTIFIED BY	N/A
3. VERTICAL CONTROL	RECOVERED BY	N/A
	ESTABLISHED BY	N/A
	PRE-MARKED OR IDENTIFIED BY	N/A
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY	N/A
	LOCATED (Field Methods) BY	N/A
	IDENTIFIED BY	N/A
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input checked="" type="checkbox"/> COMPLETE	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
		BY
		<input type="checkbox"/> NO INVESTIGATION
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	N/A
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N/A

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED	2. VERTICAL CONTROL IDENTIFIED
----------------------------------	--------------------------------

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE	6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE
---	--

7. SUPPLEMENTAL MAPS AND PLANS
None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)
None

RECORD OF SURVEY USE

T-12252

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Shoreline, photo-hydro Support points	June 1967			(Cronaflex Copy) June 1967
Field Edit Applied	Aug. 1969	Class I Map		

II. LANDMARKS AND AIDS TO NAVIGATION

I. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____
3. REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____


III. FEDERAL RECORDS CENTER DATA

1. BRIDGING PHOTOGRAPHS; DUPLICATE BRIDGING REPORT; COMPUTER READOUTS.
2. CONTROL STATION IDENTIFICATION CARDS; FORM NOS 567 SUBMITTED BY FIELD PARTIES.
3. SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:
4. DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: 11/82

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

PH-6211
 SHORELINE MAPPING
 SCALE 1:10,000
 HOOD CANAL, WASH.



PHOTOGRAPHY

- 1:30,000 Date Jun 62
- 1:25,000 " Aug 65
- 1:15,000 Jun 62

T-12252

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

This 1:10,000 scale shoreline manuscript is one of 17 maps that comprise Project Ph-6211, which covers an area in the Northern part of Hood Canal from Port Gamble Southward to Hood Point and includes all of Dabob Bay. All maps in this project were field edited and reviewed. The field edit was accomplished by the hydrographic field party for project OPR-412.

The initial purpose of this map was to provide support for our nautical and aeronautical charting program and provide photo-hydro support data for hydrography scheduled in the area.

A field investigation was performed prior to compilation in April to June 1963. This investigation was to establish control, in order to meet aerotriangulation requirements, and to locate all landmarks and aids previously undetermined. All fixed aids to navigation not previously located by triangulation were located by triangulation or traverse at this time.

Photo coverage for compilation and aerotriangulation was flown in June 1962 with the "W" Wild Aviogon camera at a scale of 1:30,000 with panchromatic film and in August 1965 with the "L" Wild camera at a scale of 1:30,000 (ratio to 1:10,000) with panchromatic film. The 1:10,000 scale ratio prints were used for field notes.

Analytical aerotriangulation was adequately provided by the Rockville office.

Compilation was performed at both the Rockville office and the Atlantic Marine Center. Five sheets (T-12248, T-12249, T-12250, T-12253 and T-12254) were compiled in the AMC office in July, August and September 1966. The other twelve sheets were compiled in the Rockville office in April, May and June 1967. The field edit was applied in the Rockville office only.

Final review for this map was performed in the Rockville office in 1981.

FIELD INSPECTION

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

See attached report on panelling of control.

Horizontal Control and Identification Report

Project Ph-6211

Hood Canal, Washington

April-June 1963

The following comments and remarks are pertinent to the conditions and methods utilized to perform the required photo-control in Project Ph-6211. (Reference control diagram Ph-8211, Hood Canal, Wash.)

Sheet T-12246

Station T.T. 1 RB (USGS), 1955 was identified by the substitute station method, incorporating a dog-leg traverse to one of the substitute stations.

Station LELAND, 1955 was not identified. See station LARSON, 1955 north of sheet T-12247.

Sheet T-12247

Station LARSON, 1955 was identified in lieu of station LELAND, 1955. Station SANDY SHORE, 1955 was identified by a traverse to the substitute stations. A sun azimuth was observed at both ends of the traverse to secure adequate azimuth control of the traverse of the traverse line. Station GRASS 2, 1955 was identified by the substitute station method.

Sheet T-12248 T-12247

Station HOOD CANAL LIGHT 4, 1961 was identified direct and by the reverse, substitute station method.

Sheet T-12249

Station SET 2, 1934 was identified by a single substitute station,

determined by a dog-leg traverse. Station HOOD CANAL LIGHT NO.1, 1945 was identified direct. The light is near SET 2, 1934 and can serve as a second identified point. Station WHITE, 1934 was identified by the substitute station methods, using a dog-leg traverse to determine one of the substitute stations.

During the location of station SISTERS ROCK LIGHT, 1963, observations involving station SHINE, 1927 failed to provide adequate azimuth checks.

Sheet T-12250

North of this sheet station HEAD, 1927 was identified by a single substitute station. Nearby station POINT HANNON LIGHT, 1945 was identified direct to afford another identified point. Station NORTH BASE, 1915 was identified by the substitute station method. Station PORT, 1927 was identified by the substitute station method.

Sheet T-12251

Station COMPUTER BLDG (USN), 1961 was identified by the substitute station method.

Sheet T-12252

Station HOOD CANAL LIGHT 10, 1963 was identified direct. A suitable substitute station could not be found, therefore station CURRANT 2 1934, about 1/3 mile to the southwest was identified with a single substitute station.

Sheet T-12253

No stations were identified in this sheet.

Sheet 12254

Station HOOD CANAL LIGHT NO. 1, 1945 was identified direct to augment identification of nearby station SET 2, 1934.

Sheet T-12255

Station SYLOPASH POINT LIGHT, 1963, was identified by the reverse substitute station method.

Sheet T-12256

Station PULALI 2, 1961 was identified direct. A suitable substitute could not be found.

Sheet T-12257

Station CURRANT 2, 1934 was identified with a single substitute station. This can serve as the second identification point in this area as HOOD CANAL LIGHT 10 1963 was identified direct. Station HAZEL POINT LIGHT, 1963 was identified direct. Nearby station OAK HEAD LIGHT, 1963 in sheet T-12261 was also identified direct to serve as the other required identified point. In the course of the location of station HAZEL POINT LIGHT, 1963, station HAZEL POINT 3, 1945 was found to be in error by about 36 feet. The azimuth of the line CHUTE 3, 1945-HAZEL POINT 3 1945 was in error by 10 minutes. A new position of HAZEL POINT 3, 1945 was determined by the field unit. Station TABOOK POINT LIGHT, 1963 was identified direct.

Sheet T-12258

Station BANGOR, 1955 was identified by a single substitute station. Nearby station BANGOR LOOKOUT TOWER, 1955 was identified direct.

Sheet T-12259

Station QUATSAP 2, 1934 was identified by the substitute station method utilizing a single closed triangle observation.

Sheet T-12260

Station BOULDER, 1878 was identified by two substitute stations.

Sheet T-12261

Station BULL DOG

Station LONE ROCK, 1878 was identified by the substitute station method by a single closed triangle observation.

Sheet T-12314

No station were identified in the sheet.

None of the control identification was considered substandard.

Landmarks and aids

All landmarks and aids previously undetermined were located at this time. All fixed aids to navigation not previously located by triangulation were located by triangulation or traverse methods at this time.

Respectfully submitted

Robert B. Melby
Robert B. Melby
Surveying Technician

AEROTRIANGULATION REPORT
Job PH-6211
Hood Canal, Washington

August 8, 1966

21. Area Covered

The bridging covers the northwest shore of Hood Canal, approximately 20 miles northwest of Seattle, Washington.

22. Method

One strip consisting of photos 62-W-5060 thru 5067 was bridged on the stereoplanigraph to provide control for compilation of shoreline.

23. Adequacy of Control

Control was adequate. All stations held within National Map Accuracy except ROCK ISLAND LT, 1878, which would not hold within 12 feet. No reason could be found for the discrepancy except the possibility of misidentification by the stereo operator.


24. Supplemental Data

Vertical control points were taken from quads and can be expected to have only the accuracy of the quad itself. All points were drilled on the PUG.

25. Photography

Photography was adequate as to coverage and overlap. Some areas of the photography showed poor definition due to sun reflections.

Submitted by


John D. Perrow, Jr.

Aerotriangulation Report

Charge No. 21053

Hood Canal, Washington

21. Area Covered

The bridging covers the area of Hood Canal, approximately 20 miles northwest of Seattle, Washington.

22. Method

Six strips were bridged on the Zeiss C-8 stereoplanigraph to provide control for compilation of shoreline (see attached sketch). Strip 2 was not bridged because the area was duplicated by Strip 1. Strip 7 was adjusted on the IBM 650 and all other strips on the IBM 1620.

23. Adequacy of Control

Control positions were adequate for bridge adjustment. However, sub stations of Pulali 2, 1961 and Computer Building (USH) 1961 were impossible to locate with any accuracy due mainly to poor images. Sisters Rock Light, 1963 also had a very poor image on the photographs in strip 6.

No explanation could be found for the discrepancy of Tabook Point Light, 1963 and sub-station B of Hoods Point, 1876. Sub station B of Hoods Point was within accuracy limits on Strip 3.

All other points held within accuracy requirements.


24. Supplemental Data

Common tie points were hit between adjoining bridges and were averaged. Vertical control points were taken directly from the quads and can be expected to have only the accuracy of the contours of the quad itself.

25. Photography


Photography was adequate as to coverage. The overlap was too great on Strip 1, necessitating the use of every other photograph in the bridge. Definition was poor on the strips to the west, partially because of sun reflections.

Submitted by:



John T. Gerlach


Approved by:


John D. Perrow, Jr.

AEROTRIANGULATION SKETCH
 CHARGE NO. 21053
 HOOD CANAL, WASHINGTON
 JAN, 1965

LEGEND

- △ CONTROL USED IN ADJUST.
 △ CONTROL USED AS CHECK



- 9) Boulder, 878
- 10) Lone Rock 1878
- 11) Oak Head Lt. 1963
- 12) Hazel Pt. Lt. 1963
- 13) Current 2, 1934
- 14) Hood Canal Lt. 10, 1963
- 15) Bangor Lookout Twr. 1955
- 16) Hood Canal Lt. 5
- 17) Set 2, 1934
- 18) Hood Canal Lt. 4
- 19) Shine 1927
- 20) White 1934
- 21) Head 1927
- 22) Rock Island 1878
- 23) Sisters Rock Lt. 1963
- 24) Port 1927
- 25) Port Gamble Mill Chim. 1934
- 26) Port Gamble Inner Lt. 1934
- 27) North Base, 1915
- 28) Larson 1955
- 29) Sandy Shore 1955
- 30) Point Hannon Lt. 1945
- 31) Bangor 1955

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	GEODETTIC DATUM		ORIGINATING ACTIVITY	
		COORDINATES IN FEET STATE <u>Washington</u> ZONE <u>North</u>	N.A. 1927	ROCKVILLE, MD	ROCKVILLE, MD
STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRIANGULATION POINT NUMBER	PH-6211	φ LATITUDE λ LONGITUDE	REMARKS
Hood Canal Light 10, 1963				φ 47°45'03.930" λ 122°45'17.625"	
Fulton, 1955	GP 1631 PC 349			φ 47°45'09.668" λ 122°48'13.032"	
Tongue 2, 1961	Horizontal Data pg. 160			φ 47°46'24.941" λ 122°47'40.156"	
Toandos, 1955	GP 1610 PC 345			φ 47°48'13.783" λ 122°46'13.488"	
				φ λ	
				φ λ	
				φ λ	
				φ λ	
				φ λ	
				φ λ	
				φ λ	
				φ λ	
COMPUTED BY		DATE	COMPUTATION CHECKED BY		DATE
LISTED BY M. Webber		DATE Sept. 1966	LISTING CHECKED BY H. Lucas		DATE Sept. 1966
HAND PLOTTING BY M. Webber		DATE Sept. 1966	HAND PLOTTING CHECKED BY H. Lucas		DATE Sept. 1966

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

COMPILATION REPORT
T-12252
HOOD CANAL, WASHINGTON
JUNE 1967

31. DELINEATION

This manuscript was compiled at 1:10,000 scale on the B-8 stereoplotter using 1962 pan-cromatic photography. Shoreline, alongshore, and foreshore detail was delineated.

Models were set holding to bridge points. Pass points were dropped along the shoreline and in the interior to aid in hydrographic signal location.

Ratio prints of August 15, 1965 photographs were prepared for photo-hydro support. Photo centers were resected on the manuscript. No field work has been done except on triangulation.

32. CONTROL

Aerotriangulation furnished the bridge which was adequate to control models and drop pass points for compilation. B-8 models were leveled on shoreline points. (Copy of Aerotriangulation Report attached to this report.)

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

Inapplicable.

35. SHORELINE AND ALONGSHORE DETAIL

Delineation of shoreline was office interpreted by using computed tide values to determine the stage of tide at the time of photography. The shallow line was delineated by office interpretation of the photographs. The dotted line inside the shallow line represents the sand and/or mud limit line at the time of photography.

36. OFFSHORE DETAIL

Shadows from overhanging trees made delineation of rocks along the shoreline difficult and sometimes impossible.

37. LANDMARKS AND AIDS

One triangulation stations, Hood Canal Light 10, 1963, was identified as an aid for this sheet. There are no landmarks.

38. CONTROL FOR FUTURE SURVEYS

None

39. JUNCTIONS

Junctions with the adjoining surveys were made.

40. HORIZONTAL AND VERTICAL ACCURACY

See bridging Report.

41 through 45. - Inapplicable.

46. COMPARISON WITH EXISTING MAPS

Comparison with U.S. Geological Survey Quadrangle Quilcene, Washington, scale 1:24,000, Date 1953.

47. COMPARISON WITH NAUTICAL CHARTS

Comparison was made with nautical chart no. 6422, scale 1:25,000, 3rd Edition, February 8, 1965, corrected to June 11, 1966.

Items to be Applied to Nautical Charts Immediately - None.

Items to be Carried Forward - None.

Submitted by:

Martha C. Webber

APPROVED BY:

K. N. Maki
Chief, Compilation Section

FIELD EDIT REPORT

HOOD CANAL AND DEBOB BAY, WASHINGTON

MARCH, APRIL 1969

PROJECT OPR - 412

This report covers the area in Hood Canal from Carson Point south to Quatsap Point and the entire Debob and Quilcene Bays.

The entire shore line was inspected using a small boat. The Field Edit copies (Discrepancy Prints) of the map manuscripts were used as a guide and all corrections, except as noted below, were recorded on them.

ADEQUACY OF COMPILATION:

The extent and accuracy of the maps appear to be reasonably complete, considering the compilation was accomplished without the benefit of Field Inspection.

METHODS:

The shoreline was inspected primarily with respect to the Discrepancy Prints of the map manuscript. All items specifically noted on the prints were investigated thoroughly. All shoreline was inspected and any comments were recorded on the Discrepancy Print. Where positions were needed, sextant cuts on Hydrographic Signals were recorded. These positions were numbered and plotted on the appropriate Boat Sheet of the area. The proper sheet is stated on the individual Discrepancy Prints.

Mean High Water was established with sextant angles and references to along shore objects and Hydrographic Signals. The shore is generally a sand gravel composition with areas cluttered with medium size boulders. The Dashed Line shown on the manuscripts were generally excellently positioned to indicate areas or limits of shoal water.

There are numerous homes and summer homes along the shore. Many have private railways or small mooring buoys offshore. The positions of the larger, most dangerous items have been noted.

SHEET T-12261:

Refer to Sheet DA-10-²~~7~~-69.

Area is well settled. The major change in shoreline is the slide area on the upper right. The outline is as of the time noted.

SHEET T-12260:

Refer to Sheet DA-10-2-69.

Area is well settled. Shoreline of Misery Point is Rocky and rises sharply from the beach. The area is prone to slides.

SHEET T-12259:

Refer to Sheet DA-10-2-69.

The area at the mouth of the Duckabush River is extremely shallow and sandy. The high water line appears satisfactory, but is difficult to determine.

SHEET T-12257:

Refer to Sheet DA-10-1-69.

This area is generally uninhabited. Fisherman's Harbor is accessible only at or near high tide.

SHEET T-12258:

Refer to Sheet DA-10-1-69.

This area is well inhabited. The dashed shoreline is generally very steep with trees growing to the High Water Line.

SHEET T-12256:

Refer to Sheet DA-10-1-69.

SHEET T-12255:

Refer to Sheet DA-10-1-69.

The area is well inhabited. The Brinnon Flats area is very shallow. The High Water Line is as good as can be expected, considering the sand shoreline and the river mouth.

SHEET T-12252:

Refer to Sheet DA-10-3-69.

SHEET T-12251:

Refer to Sheet DA-10-3-69.

There are numerous buoys owned and maintained by the Navy off of the southern end of Bolton Peninsula. These are positioned on DA-10-3-69.

Sketch Book, etc. etc. etc. etc. etc.

SHEET T-12246:

Refer to Sheet DA-10-3-69, Photo 62W5383, and Sketch Book.

The north end of Quilcene Bay is very shallow with miscellaneous piles, etc. Filings, bulkheads, etc. near East Quilcene have been Photo Identified on Photo 62W5383.

SHEET T-12314:

Refer to Sheet DA-10-1-69 and DA-10-2-69.

SHEET T-12247:

Refer to Sheet DA-10-3-69.

Tarboo Bay is dry, except for a shallow stream, and inaccessible at low water.

Respectfully Submitted,

Kanezo A. Domoto
LT, USESSA
Operations Officer
USC&GSS DAVIDSON

APPROVED & FORWARDED:

Ray E. Moses
CDR USESSA
Comdg. Officer
USC&GSS DAVIDSON

REVIEW REPORT
T-12252
SHORELINE
November 3, 1981

61. GENERAL STATEMENT

In the application of field edit there was not any field edit photos or discrepancy print sent in from the field editor. The edit was performed on boat sheet DA-10-3-69, now a registered hydrographic survey, H-9038. A comparison was made with survey H-9038. Refer to Item 64.

The dotted line outside the MHW line shows the limits of foreshore area visible on the photography. There is no MLLW line on this map.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

N/A

63. COMPARISON WITH MAPS OF OTHER AGENCIES

N/A

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with smooth sheet H-9038. The hydrographic survey and this map are in agreement. The MLLW line on the survey coincides in some areas with the dotted foreshore mud and sand line of this map.

65. COMPARISON WITH NAUTICAL CHARTS

N/A

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with project instructions and meets the requirements for Bureau Standards and National Standards of Map Accuracy.

Submitted by:



P. Dempsey
Final Reviewer

Approved:

Chief, Photogrammetric Branch

Chief, Photogrammetry Division

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6211 (Hood Canal, Wash.)

T-12252

Brown Point

Camp Discovery

Camp Harmony


Dabob Bay

Hood Canal

Silent Lake

Toandos Peninsula

Approved by:



A. J. Wraight
A. J. Wraight
Chief Geographer

Prepared by:



Frank W. Pickett
Frank W. Pickett
Cartographic Technician

Project PH-6211 Material on File

Hood Canal, Washington

Federal Records Center

Control Station Identification Cards
Field Edit Photographs
Computer Readouts
Field Edit Photographs
Field Edit Ozalids (Discrepancy Prints) for each map

Project Completion Report

Bureau Archives

Registered Copy of each map
Descriptive Report of each map

Reproduction Division

8x Reduction Negative of each map

Office of Staff Geographer

Geographer Names Standard

NOAA FORM 76-40
(8-74)

Replaces C&GS Form 567.

**U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NONFLOATING AIDS OR LANDMARKS FOR CHARTS**

TO BE CHARTED
 TO BE REVISED
 TO BE DELETED
 REPORTING UNIT (Field Party, Ship or Office)
 Rockville, MD
 STATE
 Washington
 LOCALITY
 Admiralty Inlet
 DATE
 6/67

The following objects HAVE HAVE NOT been inspected from seaward to determine their value as landmarks.
 OPR PROJECT NO. _____ SURVEY NUMBER T-12252
 JOB NUMBER PH-6211 DATUM N.A. 1927

CHARTING NAME	DESCRIPTION <i>(Record reason for deletion of landmark or aid to navigation. Show triangulation station names, where applicable, in parentheses.)</i>	POSITION			METHOD AND DATE OF LOCATION <i>(See instructions on reverse side)</i>	CHARTS AFFECTED
		LATITUDE	LONGITUDE			
		° / D.M. Meters	° / D.P. Meters	//		
Lt. 10	Hood Canal Light 10, 1963	47°45'	122°45'	17.625"	F-1-5 June 1963	6422
	Hood Canal					

- ORIGINATING ACTIVITY**
- HYDROGRAPHIC PARTY
 - GEODETIC PARTY
 - PHOTO FIELD PARTY
 - COMPILATION ACTIVITY
 - FINAL REVIEWER
 - QUALITY CONTROL & REVIEW GRP.
 - COAST PILOT BRANCH
- (See reverse for responsible personnel)*

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	<input type="checkbox"/> PHOTO FIELD PARTY <input type="checkbox"/> HYDROGRAPHIC PARTY <input type="checkbox"/> GEODETIC PARTY <input type="checkbox"/> OTHER (Specify)
POSITIONS DETERMINED AND/OR VERIFIED	FIELD ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW	OFFICE ACTIVITY REPRESENTATIVE
ACTIVITIES	<input type="checkbox"/> REVIEWER <input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'	
(Consult Photogrammetric Instructions No. 64.)	
OFFICE I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	FIELD (Cont'd) B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection P - Photogrammetric Vis - Visually 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75	II. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75
**FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.	
**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.	

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. _____

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.
			Full Part Before After Verification Review Inspection Signed Via Drawing No.