

T-12344

T- 12344

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. T-12344	Edition No. 1
Job No. PH-6301 PART 2	
Map Classification FINAL MAP	
Type of Survey SHORELINE	
LOCALITY	
State ALASKA	
General Locality COOK INLET SOUTHERN PART	
Locality NORTHWEST POINT	
19 66 TO 19 74	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Norfolk, VA		SURVEY 76 T-12344 MAP EDITION NO. (1) MAP CLASS Final Map JOB PH. 6001 Pt.2	
OFFICER-IN-CHARGE Jeffrey G. Carlen, CDR		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__			
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation Aug. 20, 1973 Compilation Dec. 10, 1973			
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Transverse Mercator		4. GRID(S) STATE Alaska ZONE 5	
5. SCALE 1:20,000		STATE ZONE	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY		R. Kelly None	Aug. 1973
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY		Allen Allen	Aug 1973 Aug 1973
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 SCALE: 1:20,000 CONTOURS BY		L. O. Neterer, Jr. R. R. White N.A. N.A.	Feb 1974 Feb 1974
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: smooth drafted CONTOURS BY SCALE: 1:20,000 CHECKED BY HYDRO SUPPORT DATA BY		L. O. Neterer, Jr. G. R. Vanderhaven N.A. N.A. L. O. Neterer, Jr. G. R. Vanderhaven	Apr 1974 Apr 1974 Apr 1974 Apr 1974
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		G. R. Vanderhaven	Apr 1974
6. APPLICATION OF FIELD EDIT DATA BY		David Butler	Jun 1975
7. COMPILATION SECTION REVIEW BY		F. Margiotta	Jun 1975
8. FINAL REVIEW BY		C. Blood/J. Byrd	Sept 1986
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		J. Byrd	Jan 1987
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		P. Demary	Feb 1987
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		E. L. DAVIGHERY	APR 87

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYT-12344
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "E" FL=152.71 mm Wild RC-8 "L" FL=152.21 mm		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE	
<input checked="" type="checkbox"/> PREDICTED TIDES				Alaska	
<input type="checkbox"/> REFERENCE STATION RECORDS				MERIDIAN	
<input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				150th	
				<input checked="" type="checkbox"/> STANDARD	
				<input type="checkbox"/> DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
* 67L(C) 3603 and 3605	Jun. 23, 1967	10:09	1:40,000	2.3 ft. below MLLW	
** 70E(C) 7500 and 7501	Jul. 26, 1970	12:04	1:20,000	7.6 ft. above MLLW	
** 70E(C) 7508 thru 7510	Jul. 26, 1970	12:13	1:20,000	7.3 ft. above MLLW	

REMARKS
*Bridge and compilation photographs.
**Hydro-support photographs.

2. SOURCE OF MEAN HIGH-WATER LINE:

*The Mean High Water Line was compiled from the above listed compilation photographs.

3. SOURCE OF ~~MEAN LOW-WATER LINE~~ OR MEAN LOWER LOW-WATER LINE:

None compiled.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH PH-6013	EAST	SOUTH	WEST PH-6013
T-12987 and T-12043	No Survey	T-12347 and T-12348	T-12048

REMARKS

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

T-12344

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION Premarking ☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	N. Taylor	Aug. 1967
2. HORIZONTAL CONTROL	RECOVERED BY L. Nelson	Aug. 1967
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY L. Nelson	Aug. 1967
3. VERTICAL CONTROL	RECOVERED BY N.A.	
	ESTABLISHED BY N.A.	
	PRE-MARKED OR IDENTIFIED BY N.A.	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
Paneled		N.A.	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
67L(C) 3605	NORTH KALGIN, 1908		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1-form 152

ESSA FORM 76-36c
(2-70)U.S. DEPARTMENT OF COMMERCE
ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION
COAST AND GEODETIC SURVEY

Map T-12344

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	CDR C.A. Burroughs	August, 1974
2. HORIZONTAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	Fairweather personnel	August, 1974
3. VERTICAL CONTROL n.a. RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY		
4. LANDMARKS AND AIDS TO NAVIGATION n.a. RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY		
5. GEOGRAPHIC NAMES INVESTIGATION TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	Ltjg. P Chelgren	August, 1974
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	n.a.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

n.a.

2. VERTICAL CONTROL IDENTIFIED

n.a.

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

70E(c)7500,7501,7508 thru 7510

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

n.a.

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

none

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Map T-12344 (Field edit copy); and the Field Edit Report; OPR-469-FA-74, Map T-12344.

I. MANUSCRIPT COPIES		
COMPILATION STAGES		DATE MANUSCRIPT FORWARDED
DATA COMPILED	DATE	REMARKS
Compilation complete pending field edit.	April 1974	Class III Manuscript
Field edit applied compilation complete.	June 1975	Class I Manuscript
Final Review	Sept. 1986	Final Map

II. LANDMARKS AND AIDS TO NAVIGATION			
NONE			
1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH			
NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: NONE
3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.

2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 76-40 SUBMITTED BY FIELD PARTIES.

3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C. ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)			
SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

PROJECT PH-6301

(PART-2)

SHORELINE MAPPING


Scale 1:20000
ALASKA

COOK INLET

OFFICIAL MILEAGE FOR COST ACCOUNTS

Sheet No.	Area Sq. Mile	Lin. Mile Shoreline	Sheet No.	Area Sq. Mile	Lin. Mile Shoreline
T-12344	2	4	T-12354	11	22
T-12345	3	6	T-12355	8	16
T-12346	3	6	T-12356	3	6
T-12347	8	16	T-12357	7	14
T-12348	4	6	T-12358	2	4
T-12349	5	10	T-12359	3	6
T-12350	4	9	T-12360	4	7
T-12351	4	9	T-12361	10	19
T-12352	10	21	T-12362	4	8
T-12353	11	22			

Totals - Area 106 sq. mile; Shoreline 213 sq. mile



SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

T-12344

This 1:20,000 scale Final shoreline map is one of nineteen 1:20,000 scale maps designated as project PH-6301 Part II, Southern Part, Cook Inlet, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation during the 1967 field season consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in June 1967 with the RC-8 "L" camera at 1:40,000 scale using color film. The map area was also photographed in July 1970 with the RC-8 "E" camera at 1:20,000 scale using color film.

Aerotriangulation was completed at the Washington office in August 1973.

This map was compiled at the Norfolk office in April 1974.

Field edit was acquired for T-12344 during the 1974 field season. Field edit was applied at AMC in June 1975.

Final review was accomplished at the Atlantic Marine Center in September 1986. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

T-12344

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and premarking of the horizontal control necessary for the aerotriangulation of the project.

Photogrammetric Plot Report
Cook Inlet, Alaska
PH-6301
August 1973

21. Area Covered

The area covered by this report is the western shoreline along Cook Inlet from Redoubt Bay to Tuxedui Bay, also included was Kalgin Island. T-sheets 12344 thru 12350 cover the area.

22. Method

Three strips of photography were bridged by analytic aerotriangulation methods. Strip #1, covering Kalgin Island, was 1:40,000 color, Strips #2 & #3 covering the western shore of Cook Inlet was 1:60,000 black and white panchromatic.

Common points were located on the bridging photography and the 1:20,000 color photography being used for ratio purposes. Tie points were used between strips #2 & 3 to provide adequate junction of photography. T-sheet manuscripts were plotted on the Coradomat.

23. Adequacy of Control

Control was adequate and checked within map accuracy standards.


24. Supplemental Data

USGS Quadrangles were used to provide vertical control for the adjustment.


25. Photography

The coverage overlap, and quality of the photography was adequate.

Submitted by,


Robert B. Kelly

Approved by:


John D. Perrow, Jr.
Chief, Aerotriangulation Section

COMPILATION REPORT

T-12344

31 - DELINEATION

Delineation was accomplished using the Wild B-8 stereoplotter with 1:40,000 scale color photography. The photography was adequate.

32 - CONTROL

See the attached Photogrammetric Plot Report, dated August 1973.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

Contours are not applicable. Drainage was delineated by using the Wild B-8 stereoplotter from compiler's interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

Alongshore details were delineated using the Wild B-8 stereoplotter from compiler's interpretation of the photographs.

The mean high water line was delineated from the photographs.

36 - OFFSHORE DETAILS

Offshore details were delineated from compiler's interpretation of the photographs.

37 - LANDMARKS AND AIDS

There were no landmarks or aids to navigation noted during compilation.

38 - CONTROL FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

See the attached Form 76-36B, Item #5 of the Descriptive Report concerning junctions.

40 - HORIZONTAL AND VERTICAL ACCURACY

No statement.

46 - COMPARISON WITH EXISTING MAPS

A comparison has been made with U.S. Geological Survey Quadrangle: KENI (C-6), Alaska, scale 1:63,360, 1958, revised 1971.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison has been made with National Ocean Survey Chart: 8553, scale 1:194,154, Dec. 29, 1973, 15th ed.


ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.


ITEMS TO BE CARRIED FORWARD

None.

Submitted by


Lowell O. Neterer, Jr.
Cartographic Technician
April 9, 1974

Approved


Albert C. Rauck, Jr.
Chief, Coastal Mapping Section

Feb. 6, 1987

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6301 (Cook Inlet, Alaska-Part 2)

T-12344

Cook Inlet

Kalgin Island

Northwest Point

Redoubt Bay

Prepared by:


Charles E. Harrington

Staff Geographer

FIELD EDIT REPORT

MAP T-12344

NORTHWEST POINT, ALASKA

AUGUST 1974

Field edit of map T-12344 was done by Lt.(jg) John A. Murphy, Ens. Joanne Gulley, and Lt.(jg) Pamela R. Chelgren during August, 1974. Inspection was made from small boats and on foot when fixes on land were required.

METHOD

Photographs and a copy of the field edit ozalid were examined in the field. Isolated rocks and foul areas were located by sextant fixes and transferred to boatsheets SU-20-1-67 (H-8964) and SU-20-2-67 (H-8965). Height data is referenced by fix number to the attached data sheets. All times are based on the 135°W meridian.

ADEQUACY OF COMPILATION

Compilation of this map is inadequate. The low water photographs used in the compilation were not furnished. As a result, six objects not found in the field on minus tides and also not seen on the photographs furnished, were deleted. It is virtually impossible to verify photo identified rocks without the low water photographs used to compile the manuscripts. The six objects deleted are at the following positions:

<u>Latitude</u>	<u>Longitude</u>	<u>Latitude</u>	<u>Longitude</u>
60°30'31"N	151°52'31"W	60°30'42"N	151°54'38"W
60°31'07"N	151°53'55"W	60°30'29"N	151°57'18"W
60°31'01"N	151°54'13"W	60°30'12"N	151°57'39"W

Comparison of the hydrographic MLLW with the photogrammetric MLLW will have to wait until the final smooth tides are computed, as the tides are very critical to the determination of MLLW. Field inspection of this map is complete.

RECOMMENDATIONS

It is recommended that low water photographs used in the compilation of the manuscripts be furnished to the ships in the field as per Introduction, paragraph 3. It is recommended that this map be revised in accordance with the notes on the ozalid and the fix information, and then accepted as an advanced manuscript.

Respectfully submitted,

Lt. jg Pamela R. Chelgren

Lt.(jg) Pamela R. Chelgren, NOAA

FIELD EDIT REPORT
UPPER COOK INLET, ALASKA
OPR 469
SUMMER 1974

INTRODUCTION

Field edit reports are attached for the following maps:

T-12047	T-12345	T-12347	T-12350
T-12344	T-12346	T-12348	

Copies of the field edit ozalids were taken to the field. Only one copy of each photograph was furnished to the ship, so the processed cronapague photographs had to be used in the field. It is recommended that two copies, one processed and one unprocessed, of cronapague photographs be furnished to the ships for future projects. Sextant fixes were plotted on the film ozalids and transferred to the field edit ozalids. Height data for all rocks and shoreline is either written directly on the field edit ozalids, or referenced by fix number to the attached data sheets. Sextant fixes were transferred to boatsheets SU-20-1-67, SU-20-2-67, FA-20-1-74, and FA-20-3-74.

Notes have been made in violet on the ozalids, with deletions in green and signal information in orange. All times are based on the 135°W meridian.


Compilation of the maps is apparently good. There were no low water photographs furnished for Kalgin Island (T-12344, T-12347, T-12348, and T-12350). It is virtually impossible to verify photo identified rocks without the low water photographs used to compile the manuscripts. Objects not found in the field on a minus tide and not seen on the photographs made available, were deleted. These objects were quite possibly fishing floats as there are over fifty fishing floats and fishing scows anchored in the waters off Kalgin Island during the summer months. It is recommended in the future that all photographs used in the compilation of the manuscripts be furnished to the ships in the field. All discrepancies on the manuscripts are noted. In some areas comparison of the hydrographic MLLW line with the photogrammetric MLLW line will have to wait until the final smooth tides are available, as the large tides are very critical along flat, sloping beaches. It is recommended that the maps be revised in accordance with the notes on the ozalids and on the attached sheets before acceptance as advanced manuscripts. Field inspection of these maps is complete.

Respectfully submitted,



Lt(jg) Pamela R. Chelgren, NOAA

Approved and Forwarded:



Cdr. Charles A. Burroughs, NOAA
Commanding Officer
NOAA Ship FAIRWEATHER MSS-20

REVIEW REPORT
SHORELINE

T-12344

61 - GENERAL STATEMENT

See Summary included with this Descriptive Report.

62 - COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63 - COMPARISON WITH MAPS OF OTHER AGENCIES

Not applicable.

64 - COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with the following Hydrographic Surveys:
H-8964, 1:20,000 scale, undated
H-8965, 1:20,000 scale, undated.

There are no major conflicts.

65 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS chart 16662, scale 1:100,000, dated April 9, 1983.

There were no conflicts.

66 - ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by

J. Byrd
James L. Byrd, Jr.
Final Reviewer

Approved for forwarding

Billy H. Barnes
Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved

Lucy O. Robison, Jr. *My. Byrd*
Chief, Photogrammetric Production Sec. Chief, Photogrammetry Branch

