NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

<u>l</u>	
Map No.	Edition No.
т-12363	1
Job No.	
рн-6303	
Map Classification FINAL FIELD EDITED MAP	
Type of Survey	
SHORELINE	
LOCALITY	ſ
State	
ALASKA	
General Locality	
CLARENCE STRAIT	
Locality	, ,
LUCK POINT	
1963 TO 19	71
REGISTERED IN AF	RCHIVES
DATE	

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP. 12363
	A ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final
	REVISED	JOB PH- <u>6303</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEEDIN	
Coastal Mapping Division		JOB PH-
AMC, Norfolk, VA	ORIGINAL ORIGINAL	MAP CLASS
OFFICER-IN-CHARGE	☐ RESURVEY	SURVEY DATES:
Jeffrey G. Carlen	REVISED	19TO 19
I. INSTRUCTIONS DATED		
1. OFFICE	2. FI	ELD
Aerotriangulation - Jan 9, 1967 Compilation March 20, 1967 Compilation Supp. 1 Nov 6, 1970 Compilation Supp. 2 Nov 23, 1970	Field -	Feb 10, 1966
Compilation Supp. 3 Nov 5, 1971 Compilation Amendment 1 Dec 7, 1971	,	
II. DATUMS		
	OTHER (Specify)	
1. HORIZONTAL: 1927 NORTH AMERICAN		
MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	OTHER (Specify)	
3. MAP PROJECTION		RID(S)
Polyconic	STATE Alaska	zone 1
5. SCALE	STATE	ZONE
1:10,000		
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS 1. AEROTRIANGULATION BY	J. Perrow	Dec 1970
METHOD: stereoplanigraph LANDMARKS AND AIDS BY	Q. TCIIOW	DEC 1770
2. CONTROL AND BRIDGE POINTS PLOTTED BY	J. Perrow	Dec 1970
METHOD: CORAdomat CHECKED BY	H. Eichert	Dec 1970
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	L. Neterer	Dec 1970
COMPILATION CHECKED BY INSTRUMENT: 1 1 0 CONTOURS BY	R. White	Dec 1970
Wild B-8	N.A.	
SCALE: 1:10,000 CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY	B. Wilson	Dec 1970
CHECKED BY	R. Pate	Jan 1971
CONTOURS BY	N.A.	
METHOD: smooth drafted	N.A.	
HYDRO SUPPORT DATA BY SCALE: 1:10,000 CHECKED BY	B. Wilson	Dec 1970
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	R. Pate	Jan 1971 Jan 1971
ВУ	R. Pate F. Crustafson	May 1974
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	J. Byrd	June 1978
7. COMPILATION SECTION REVIEW BY	J. Byrd	June 1978 -
8. FINAL REVIEW BY	L.O. Neterer, Jr	Dec 1986
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY 10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	L.O. Neterer, Jr.	Jan 1988 Juny 1988
11, MAP REGISTERED - COASTAL SURVEY SECTION BY	P. Jamosey	July 1988
NOAA FORM 76-36A SUPERSEDES FORM C& GS 181 SERIES	* U.S. G.P.O.	. 1972-769382/582 REG.#6

NOAA FORM 76-36B (3-72)			NATIONAL OC	U. EANIC AND	S. DEPARTM ATMOSPHER	ENT OF COMMERC
	co	T-12363 MPILATION SO				IAL OCEAN SURVE
			OKCLO			
I. COMPILATION PHOTOGRA	APHY					
Wild RC-8W			PHOTOGRAPHY GEND		TIME RE	FERENCE
TIDE STAGE REFERENCE		-{	GEND	ZONE		
		(C) COLOR		l l		₩ STANDAR
PREDICTED TIDES		X(P) PANCHROMATIC			ific	XISTANDAR
TIDE CONTROLLED PHO		(I) INFRARED			MERIDIAN 120th	
NUMBER AND TYPE	DATE	TIME	SCALE	120		OF TIDE
63W(P) 7303-7306	Jul 2, 63	11:08	1:30,000) 1	1.5 ft a	bove MLLW
						·
REMARKS						
2. SOURCE OF MEAN HIGH-	**TER LINE	-				
The mean high wate:	r line was compil	led from the	above lis	ted phot	ography.	
3. SOURCE OF MEAN LOW-W	ATER OR MEAN LOWER L	OW-WATER LINE:				
There was no mean l	lower low water 1	ine compile	d on this	map.		
		···-				
4. CONTEMPORARY HYDRO	GRAPHIC SURVEYS (List	only those surveys	that are sources	for photogram	mmetric surve	y information.)
SURVEY NUMBER DATE			EY NUMBER	DATE(S)		VEY COPY USED
5. FINAL JUNCTIONS						
NORTH	EAST	sou	гн		WEST	<u></u>
IP-00582, CM-7206	No survey	1	r-12366		T-13096	PH-6705
REMARKS			 			

	SC	T~12363	NATIONAL OCEANIG	AND ATMOSPHER	IENT OF COMMER IC ADMINISTRAT IAL OCEAN SURV
		HISTORY OF FIELD	OPERATIONS		
I. 🔀 FIELD INSF	'ECTION OF	PERATION FIEL	D EDIT OPERATION		
_		OPERATION	NAME		DATE
1. CHIEF OF FIE	LD PARTY		B. Williams		Apr 1966
		RECOVERED BY	L. Riggers		Apr 1966
2. HORIZONTAL	CONTROL	ESTABLISHED BY	L. Riggers		Apr 1966
		PRE-MARKED OR IDENTIFIED BY	L. Riggers		Apr 1966
		RECOVERED BY	N.A.		
3. VERTICAL CO	NTROL	ESTABLISHED BY	N.A.		
		PRE-MARKED OR IDENTIFIED BY	N.A.		
			None		
4. LANDMARKS A	ND	RECOVERED (Triangulation Stations) BY	None		+
AIDS TO NAVIO		LOCATED (Field Methods) BY	None		
		TYPE OF INVESTIGATION	110110		
5. GEOGRAPHIC	*******	COMPLETE			
INVESTIGATIO		SPECIFIC NAMES ONLY	1		1
		NO INVESTIGATION	•		
T DUOTO INCRE	CTION		None		
5. PHOTO INSPEC 7. BOUNDARIES A		CLARIFICATION OF DETAILS BY SURVEYED OR IDENTIFIED BY	N.A.		
II. SOURCE DATA		SURVEYED ON IDENTIFIED D.	14 + 17 +		
I. HORIZONTAL		DENTIFIED	2. VERTICAL CONTRO	L IDENTIFIED	
	o_ident			_	
-	1		PHOTO NUMBER	STATION DE	SIGNATION
PHOTO NUMBER	 	STATION NAME	PHOTO NOMBER	31A HOR OL	SIGNATION
63W(p) 7305	LUCK	1014 out coints A. D. C.C.			
63W(P) 7306	TOOY	, 1914 sub points A, B, & C	<u> </u>		
O3W(F) /300	HMME	, 1966 Sub points A, B, & C	1		
	1		[
			i		
	J		1		
	I		1		
3. PHOTO NUMBE	IRS (Clarific	ation of details)			
3. PHOTO NUMBE	ERS (Clarific	cation of details)			
	ERS (Clarific	cation of details)			
None		cation of details) O NAVIGATION IDENTIFIED			_
3. PHOTO NUMBE None 4. Landmarks a					
None 4. Landmarks a					
None 4. Landmarks a		O NAVIGATION IDENTIFIED	DHOTO NIMBER	OBJECT	NAME
None 4. Landmarks a None			PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. Landmarks a None		O NAVIGATION IDENTIFIED	PHOTO NUMBER	OBJECT	NAME
None 4. LANDMARKS A None PHOTO NUMBER	ND AIDS TO	O NAVIGATION IDENTIFIED OBJECT NAME			
None 4. LANDMARKS A None PHOTO NUMBER 5. GEOGRAPHIC I	ND AIDS TO	O NAVIGATION IDENTIFIED OBJECT NAME REPORT NONE	PHOTO NUMBER		
None 4. LANDMARKS A None PHOTO NUMBER 5. GEOGRAPHIC I	ND AIDS TO	O NAVIGATION IDENTIFIED OBJECT NAME REPORT NONE			
None 4. Landmarks a None	ND AIDS TO	O NAVIGATION IDENTIFIED OBJECT NAME REPORT NONE			
None 4. LANDMARKS A None PHOTO NUMBER 5. GEOGRAPHIC I 7. SUPPLEMENTA	NAMES:	O NAVIGATION IDENTIFIED OBJECT NAME REPORT NONE	6. SOUNDARY AND LI	MITS: REPO	
None 4. LANDMARKS A None PHOTO NUMBER 5. GEOGRAPHIC I 7. SUPPLEMENTA	NAMES:	O NAVIGATION IDENTIFIED OBJECT NAME REPORT NONE	6. SOUNDARY AND LI	MITS: REPO	

NOAA FORM 76-36C (3-72)	HISTORY OF FIELD	NATIONAL OCEANIC		NT OF COMMERC ADMINISTRATIO L OCEAN SURVE
I. T FIELD INSPECTION OF		DERATIONS DEDIT OPERATION		<u></u>
	OPERATION	NAM	<u> </u>	DATE
1. CHIEF OF FIELD PARTY		H. Lippold		Mar. 1071
2. HORIZONTAL CONTROL	RECOVERED BY	n. Lippoid		May 1971
3. VERTICAL CONTROL	PRE-MARKED OR IDENTIFIED BY RECOVERED BY ESTABLISHED BY	N.A.		
4. LANDMARKS AND AIDS TO NAVIGATION	PRE-MARKED OR IDENTIFIED BY RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	N.A. None None		
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION COMPLETE SPECIFIC NAMES ONLY	None		
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY			
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N.A.		
II. SOURCE DATA 1. HORIZONTAL CONTROL I None	DENTIFIED	2. VERTICAL CONTR	OL IDENTIFIED	
PHOTO NUMBER	STATION NAME	N.A.	STATION DESIGNATION	
3. PHOTO NUMBERS (Clarific	ation of details)			
4. LANDMARKS AND AIDS TO	NAVIGATION (DENTIFIED			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT N	LAME

5. GEOGRAPHIC NAMES: REPORT NONE 6. BOUNDARY AND LIMITS: REPORT NONE
7. SUPPLEMENTAL MAPS AND PLANS

None
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Field edit ozalid
signal list

NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

T-12363 RECORD OF SURVEY USE

		RECU	KD OF 20KYE	1 USE		
I. MANUSC	RIPT COPIES					
	Co	MPILATION STAGE	s		DATE MANUSCI	RIPT FORWARDED
	DATA COMPILED	DATE	RE	MARKS	MARINE CHARTS	HYDRO SUPPORT
Compila	ntion complete		}			}
	field edit	Dec 1970	Class III	•	Jan 19, 71	Jan 18, 71
			 			
Field e	dit applied		1			1
compila	tion complete	June 1978	Class I		Aug 8, 78	May 30, 74
		+	'			
Final F	Review	Dec 1986	Final Map)	June 1988	
			1		-]
				,		
					ļ	
. <u> </u>		<u> </u>			<u></u>	<u> </u>
	ARKS AND AIDS TO NAVIG					
1. REPO	ORTS TO MARINE CHART D	IVISION, NAUTICAL	DATA BRANCH			
NUMBER	CHART LETTER Number Assigned	DATE FORWARDED	}		REMARKS	
	NOMBER ASSIGNED	FORMARDED			· · · · · · · · · · · · · · · · · · ·	
			1			
-						
					· · · · · · · · · · · · · · · · · · ·	··
J]	J			
		<u> </u>				
						,
		 	 			
j						
2 □ □	REPORT TO MARINE CHAR	T DIVISION COAST	DU OT BRANCH	DATE FOR	WARDED: 12	
	REPORT TO AERONAUTICA					
	AL RECORDS CENTER DA		·			
1. 🔀	BRIDGING PHOTOGRAPHS;	DUPLICATE	BRIDGING REPO	RT; 👾 C	OMPUTER READOUTS.	:
	CONTROL STATION IDENT					•
3. 🔀	SOURCE DATA (except for (Geographic Names Re	port) AS LISTED	IN SECTION	II, NOAA FORM 76-36C.	
	ACCOOM! FOR EXCEPTIO	145:				
4 🗀	DATA TO FEDERAL RECO	DDC CENTED DAT	r conwannen.			
IA. ZUKAE	Y EDITIONS (This section :	JOB NUMBE		pedition is re	TYPE OF SURVEY	,
SECOND	TP.	(2) PH				SURVEY
EDITION	DATE OF PHOTOGRAP				MAP CLASS	
				□ıı.	□III. □IV. □V.	FINAL
	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY	
THIRD	TP	(3) PH			REVISED RE	SURVEY
EDITION	DATE OF PHOTOGRAP	HY DATE OF FI	ELD EDIT]	MAP CLASS	:
					□ıı. □ıv. □v.	FINAL
	SURVEY NUMBER	JOB NUMBE	R		TYPE OF SURVEY	i
FOURTH		_ (4) PH ·		ļ		SÜRVÉY
EDITION	DATE OF PHOTOGRAP	HY DATE OF FI	ELD EDIT	<u></u> □	MAP CLASS	_
	1	. 1		, LJII.		∐ FINAL I

JOB PH-6303 REVISED 9/23/76 RWW REVISED 10/9/86 D.B. CLARENCE STRAIT 7-13240 CANCELED REVISED ALASKA 12/11/86 JDM T- 13381 CANCELED (1976) SHORELINE MAPPING Scales 1:5,000 & 1:10,000 56 00 00 प्राप्ट E T.O T-12364 T-12365 T-13239 55'56'15 Q 2570 T-12366 --T-11977 T-11980 55 4915 T-- 12371-T-12369 55*48,45 2846 O G 2020 T-11981 T-11982 55 46 00" Ţ-12373 °. 55045'00" 7,77 7-12376 1-12376 T-123787 7-12382 9 3300 يسا T-12383 7-123347 T-12385 T-12386

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

T-12363

This 1:10,000 scale shoreline map is one of thirty-four maps that comprise project PH-6303, Clarence Strait, Alaska. This project encompasses Clarence Strait and Ernest Sound, latitude 55° 28' 45" north to latitude 56° 00' 00" and longitude 131° 55' 00" west to longitude 132° 45' 00".

Photographic coverage was provided in July 1963 using black and white panchromatic film with the "W" camera (focal length 153.02 millimeters) at 1:30,000 scale.

Field work prior to compilation consisted of the photoidentification of horizontal control for bridging in May 1966.

Analytic aerotriangulation was performed at the Washington Science Center in December 1970.

Compilation was performed at the Atlantic Marine Center during December 1970 and January 1971.

Field edit was accomplished during May 1971. It consisted of minor shoreline changes.

Application of field edit and advancing this map to Class I status was achieved in June 1978 at the Atlantic Marine Center.

Final review was completed at the Atlantic Marine Center during December 1986.

This Descriptive Report contains all pertinent information used to compile this Final map.

The original base manuscript and all pertinent data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION REPORT

Project PH-6303

Shoreline Mapping, Clarence Strait & Ernest Sound Alaska
May, 1966

Shoreline Manuscripts T-11982 and T-12363 thru T-12387

The area of the project is along the shores of Clarence Strait and the entrance of Ernest Sound, including Tolstoi Bay and Union Bay.

The area is in a remote section of southeast Alaska, accessible only by ship or airplane.

There are three communities, Meyers Chuck, Thorne Bay and Ratz Harbor.

The latter two are logging camps.

The interior areas are covered with a dense growth of coniferous timber, chiefly spruce, hemlock and cedar.

Horizontal control consisted of the photo-identification of the required triangulation stations. New station were established by triangulation or traverse utilizing the electronic distance measuring instruments (Fairchild MC-8 Electrochains).

The shoreline is mostly rocky and irregular. Numerous ledges extend seaward from the rocky headlands and points. The strata formation of many of the ledges are in vertical or incline planes making the ledges quite irregular and jagged. The shoreline of occasional small bights will be of a gravel, stone or boulder composition.

The shoreline was field inspected at landing sites, these locations usually being at the site of triangulation stations. The interpretation of the mean high water line on photography taken at low water can be distinguished in the following manner. Adjacent to the existing water level at the time of photography will be a white area. This is mostly barnacles and similiar marine

life that reflects a white tone. This will appear as a white band paralleling the shoreline. This is followed by a dark, nearly black color tone. This area receives only occasional wave action during storms. This appears on the photography as a dark band adjacent to and next in elevation above the white band of barnacles. Above the dark band will usually be seen a greyish color tone, extending to the tree line. This is composed of grass, lichens and debris on the bedrock. The mean high water line is at the junction of the white barnacle band and the dark band. An example of this can be noted by observing contact photograph 65 L 5129 in the vicinity of the field identification of station OVAL, 1916.

Approved:

Bruce I. Williams Lt. ESSA

C.O. Ship PATTON

Respectfully submitted

Robert B. Melby

Surveying Technician, C &GS

Photogrammetric Plot Report Job PH-6303 Clarence Strait, Alaska Part II - Northern Half

December 3, 1970

21. Area Covered

The area covered is in and around the junction of Ernest Sound and Clarence Strait, Alaska. Included are T-Sheets 11977 thru 11982, 12363 thru 12371, 12374, and 13237 thru 13240, at 1:10,000 scale, in Zone 1, Alaska Plane Coordinates.

22. Method

Seven strips were bridged on the stereoplanigraph and adjusted by I.B.M. 1620 methods. Strip #4 (63-W-7254 thru 7258) was adjusted on three triangulation sub-stations and two tie points from Strip #3 (Part I). Companion sub-stations

o a constant				
-				
				ŕ
1.				
37_ 12				
				•
x.				2
<u>*</u>		-		
- <u>(</u>				
		<u> </u>	 	
<u> </u>	· · · · · · · · · · · · · · · · · · ·			
Tr				
<u> </u>				
	-			
y '				
			/ <u>-</u> 1	
			<u> </u>	

23: Adequacy of Control

Horizontal control was adequate and complied with project instructions. All stations held within National Map Accuracy Standards with the following exceptions:

(1) Drag, 1916 SS "C". This position was of poor image quality. In addition, it was allowed to drift by using tie points from Strip #3, as control on Strip #4. This solution provided the best overall fit.

24. Supplemental Data

Local GS quads were used to provide level points for bridging Operations. Due to the nature of the terrain and the scale of the quads, these elevations are very approximate.

25. Photography

Photography was good in coverage, overlap, and definition.

Submitted by:

John D. Perrow, Jr.

Approved by:

Henry P. Eichert

Chief, Aerotriangulation Section

Notes to Compiler PH-6303 Clarence Strait, Alaska

December 3, 1970

Strip #4 does not fit within itself too well. However, the best overall fit was made so that the strip could be tied to Strip #3 (Part I), which had been compiled at an earlier date.

Strip #8 is positioned too far out over the water to provide more than a quarter of a model in that portion of the strip north of triangulation station Mabel. These small portion models would be extremely difficult to bridge, and equally as difficult to set in a compilation instrument. Therefore, points common to both strips in that area were selected in critical areas to establish ratioing constants for Strip #8, so that those photographs could be used in compiling the alongshore detail by graphic methods.

Just south of the area covered by Strip #9, are a number of islands which could not be covered by bridging operations, due to excessive water areas. These islands are located on T-Sheets 11977 and 11978. Ratio prints of this area were made at a three time enlargement, however, these are uncontrolled, and the exact scale cannot be determined. It is recommended that the islands on these two T-Sheets be located and positioned by the hydrographic survey party.

Strip #11. It is recommended that the area covered by model 63-W-7291 - 7292 be detailed from Strip #6 (Part I), since Strip #6 seems to be the stranger photogrammetric bridge.

Note: The published position of station HASH, 1966, is in error. A new position was provided by Geodesy. The sub-stations for Station OVAL, 1916, could not be seen on the bridging photography.

No those coverage on The northern hot of T-13:30 or my et T-13:240.

Pointfan, T: 12:276 and 17:375 sound 1/4 to the to the test of the te

PROJECT PH-5303

SHORELINE MAPPING

ALASKA

$P\Delta RIII$	
CLARENCE STRAITS & S. S. S.	*00
	ณ์ ณ
63-W-7306 56 00 30 56	<u>.</u> €
ANNE 3 100 100 100 100 100 100 100 100 100 1	

U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION 0.4 ~ (1855.3)~ 45,4) ~ 118.7 (1737.0); 909.0 / (130.9) ORIGINATING ACTIVITY Coastal Mapping BACK DATE 11/24/70 REMARKS FORWARD BA GEOGRAPHIC POSITION 995.0 DATE 52.47761" 00' 00.12967" 55 59 03.839" 57.390 λ LONGITUDE LATITUDE ,94 43, Bernice Wilson 132 132 56° DESCRIPTIVE REPORT CONTROL RECORD ø Ð 1927 HAND PLOTTING CHECKED BY COMPUTATION CHECKED BY NA COORDINATES IN FEET Alaska LISTING CHECKED BY STATE_ ZONE ye ž % ž 2 × 7 'n g 'n 3 × 3 z d d= * AEROTRI-ANGULATION POINT NUMBER DATE 11/18/70 DATE PH-6303 SOURCE OF INFORMATION (Index) GP Vol III Pg. 1041 Pg. 14 55132 C. Rauck, SOUTH BASE) 1915 LUCK (LUCK POINT STATION NAME Α. 1966 HAND PLOTTING BY T-12363 COMPUTED BY ANNE, LISTED BY MAP NO.

SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.

COMPILATION REPORT

T-12363

SHORELINE

31. DELINEATION:

The Wild B-8 plotter was used for the pass points and the line of approximate danger-to-navigation. The mean high water line was delineated graphically. The photography was of fair definition but at 11.5 feet of tide.

32. CONTROL:

See Photogrammetric Plot Report, Clarence Strait, Part II-Northern Half, dated December 3, 1970.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable.

Drainage was from office interpretation of the photos.

35. SHORELINE AND ALONGSHORE DETAILS:

The shoreline has been delineated from office interpretation of the photos. No low water line has been computed. A line of approximate danger limit has been compiled as an aid to the hydrographer.

36. OFFSHORE DETAILS:

No unusual problems.

37. LANDMARKS AND AIDS:

None.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See Form 76-36B.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

Comparison has been made with USGS Quadrangle CRAIG (D-3), ALASKA, scale 1:63,360, dated 1949, with minor revisions 1963.

47. COMPARISON WITH NAUTICAL CHARTS:

Comparison has been made with Chart 8102, scale 1:229,376, 8th edition, dated December 20, 1965.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

albert c. Rauch J. FOR.

Cartographic Tech. December 31, 1970

Approved:

Albert C. Rauck, Jr.

Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-6303 (Clarence Strait, Alaska)

T-12363

Clarence Strait

Eagle Creek

Luck Point

Prince of Wales Island

Approved:

Charles E. Harrington

Chief Geographer

Nautical Charting Division Charting and Geodetic Services

FIELD EDIT REPORT T-12363

No field edit report was submitted by the field. Horizontal control, i.e. hydro signals, are included with a field edit report for T-12364 which are included with this note.

MORIZONTAL CONTROL

,	:				
SIGNAL NAME	LATITUDE • meters	LONG!TUDE meters	ORIGIN OF	POSITION Triangular Station	
#001 (L(L)	55 43 1504	132 15 0358	T41.12377	LIL 1922	
#002	55 44 0044	132 15 c535	T- 12377	•	
Ø003	55 44 0430	132 15 0791	T= 12377		
Ø004 .	55 44 1035	132 15 0907	T- 12377		
<i>\$</i> 005	55 44 1542	132 16 0182	T- 12377		
8006 (MIS)	55 44 1617	132 16 0634	T- 12377	MIS 1915	
£007	55 44 1849	132 16 0747	T- 12373		
#0 08	55 45 0387	132 16 0930 -	T- 12373		
9009	55 43 0918	132 16 0905	T- 12373		
\$610	55 45 0233	132 16 0220	T- 12373		•
#016.	55 44 1691	132 15 0848	T- 12377		
∅012	55 44 1390	132 15 0740	T- 12377		
Ø0 13	. 55 44 1150	132 15 0725	T- 12377		
<i>9</i> 014	55 44 1054	132 15 0406	T- 12377		
Ø015	55 44 07 86	132 15 0341	T- 12377		
. / - 0016	55 44 0587	132 15 0496	T- 12377		
Ø01 7	55 44 0601	132 14 0949	T- 12377		
#018	55 45 1665	132 17 1068	T- 12373		
#019 (BEE)	55 45 1299	132 17 01 2 0	T- 12373		
0030 (LEM)	55 46 0092	132 16 0910	T- 12373	LEM 1922	

HCRIZONTAL CONTROL (CONT)

SIGNAL NAME LATITUDE LONGITUDE ORIGIN OF POSITION
Triangulation
Photo Station



HORIZONTAL CONTROL (CONT.)

LATITUDE meters

SIGNAL NAME

LONGITUDE ' meters

ORIGIN OF POSITION

	SIGNAL NAME	LATITUDE	LONGITUDE • meters	ORIGIN OF POSITION Triangulation
		f meters	• neters	Photo Station
	0044	55 51 0912	132 33 0634	T= 12369
	9045	55 51 1249	133 33 0952	T- 12369
	0846	55 51 1500	132 34 0925	T- 12369
<u>J</u>				T +87CA
	·			
). 	<u></u>			
		_		
				· .
			<u>.</u>	
4				
j):	<u>anra</u>	55 51 1613	132 33 1135	T- 12369
	<u> </u>			_
	()			
\				

HORIZONTAL CONTROL (CONT.)

Signal <u>Name</u>	LATITUDE	LONGITUDE	ORGIN OF PO	OSITICN Triangulation
2191944 MANE	· moters	moters	Photo	Station_
£065	55 54 1042	132 36 0940	T- 12366	RATZ 1915
9066	55 54 1333	132 37 0303	T_ 12366	
9067	55 54 1786	132 37 0686	T_ 12366	
, 9067 , % 063	55 55 0403	132 38 0130	T- 12366	
	55 55 0893	132 38 0486	T= 12566	
₽059	55 55 1177	132 38 0942	T_ 12366	
∅070	55 55 1822	132 39 0634	T- 12366	
Ø 07 ∔	55 56 0605 1250.		T_ 12363	
0072	i. 1		T_ 12363	
9 073	55 56 0921 934.7		T- 12363	
%07 4	55 56 1449 H 26-17		T= 12363	
Ø073	55 57 0027	132 41 0862	-	DOUBLE 1922
GOSO (BOUBLE)	55 56 1287	132 27 0333	T- 12364	
GOS! (CENT)	55 55 1705	132 24 0145	T- 12367	CENT 1916
0032 (MABLE)	55 55 0311	132 24 0870	T- 12367	MABLE 1918
HOOZ GMAGECT	!	co 103L	J_ 12367	RAY 1910

HORIZONTAL CONTROL (CONT.)

	SIGNAL NAME	LATITUDE	LONGITUDE	CRIGIN OF	POS!TION
		• meters	meters	Photo	Triangulation Station
ų.	Ø103	55 55 (160	132 36 0826	T- 12366	
% -	₽104	55 53 1363	132 36 0642	T- 12366	

Note: (*) --- indicates signals located by ground survey methods for the 1:5000 survey of RATZ HARBOR.

REVIEW REPORT T-12363 SHORELINE

61. GENERAL STATEMENT

See Summary included with this Report. The northwest corner of this map latitude 55° 58' 30" longitude 132° 43' 30" to the western limit 132° 45' 00" has a ledge line compiled. This information came from photographs 66L (P) 5855 and 5856 project PH 6705.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U. S. Geological Survey Quadrangle: Craig (D-3), Alaska, scale 1:63,360 dated 1949, minor revisions 1963.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with registered Hydrographic Surveys H-9194, scale 1:20,000.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the following NOS charts: 17360, 26th edition, dated August 18, 1986, scale 1:217,828; 17382, 12th edition, dated July 25, 1981, scale 1:80,000; and 17420, 23rd edition, dated March 16, 1985, scale 1:229,376.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by

Lowell O. Neterer, Jr.

Final Reviewer

December 12, 1986

Approved for forwarding

Foo Billy H. Barnes

Chief, Quality Assurance Group, AMC

Approved

Chief, Photogrammetric Production Sect.

Chief, Photogrammetry Branch

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE		

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Revi

CHART DA	DATE	CARTOGRAPHER	REMARKS		
			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
		<u> </u>	Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
			Full Part Before After Verification Review Inspection Signed Via		
,			Drawing No.		
	<u></u>		Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
 		<u></u>	Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
 -			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
			Full Part Before After Verification Review Inspection Signed Via		
			Drawing No.		
					
\dashv					
- .					
					