T-12668

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Shoreline Type of Survey Shoreline Job No. PH-6409	
Classification No. III	Edition No
LOCALITY	<i>(</i>
State Alaska	***************************************
General LocalityOrca Inl	et
Locality Hartney, Bay	• • • • • • • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • • •	
·	
1965 TO	19
REGISTRY IN AR	

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974-762-901


			
NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY T	<u>r-</u> 12668
	10 ORIGINAL	MAP EDITIO	-
		MAI COITIO	
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS	
	REVISED	JOB P	н. 6409
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDIT	ION
Coastal Mapping Division ,	TYPE OF SURVEY	JOB P	H
Atlantic Marine Center, Norfolk, VA	D ORIGINAL	MAP CLASS	
OFFICER-IN-CHARGE	RESURVEY	SURVEY DA	TES:
Josephan C. Camlan Odn	REVISED .	19TO 19	
Jeffrey G. Carlen, Cdr.	<u></u>		
1. OFFICE	2.	FIELD	
	=======================================		
Aerotriangulation 8/18/65			
Office 10/11/65			
	}		
	ļ		
	·		
II. DATUMS	<u></u>		
III DATOMO	OTHER (Specify)		
1. HORIZONTAL: X 1927 NORTH AMERICAN			
MEAN HIGH-WATER	OTHER (Specify)		
MEAN LOW-WATER			
2. VERTICAL:			
MEAN SEA LEVEL			
3. MAP PROJECTION		GR10(\$)	
Polyconic	STATE	ZONE	2
5. SCALE	Alaska	ZONE	3
1:20,000	}		
III. HISTORY OF OFFICE OPERATIONS		·	
OPERATIONS	NAME		DATE
1. AEROTRIANGULATION BY	D. O. Norman		10/65
METHOD: Analytic LANDMARKS AND AIDS BY			
2. CONTROL AND BRIDGE POINTS PLOTTED BY	L. O. Neterer	•	10/65
METHOD: Coordinatograph CHECKED BY	J. S. Place		10/65
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	J. S. Place		12/65
COMPILATION CHECKED BY INSTRUMENT: Kelsh CONTOURS BY	L. O. Neterer	<u> </u>	12/65
instrument: KOLSh contours by scale: 1:8,000 checked by	NA NA		<u> </u>
4. MANUSCRIPT DELINEATION PLANIMETRY BY	J. S. Place	<u> </u>	12/65
CHECKED BY	C. H. Bishop		4/66
CONTAURS BY	NA NA		
метнов: Smooth Drafted	NA		
scale: 1:20,000 HYDRO SUPPORT DATA BY	J. S. Place		4/66
CHECKED BY	C. H. Bishop		4/66
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	C. H. Bishop		4/66
6. APPLICATION OF FIELD EDIT DATA	Cancelled		
CHECKED BY			
7. COMPILATION SECTION REVIEW BY 8. FINAL REVIEW BY	A. L. Shands		3/77
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	A. L. Shands		5/77
I to an outside a contract of the contract of			· '</td



NOAA FORM 76-36B		······································		NATIONAL			NT OF COMMERCE
T-12668 NATIONAL OCEAN SURVEY COMPILATION SOURCES							
		COM	IPILATIO	4 SOURCES			
1. COMPILATION PH	OTOGRAPHY						
CAMERA(S) RC-8	т.п	Ì	TYPES	OF PHOTOGRAP	нү	TIME REF	ERENCE
TIDE STAGE REFER					ZONE		
PREDICTED TIDE		ľ	(C) COL	OR CHROMATIC	i	Alaska	XSTANDARD
TREFERENCE STA		, Н	(I) INF	RARED	MERL	DIAN 150th	DAYLIGHT
NUMBER AND		DATE	TIME	SCAL		STAGE C	F TIDE
NOME NAME	<u> </u>				'-		· · · · · · · · · · · · · · · · · · ·
65L(I)3593	- 3595	5/17/65	07:15	1:40,	.000	2.6 ft. b	elow MLLW
65L(I)3572		5/17/65	07:15				elow MLLW
65L(I)3610		5/17/65	07:27			2.6 ft. b	elow MLLW
65L(I)3629	- 3631	5/17/65	08:28			1.7 ft. b	elow MLLW
65L(I)3667		5/17/65	08:59				elow MLLW
65L(I)3697		5/17/65	13:13				bove MLLW
65L(I)3714		5/17/65	13:24			•	bove MLLW
REMARKS		<u> </u>					
mean nigh photograph		compiled from	om olile	e interpret	Sation of	tne above	: listed
							
3. SOURCE OF MEA							
		line compile	ed from	office inte	rpretatio	n of the	above
listed pho	tographs.						
.							
4. CONTEMPORARY	HYDROGRAPHI	C SURVEYS (List o	hly those su	veys that are sour	ces for photogra	mmetric survey	information.)
SURVEY NUMBER	DATE(S)	SURVEY COF	Y USED	SURVEY NUMBER	DATE(S)	SUR	VEY COPY USED
5. FINAL JUNCTION	IS						
NORTH		AST		SOUTH		WEST	
T-1280	7	T-12669		No Sur	vey	<u> </u>	12667
REMARKS							
							

NDAA FORM 76-36((3-72)	C		NATIONAL OCEA	U. S. DEPART NIC AND ATMOSPHE	TMENT OF COMMERCE RIC ADMINISTRATIO		
		T-12668			ONAL OCEAN SURVE		
<u> </u>		HISTORY OF FIELD	OPERATIONS		·		
I. A FIELD INSPECTION OPERATION FIELD EDIT OPERATION							
	ОР	ERATION		NAME	DATE		
1. CHIEF OF FIEL	D PARTY		T D Mat	leden a Tan	7- 10/5		
		RECOVERED BY	J. D. Wat		Jun 1965 Jun 1965		
2. HORIZONTAL	CONTROL	ESTABLISHED BY	None	<u> </u>			
		PRE-MARKED OR IDENTIFIED BY	R. B. Mel	by	Jun 1965		
· 	<u> </u>	RECOVERED BY	NA				
3. VERTICAL CON	NTROL	ESTABLISHED BY	NA				
	- <u>-</u>	PRE-MARKED OR IDENTIFIED BY	NA NA				
		ECOVERED (Triangulation Stations) BY	R. B. Mell	oy	Jun 1965		
4. LANDMARKS AT AIDS TO NAVIG		LOCATED (Field Methods) BY	None R. B. Mell		Tum 1065		
		TYPE OF INVESTIGATION	K. D. MeTi	u y	Jun 1965		
5. GEOGRAPHIC	NAMES	COMPLETE			}		
INVESTIGATION		SPECIFIC NAMES ONLY			[
		X NO INVESTIGATION	1		l		
6. PHOTO INSPEC	TION	CLARIFICATION OF DETAILS BY	None				
7. BOUNDARIES A	ND LIMITS	SURVEYED OR IDENTIFIED BY	NA				
II. SOURCE DATA			T				
], HORIZONTAL C	CONTROL IDE	NTIFIED	2. VERTICAL CO	NTROL IDENTIFIED			
PHOTO NUMBER		STATION NAME	PHOTO NUMBER	STATION [DESIGNATION		
65M(P)007 65M(P)006		ISLAND LIGHT, 1964 ED, 1916					
3. PHOTO NUMBE	RS (Clarificati	ion of details)	<u> </u>				
None							
4. LANDMARKS A	ND AIDS TO N	AVIGATION IDENTIFIED		<u> </u>			
٠.							
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER	OBJEC	TNAME		
65M(P)007	MUMMY]	ISLAND LIGHT, 1964					
5. GEOGRAPHIC	NAMES:	REPORT NONE	6. BOUNDARY AN	D LIMITS: RE	PORT X NONE		
7. SUPPLEMENTA	L MAPS AND	PLANS					
	RECORDS /%	etch books, etc. DO NOT list data submit	tted to the Geodesi: P	ivieion)			
		ol Station Identification		***************************************			

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NOAA FORM 76-36D (3-72)T-12668 RECORD OF SURVEY USE I. MANUSCRIPT COPIES COMPILATION STAGES DATE MANUSCRIPT FORWARDED DATA COMPILED MARINE CHARTS HYDRO SUPPORT DATE REMARKS 4/66 Alongshore area for Class III hydro compiled. 7/28/17 Final Review 3/77 II. LANDMARKS AND AIDS TO NAVIGATION 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH CHART LETTER DATE NUMBER REMARKS NUMBER ASSIGNED FORWARDED Landmark to be charted. Fixed aid to be charted.



SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORTS

T-12807, T-12439, T-12667 through T-12670

Shoreline Maps T-12807, T-12439, and T-12667 through T-12670 are all 1:20,000 scale maps, $7\frac{1}{2}$ minutes in latitude and 10 minutes in longitude, covering the southwest portion of Project PH-6409, Orca Inlet, Alaska. The purpose of these maps was to provide hydro support and to furnish shoreline for nautical chart construction.

As stipulated in the instructions, compilation was by Kelsh and graphic methods, using tide coordinated infrared photography taken at near and below MLLW and near MHW.

The area covered by these maps was severely affected by the 1964 earthquake. A general uplift resulted. Because of the very wide expanse of mud and sand tidal flats which exist, it is logical to expect new shorelines to have been created. However, many such shorelines may have gone undetected or been misidentified on the infrared photography because of rain which dominates weather conditions of the area. Also, in May, the date of photography, there is a constant runoff from melting snow. This also serves to keep the ground wet. The newness of the shoreline (14 months since the earthquake) might mean that a sufficiently distinguishable berm line would not have had time to develop. These factors may have combined to make new shoreline created since the earthquake unidentifiable on the infrared photography taken at 7.9 to 8.2 feet above MILW. MHW is 11.5 feet at Cordova. The shoreline shown is from office interpretation without field confirmation.

rield work preceeding compilation consisted of the recovery, identification and establishment of horizontal control necessary for bridging. There was no clarification of details.

Except for T-12807, which was partially edited in 1965, none of these maps was field edited.

Final review was done at AMC in March and April of 1977.

FIELD INSPECTION

T12668

Field work prior to compilation was limited to the recovery and identification of horizontal control necessary for bridging.


Photogrammetric Plot Report Orca Inlet, Alaska PH-6409 October 1965

21. Area Covered

This report pertains to the area of Orca Inlet, Alaska. The sheets covered are T-12667, T-12668, T-12669, T-12670, and parts of T-12439 and T-12807.

22. Method

Four strips were bridged by analytic aerotriangulation methods. Common points were transferred from Strips #1 and #2 (1:60,000 scale) to infrared photography (1:40,000 scale) which is to be used by compilation. These points are 150 micron drill holes on the infrared photography.



25. Photography

The photography was adequate.

Respectfully submitted:

Jon O. Horman

Don O. Norman


Approved and Forwarded:

Henry P. Eichert
Acting Chief, Aerotriangulation
Section

```
Tie points between Strips #1 & #2
                 +0.3
                         +0.7
        02401
                  0.0
        02402
                         -0.6
                 -3.4
        03401
                         -1.1
                         -0.1
        03402
                 +1.5
                 -1.3
        04401
                         +0.9
                         -2.8
        04402
                 -3.3
                         -2.4
        05401
                 -2.9
                 -0.6
                         -3.7
        05402
        06401
                 -0.1
                         -7.1
        06402
                 +1.3
                         -4.3
        07401
                 +5.7
                         -6.5
                 +6.7
        07402
                         +0.1
                 +2.4
        08401
                         -2.0
                 +1.6
                         -3.1
        08402
                 +2.2
        09401
                        ·-0.4
                         -1.5
        09402
                 -0,6
                 -1.2
                         -6.1
        10401
Tie points between Strips #3 & #4
                         -4.6
                 +2.5
        70401
                 +2.3
                         -5.0
-3.2
        70402
        69401
                 +0.7
        69402
                 -1.0
                         -4.2
                 -1.4
        68401
                         -0.6
        68402
                 -0.3
                         -1.1
        68403
                 -2.0
                         -0.2
                         -4.2
        67401
                 -0.2
        67403
                 +0.6
                         -2.3
                 -0.9
        66401
                         -1.1
                 -1.8
        66402
                         +0.1
                 +0.8
                         +1.2
        65401
        65402
                 -0.8
                         +3.4
                         +4.5
                 -0.6
        64401
        64402
                 -0.1
                         +2.0
Tie points between Strips #1 & #3
        50401
                 +4.3
                         -5.1
                 +7.3
+7.1
                         -9.0
-8.8
        50402
        69403
Tie points between Strips #1 & #4
                         -4.2
        67404
                 +3.2
                 +5.3
        67405
                         -2.7
                 +2.4
        71401
                          -1.3
                 +0.1
                         +1.4
        71402
```

AEROTRIANGULATION Fit to Control Orca Inlet (Closures are shown in feet)

	•
Strip #1	
GLACIER, 1965 (temp) SKY 2, 1965 (temp) WHITSHED, 1916 substation MUMMY ISLAND LIGHT, 1964 PINNACLE ROCK, 1899 (office ident.) GIRL, 1899 RM#1 DAVE, 1899	$\begin{array}{ccccc} 0.0 & 0.0 \\ -78.4 & -310.0 \\ + 1.2 & + 2.2 \\ 0.0 & + 0.2 \\ + 1.6 & + 4.0 \\ 0.0 & - 0.3 \\ + 1.4 & - 2.7 \\ 0.0 & 0.0 \end{array}$
Strip #2	·
DAVE, 1899 GIRL, 1899 RM#1 WHITSHED, 1916 substation EGG ISLAND LIGHT, 1965 substation SKY 2, 1965 (temp) GLACIER, 1965 (temp)	- 0.1 + 1.1 + 0.6 - 3.6 not visible + 1.0 + 3.0 - 1.0 - 2.3 - 4.4 + 0.7 not visible - 0.6 + 0.6
Strip #3	
DAVE, 1899 69403 tie point from Strip #4 67402 tie point from Strip #4 65403 tie point from Strip #4 ORCA CANNERY S. BLDG. W. GABLE, 1955	- 0.5 + 1.2 + 0.8 - 1.6 + 0.6 - 2.3 - 1.3 + 3.8 + 0.4 - 1.4
Strip #4	
CORDOVA BOAT HARBOR LIGHT 2, 1964 CORDOVA LIGHT #1, 1964 (office ident.) TRAVEL 2, 1964	+0.7 + 0.3 - 0.7
substation "A" substation "B" MUMMY ISLAND LIGHT, 1964 PINNACLE ROCK, 1899 (office ident.) GIRL, 1899 RM#1	- 1.3 + 1.3 - 2.9 + 6.0 + 0.4 + 11.1 + 0.8 - 1.9 - 0.2 + 1.0



NOAA FORM 76-41					U.S. DEPARTMENT OF COMMERCE	EPARTMENT O	F COMMERCE
		DESCRIPTIV	CRIPTIVE REPORT CONTROL RECORD		OCEANIC AND ATM	IOSPHERIC ADM	INISTRATION
MAP NO. T-10668	JOB NO.	007	GEODETIC DATUM		4⊏	1	12
112000	rh-	rn-6409	NA 1927		Division, AMC,	C, Norfolk,	, VA
STATION NAME	SOURCE OF	AEROTRI- ANGULATION	COORDINATES IN FEET STATE ALASKA	GEOGRAPHIC POSITION	Position	а 4 24 24 24	Š
	(xepul)	POINT			E	FORWARD	BACK
TRADE, 1899			sχ	ф 60 29	41.120	1272.7	(584.4)
	P. 202		<i>i</i> ⁄ ₌	λ 145 54	43.779	668.5	(247.6)
CAMP, 1899	G.P. Vol 6		<i>χ=</i>	\$ 60 28	00.073	02.3	(1854.7)
	203		y=	λ 145 57	05.325	81.4	(835.5)
PEAK NO. 1, 1898	G.P. Vol. 6		±χ=	φ 60 27	29.53	914.0	(673.0)
			y=	λ 145 51	21.96	335.7	(581.4)
POINT WHITSHED, NORTH RADIO	G.P. Vol 6		χ=	φ 60 28	03.481	107.8	(1749.2)
MAST, 1916	- 1		y=	λ 145. 57	26.735	408.6	(508.3)
WHITSHED, 1916			<i>-</i> χ	60 26	42,300	1309.2	(547.8)
	P. 246		y=	λ 145 52	58.067	888.0	(29.5)
MUMMY ISLAND LIGHT, 1964	Field		χ=	φ 60 27	45.775	1416.8	(440.2)
	Сопр.		<i>y</i> =	λ 145 59	20.159	308.1	(60809)
			χ۶	ф			
			ys.	γ			
	!		<i>=</i> χ	ф			
			y=	٧			
			<i>-</i> χ	ф			
			ye	γ			
			χ=	φ			
			y=	<u>~</u>			
COMPUTED BY A. C. Rauck, Jr.		DATE 7/77	COMPUTATION CHECKED BY D. Butler			DATE 3/1	3/17/77
LISTED BY		DATE	LISTING CHECKED BY			DATE	
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY			DATE	
		SUPERSEDES N	RSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE	CH IS OBSOLETE.			

COMPILATION REPORT

T-12668

31. <u>DELINEATION</u>:

Models were set on the Kelsh stereoplotter using photography taken when the stage of tide was near mean lower low water. Details, except for the mean high water line, were compiled from the Kelsh models. The mean high water line was compiled graphically using photography taken near mean high water.

All photography used in compilation is black and white infrared flown at 1:40,000 scale. It was adequate in coverage.

32. CONTROL:

See Photogrammetric Plot Report dated October 1965.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The shoreline and all alongshore details were delineated from office interpretation of the photographs.

36. OFFSHORE DETAILS:

None.

37. LANDMARKS AND AIDS:

One fixed aid to navigation (Mummy Island Light) and a landmark (Radio Tower) are within the area covered by this sheet.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See Form 76-36B, Item 5.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

41. CHANNEL AND SHOAL LINES:

Bottom configurations brought about by the March 1964 earthquake were delineated as channel and shoal lines from the lowest stage of tide photography.

46. COMPARISON WITH EXISTING MAPS:

Comparison was made with USGS Quadrangles CORDOVA (B-5) and CORDOVA (B-6), ALASKA, scale 1:63,360, dated 1951 and 1953, respec-

48. GEOGRAPHIC NAMES LIST:

Big Point
Egg Islands
Gravel Point
Government Rock
Gulf of Alaska
Hartney Bay
Mummy Island
Orca Inlet
Point Whitshed
Shag Rock
Twin Rocks
Whitshed

NOTE: Names on this list were provided by the Staff Geographer on USGS Quads CORDOVA (B-5 and B-6), dated 1951 and 1953, respectively.

7 ö

NOAA FORM 75-74 (2-74)		ר וח	2668	S. DEPARTMENT OF COMMERC
\~~! #!	PHO		2008 RIC OFFICE REVIEW	NOA. NATIONAL OCEAN SURVE
			10363	
I. PROJECTION AND GRIDS	2 TITLE		3. MANUSCRIPT NUMBERS	4. MANUSCRIPT SIZE
dith		tin	OTTE	aun
CHB		HB	CHB	CHB
CONTROL STATIONS 5. HORIZONTAL CONTROL ST	ATIONS OF	A DECOVERA	DI E UNDIZABITAL STATIONS	7. PHOTO HYDRO STATIONS
THIRD-ORDER OR HIGHER	ACCURACY	OF LESS TH	BLE HORIZONTAL STATIONS IAN THIRD-ORDER ACCURACY c stations)	7. PHOTO NYDRO STATIONS
CHB			CHB	None
8, BENCH MARKS	9. PLOTTING	OF SEXTANT	10. PHOTOGRAMMETRIC PLOT REPORT	11. DETAIL POINTS
None) N	one	Washington Office	None
ALONGSHORE AREAS (Nautice	I Chert Dete)	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
12. SHORELINE	13. LOW-WATE	RLINE	14. ROCKS, SHOALS, ETC.	15. BRIDGES
CHB	C	НВ	СНВ	None
16. AIDS TO NAVIGATION	17. LANDMARK	(S	18. OTHER ALONGSHORE PHYSICAL FEATURES	19. OTHER ALONGSHORE CULTURAL FEATURES
OTT.		,		<u>}</u>
CHB PHYSICAL FEATURES	N N	one	None	CHB
20. WATER FEATURES		21. NATURAL	GROUND COVER	22. PLANETABLE CONTOUR
CHB 23. STEREOSCOPIC	24. CONTOUR	E IN GENERAL	CHB 25. SPOT ELEVATIONS	NA 26. OTHER PHYSICAL
INSTRUMENT CONTOURS	24. CONTOON.	S IN GENERAL	23. SPOT ELEVATIONS	FEATURES
NA	N		None	None
CULTURAL FEATURES 27. ROADS	28. BUILDING		20. 0411 0440	120
27. NUAUS	26. BUILDING:	•	29. RAILROADS	30. OTHER CULTURAL FEATURES
None	C	HB	None	None
BOUNDARIES 31, BOUNDARY LINES			122	
	one		32. PUBLIC LAND LINES	lone
MISCELLANEOUS			<u></u>	
33. GEOGRAPHIC NAMES		34. JUNCTION	S	35. LEGIBILITY OF THE MANUSCRIPT
CHB			СНВ	CHB
36. DISCREPANCY OVERLAY	37. DESCRIPTI	VE REPORT	38. FIELD INSPECTION	39. FORMS
	_	~~	_	
None 40. reviewer	ال	SP	None ISUPERVISOR, REVIEW SECTION	CHB
Charles H. Bish	<u>00</u>		Albert C.	Rauch J.
C. H. Bishop	~ [Albert C. Rauck, Jr	icompray.
41. REMARKS (See attached she	et)			
FIELD COMPLETION ADDITION				
 Additions and corrections script is now complete ex- 	s furnished by the cept as noted un-	e field complet der item 43.	ion survey have been applied t	o the manuscript. The manu-
COMPILER	<u></u>		SUPERVISOR	
43. REMARKS				
This map not	field edite	ed.		
				•
OAA FORM 75-74 -74)	SUPERSEDE	S C&GS FORM 1	002 WHICH MAY BE USED UNTIL	EXISTING STOCK IS DEPLETE
• ••				

HYDROGRAPHIC PARTY

GEODETIC PARTY

PHOTO FIELD PARTY

COMPILATION ACTIVITY

X FINAL REVIEWER

QUALITY CONTROL & REVIEW GRP.

GOAST PILOT BRANCH

[See reverse for responsible personnel] AFFECTED 8520 CHARTS DRIGINATING ACTIVIT METHOD AND DATE OF LOCATION (See instructions on reverse side) FIELD HOWELOGINGSANDSTOR LANDMARKS FOR CHARTS 4/13/77 OFFICE 708.6 D.P. Meters 26.735 The following objects HAVE | HAVE NOT | been inspected from seaward to determine their value as landmarks LONGITUDE Orca Inlet 57 1927 145 POSITION D.M. Meters 107.8 03.481 LATITUDE NA 88 0 8 Alaska DESCRIPTION (Record resson for deletion of landmark or aid to navigation. Show triangulation station names, where applicable, in perentheses) POINT WHITSHED, NORTH RADIO MAST, 1916 Shands, Final Reviewer The geodetic position is reported here. T-12668 Tower not identified on photos. REPORTING UNIT PH-6409 i 4 Replaces C&GS Form 567. X TO BE CHARTED TO BE DELETED TO BE REVISED OPR PROJECT NO. NOAA FORM 76-40 (8-74) NOTE: CHARTING RADIO TOWER NORTH



NONFLOATING STATE The following objects HAVE NOT Stopmon to design of leading species from sequence of the stopmon to design of leading species of leading sp	U.S. DEPARTMENT OF COMMERCE	L	ORIGINATING ACTIVITY
REPORTING UNIT Office, Coastal Mapping Div. Alas AMC, Norlolk, VA HAVE X HAVE NOT Deen inspected from Job Number Survey number Survey number of lendmark or aid to navigation. Israeon for delation station names, where applicable, in perenthese with ISLAND LIGHT, 1964) MY ISLAND LIGHT, 1964)	LIDS GREENWAR		HYDROGRAPHIC PARTY GEODETIC PARTY
MY ISLAND LIGHT, 1964) ME ISLAND LIGHT, 1964) MAC, Norfolk, VA HAVE X HAVE NOT been inspected from some nor delation of landmark or aid to navigation. To now the spoil cable, in perenthe standard names, where applicable, in perenthe nor delation of Light, 1964)			D PARTY .
AMC, Norfolk, VA HAVE Norfolk, VA HAVE NOT Describe of from Job Number Job Number PH-6409 T-12668 MY ISLAND LIGHT, 1964)		DATE COMPLLATION AC	COMPILATION ACTIVITY FINAL REVIEWER
HAVE X HAVE NOT been inspected from 508 NUMBER SURVEY NUMBER PH-6409 T-12668 PH-6409 T-12668 DESCRIPTION intention of landmark or sid to navigation. Intention station names, where applicable, in perenthese MY ISLAND LIGHT, 1964)		4/13/77 OUALITY CONTROL & R	CONTROL & REVIEW GRP
PH-6409 T-12668 PH-6409 T-12668 T-2668 T-12668 MA ISLAND LIGHT, 1964) MY ISLAND LIGHT, 1964) MY ISLAND LIGHT, 1964)	spected from sea	(See reverse for	See reverse for responsible personnel)
PH-6409 T-12668 [Record reason for deletion of landmark or eld to navigation. Show triengulation station rames, where applicable, in persuitsees) [MUMMI ISLAND LIGHT, 1964] [ADMIN ISLAND LIGHT, 1964]	₩D14Q	NOTACO TO DATE OF LOCATION	
(MUMMY ISLAND LIGHT, 1964) (MUMMY ISLAND LIGHT, 1964) (MUMMY ISLAND LIGHT, 1964)	POSITI	(See instructions on reverse side)	CHARTS
(MUMMY ISLAND LIGHT, 1964) (MUMMY ISLAND LIGHT, 1964) (MUMMY ISLAND LIGHT, 1964)			AFFECTED
(MUMMY ISLAND LIGHT, 1964) 60 27	10808) O / D.M.	OFFICE FIELD	
	09	65L(I)3668 - 4-115- 5/17/65 4/21/65	8520
			· ·
			
		,	

REVIEW REPORT

T-12668

SHORELINE

March 20, 1977

61. GENERAL STATEMENT:

See Summary, which is Page 6 of this Descriptive Report. A comparison print showing the differences noted in Paragraphs 62, 63 and 65 is submitted with the original of this report.

The landmark tower charted at Whiteshed is not visible on the photographs. Since there was no field edit, its existence was not field verified and no 76-40 is submitted for it.

62. <u>COMPARISON_WITH REGISTERED TOPOGRAPHIC SURVEYS:</u>

A comparison was made with Registered Surveys 3642 and 3670, each 1:20,000 scale, dated 1916. Two piers shown at Whiteshed on Survey 3642 are not visible on the photos. Other shoreline differences are shown on the comparison print in blue pencil.

In the area compared, T-12668 supersedes Surveys 3642 and 3670 for nautical chart construction purposes.

63. <u>COMPARISON WITH MAPS OF OTHER AGENCIES:</u>

A comparison was made with USGS Quadrangles CORDOVA (B-5) and (B-6), ALASKA, each 1:24,000 scale, dated 1951 and 1953, respectively. The Egg Islands are very low sand islands. Their positions are altered by tide and wind action. This accounts for the differences noted in position and configuration of the islands between the two maps. These differences are shown on the comparison print in blue pencil.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

No contemporary hydrographic survey of the area bounded by the limits of this map was conducted.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with Chart 8520, 1:80,000 scale, dated March 7, 1966. The configuration and positions of the Egg Islands is considerably different on the photos than that shown on the chart. The charted positions are shown on the comparison print in red pencil.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions, except it was not field edited. It meets the requirements for Bureau Standards and the National Standards of Map Accuracy.

Submitted by:

A. L. Shands Final Reviewer

a.L. S. hands

Approved for forwarding:

Joseph W. Vonasek

Chief, Photogrammetric Branch, AMC

Approved:

Chief, Photogrammetric Branch

Exief, Coastal Mapping Division

