NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

# DESCRIPTIVE REPORT

Map No.	Edition No.
т-13002	1
Job No.	
PH-6411	
Map Classification	
	AL FIELD EDIT)
Type of Survey	
SHORELINE	<b></b>
LOCALITY	Y
State	
ALASKA	
General Locality	
VALDEZ ARM	
Locality	
COPPER MOUNTAIN PENINSULA	
19 65 TO 19	9
17 63 10 1	
DECISTEDED AT A	DCUIVES
REGISTERED IN A	<b>なたロリヤビン</b>
DATE	<u> </u>
"	
The state of the s	

of 21

SURVEY \*\* T-13002

TYPE OF SURVEY

D ORIGINAL

		A ORIGINAL	MAPEDITION NO. (1)	
	DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS III (FINAL)	
	DESCRIPTIVE REPORT - DATA RECORD	1	1	
4	PHOTOGRAMMETRIC OFFICE	REVISED	јов <b>км</b> - <u>СМ-6411</u>	
	Coastal Mapping Unit, Atlantic		DING MAP EDITION	
•	Marine Center, Norfolk, VA	TYPE OF SURVEY	JOB PH-	
	OFFICER-IN-CHARGE	ORIGINAL  G RESURVEY	MAP CLASS	
!		RESURVEY	SURVEY DATES:	
•	A. Y. Bryson, CDR	LJ REVISEO	19TO 19	
	I. INSTRUCTIONS DATED			
•				
£				
	-			
<u> </u>				
<u>II</u>				
No. of St.				
-				
<u>~</u>				
1-				
-				_
<u>.</u>				
<del>. T</del>				
	- disay:			
_				
· ·				
1 <u></u>				
	<i>k</i>			=
. <b>Š</b>				
	A			
•				
2%.				

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.

NDAA FORM 76-36A (3-72)

(3-72)			NATIONAL OCEA		OMMERC
}	,	T-13002 MPILATION SC		NIC AND ATMOSPHERIC ADMINIS NATIONAL OCEAN	SURVE
	CO	MPILATION SC	INKCE2		
1. COMPILATION PHOTOGRAPHY					
CAMERA(S)	21\		PHOTOGRAPHY GEND	TIME REFERENCE	
Wild RC-8 "L" (L=152, TIDE STAGE REFERENCE	<u> </u>	1		ZONE	
PREDICTED TIDES		(C) COLOR	OMATIC	Alaska 🖼 s	TANDAR
REFERENCE STATION RECORDS	uv.	(I) INFRARE		MERIDIAN	AYLIGHT
		<u> </u>	<del></del>	150th	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
65 L(P) 4421 thru 4424	7/06/65	09:40	1:30,000	4.3 feet above MLL	W
ļ					
)					
)					
1					
		(		Mean Tide Range =9	.5 ft.
		•			
BEMARKE Compilation/brid	aine photos	ranha hagad	on myodiate	4 44 4 - 4 - 4 - 4 - 4 - 5 - 5 -	
3)					
,					
<b>`</b>					
	е 1	17 1	-,·1		
	c 1	14 1 2	- II		
	е 1	1 7 Y Y	», 3 <sub></sub> , 1		
	c 1	17 7 2 4	>, J 11		
	C 1		»		
	c 1	17_1	», J		
	е 1	17 7	>		
	е 1		>, 3 <sub></sub> , 1		
	o 1	17 1	5,1,,11		
	е 1	17 7 2	», 3 <sub></sub> 1		
	<i>e</i> 1		·.31		
	e 1		· · · · · · · · · · · · · · · · · · ·		
	c 1				
	e 1				
	6 1				
	C 1				

l Form 152 (CSI Card), Field Report (2 pages)

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)


NOAA FORM 76-36C (3-72)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

FIELD INSPE	CTION OPE	RATION X FIELD	EDIT OPERATION (	(Partial)		
		PERATION	N.	AME		DATE
CHIEF OF FIELD	PARTY	(USC&GS Ship Hodgson)	Comanding (	Officer_	Au	g. 1966
		RECOVERED BY	None			
HORIZONTAL CO	NTROL	ESTABLISHED BY	None			
		PRE-MARKED OR IDENTIFIED BY	None			
		RECOVERED BY	NA			
3, VERTICAL CONTINCE		ESTABLISHED BY	NA			
		PRE-MARKED OR IDENTIFIED BY	NA			
		RECOVERED (Triengulation Stations) BY	None			
LANDMARKS AN	D	LOCATED (Field Methods) BY	None			
AIDS TO NAVIGA	ATION	IDENTIFIED BY	None			
		TYPE OF INVESTIGATION				
GEOGRAPHIC N	AMES	COMPLETE BY				
INVESTIGATION		SPECIFIC NAMES ONLY				
		NO INVESTIGATION			_	
PHOTO INSPEC		CLARIFICATION OF DETAILS BY	None			
BOUNDARIES A	ND LIMITS	SURVEYED OR IDENTIFIED BY	l NA			
. SOURCE DATA	ANTROL II	CHTISISD	2. VERTICAL CON	TROL IDENT	FIED	
, HORIZONTAL C	ONIROLII	SEMITIFIED .				
None			None PHOTO NUMBER	STA	TION DESIGNA	TION
HOTO NUMBER		STATION NAME	PHOTO NOMBER			
3. PHOTO NUMBE	RS (Clarific	ation of details)				
None'						
4. LANDMARKS A	ND AIDS T	NAVIGATION IDENTIFIED	-			
None				<del></del>		
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER		OBJECT NAM	· · · · · · · · · · · · · · · · · · ·
			ļ			
	İ					
	İ		]			
				}		
	<u> </u>		6. BOUNDARY A	ND LIMITS:	REPORT	ХХ иои
5. GEOGRAPHIC		REPORT X NONE	9. 203/19/10   1			7.8
7. SUPPLEMENT	AL MAPS A	ND PLANS				
None						
	RECORDS	(Sketch books, etc. DO NOT list data sub	mitted to the Geodesy	Division)		
O. UTHER FIELD	7.1.1.1	Edit Print, Field Edit Re	nort (remarks	)		
	- with Id		\			

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

	Col	MPILATION STAGE	s	DATE MANUSCRI	PT FORWARDED
	DATA COMPILED	DATE	REMARKS	<del> </del>	HYDRO SUPPORT
	ation complete, g field edit.	May 1966	Class III manuscript	June 1966	June 1966
	l field edit d. Compilation te	Nov. 1966	Advanced Class III manuscript	Nov. 1966	Nov. 1966
Final I	Review, Class III	June 1984	Final Class III Map	,	
	ARKS AND AIDS TO NAVIGA	<del></del>			
1. REP	ORTS TO MARINE CHART DI		DATA BRANCH		
NUMBER	CHART LETTER Number Assigned	DATE FORWARDED	REI	MARKS	
					<u> </u>
				· - · · · · · · · · · · · · · · · · · ·	
				<del></del>	
					<u> </u>
2. 🗀	REPORT TO MARINE CHART	DIVISION, COAST	PILOT BRANCH. DATE FORWARDE		<del></del>
3.		CHART DIVISION,	, AERONAUTICAL DATA SECTION.		
1. 🖼	BRIDGING PHOTOGRAPHS;	X DUPLICATE	BRIDGING REPORT; & COMPUT	ER READOUTS,	
			FORM NOS 567 SUBMITTED E		
3. 💢	SOURCE DATA (except for G ACCOUNT FOR EXCEPTION		post) AS LISTED IN SECTION II, NOA/	A FORM 76-36C.	·
	DATA TO FEDERAL RECOR		E FORWARDED:		_
V. 30KV	T EDITIONS   I Mrs Section 5.	nan be completed ea	ten time a new new portion is registere	a)	



#### SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT T-13002

This 1:10,000 scale final Class III shoreline map is one of seventeen maps that comprise project PH-6411, Valdez Arm, Alaska. The project consists of two 1:20,000, three 1:5,000 and twelve 1:10,000 scale maps. The project originally pertained to the Port Valdez area but was extended south to include the east shore of Valdez Arm and Tatitlek Narrows.

The purpose of this map was to provide shoreline data in support of hydrographic operations.

This map portrays the southeast limit of Tatitlek Narrows and features the western shoreline of Copper Mountain Peninsula and Boulder Bay.

Photo coverage for this map was adequately provided by 1:30,000 scale panchromatic and 1:15,000 scale color photographs. All photography was taken July 6, 1965 with the RC-8 (L) camera. The panchromatic photographs were used for aerotriangulation, compilation, and photo-hydro support. The low altitude color photographs were used to assist the compiler in offshore interpretation.

Field work prior to compilation consisted of the recovery, establishment, and identification (premarking) of horizontal control necessary for aerotriangulation. Also, the field party was responsible for assisting in obtaining the aerial photography. This activity was performed in June/July 1965.

Analytic aerotriangulation was adequately provided by the Washington Science Center November 3, 1965. This activity also included ruling the base manuscripts and providing ratio photographs for compilation.

Compilation by interpretation of the 1:30,000 scale photographs was performed at the Coastal Mapping Section, Atlantic Marine Center, May 1966. Color contact photographs at 1:15,000 scale were used to assist in the interpretation of offshore features. Photo-hydro support data involving the original Class III manuscript was forwarded to the hydrographer.

Field edit was conducted August 1966 by the hydrographic party assigned to the USC&GS Ship Hodgson. The area of field edit performed was limited to the parameters of hydrographic survey H-8901. This partial field edit data was returned to the Coastal Mapping office and applied to the manuscript in November 1966. A copy of the advanced Class III manuscript was forwarded to the hydrographic processing unit for smooth sheet application.

Final review was performed at the Atlantic Marine Center June 1984. A Chart Maintenance Print was prepared and forwarded to the Marine Chart Branch.

This Descriptive Report contains all pertinent information used to compile this Final Class III map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

# FIELD INSPECTION

#### T-13002

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery, establishment and identification (premarking) of the horizontal control necessary for the aerotriangulation of the project.

Project 21423(4) Valdez, Alaska June, 1965

All horizontal control stations required for photo control were identified with the exception of CROMBIE, 1941 (T-12656). This station was on a high ridge still covered with considerable snow. Identification would probably have been doubtful. Station FILL (temporary) was established by tellurometer traverse and its substitute stations are identifiable on the same flight line of photographs that would cover CROMBIE. Station PIT (temporary) was determined by triangulation methods. Stations PIT and FILL replaces VALDEZ SOUTHEAST BASE, 1941 and VALDEZ NORTHWEST BASE, 1941.

Station MAS (temporary) (t-12655) was determined by triangulation intersection

Para transfer of the second of	
	:
	,

# Project 21423(11) Tatilek Narrows, Alaska June 1965

All horizontal control stations required for photo control were identified and paneled. Two new stations were located by triangulation intersection methods and six by closed loop tellurometer traverse.

Station MAS (temp.) was located and its position is submitted with the Valdez, Alaska field data, project 21423(4). The recovery note for HUT3, 1965 was also submitted with the Valdez field data.

Submitted:

Rain

Robert B. Melby

Approved:

John B. Watkins, Jr., CDR, C&GS Comdg., Ship HODGSON

### Photogrammetric Plot Report Tatitlek Narrows, Alaska Job PH-6411

# 21. Area Covered

The project covers the east shore of Valdez Arm and all of Tatitlek Narrows area. The T-sheets in this area are: T-12991 through 12999 and T-13000 through T-13002.

# 22. Method

Six bridges were run on the stereoplanigraphs and adjusted by IBM 1620 methods. All tie points between strips were averaged. Tie points were also established in the area of Port Valdez. Bay, to be bridged at a later date.

# 23. Adequacy of Control

The premarked control provided was adequate with the exception of BUSBY, 1942. The panels at this station blended into the background on the black and white photograph and could not be seen. The overhang and shadows of trees also made it difficult to see Busby Island Lt., 1947, which was in the immediate vicinity of BUSBY, 1942.

Strip #12 was based on a three point solution using stations JACK, 1901, OVAL, 1965 and SLIM, 1965. Stations OVAL and SLIM were established with very slim angles and no means of checking their accuracy was available. Although adjustment held all three stations with small errors of closure, an error may still exist in the area of Jacks Bay.

All additional control held within National Map Accuracy Standards for 1:10,000 scale mapping.

# 24. Supplemental Data

USGS Quads, Cordova D-8 and Valdez A-8, scale 1:63,360 were used to provide baisc vertical control for bridging operations.

# 25. Photography

Photography was adequate in coverage, overlap and definition.

# 26. Plotting Constants


Plotting constants for 1:10,000 scale manuscripts were provided for all bridge points.

# 27. Ratios

Ratios for 1:10,000 scale photography were provided for all strips.

Submitted by:

Approved by:



TATITLEK MARRONG, ALASKA PH-6411

Nov. 1965

DESCRIPTIVE REPORT CONTROL RECORD   CALIFORNIA CONTROL RECORD   CALIFORNIA CONTROL RECORD   CALIFORNIA CONTROL RECORD   CALIFORNIA CONTROL   CALIFORNIA CONTROL CALIFORNIA CONTROL CALIFORNIA CONTROL CALIFORNIA CALIFORNI	DESCRIPTIVE REPORT CONTROL RECORD   DESCRIPTIVE REPORT CONTROL RECORD	NOAA FORM 76-41				in	S. DEPARTMENT O	F COMMERCE
SOUTH   CORPORATION   CORPOR	SOUZE   109 NO.   100 NO	(c/+b)		DESCRIPTIV	'E REPORT CONTROL REC		ATMOSPHERIC ADN	AINISTRATION
CROLOGIOAL   COORDINATES W FEET   COORDINATES W FEET   COORDINATES W FEET   A LONGITUDE   COORDINATES W FEET   A LONGITUDE   COORDINATES W FEET   A LONGITUDE   COUNTY   CONTROL   CONTROL   CONTROL   CONTROL   CONTROL   CONTROL   CONTROL   CONTROL   COUNTY   CONTROL   CONTRO	SOURCE   S		108 NO. PH-641	Ţ		ORIGINATING ACT Division, A	] 7	
Quad 60146   X= 385,851.62   \$\text{0}\$   \$\text{A.contrope}   \$\text{PORMADD}   \$\text{A.contrope}   \$\text{CRDLOGIOMIL},   \$\text{Quad 60146}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,601.69}   \$\text{3}   \$\text{2.492,702.73}   \$\text{4}   \$\text{2.492,702.73}   \$\text{4}   \$\text{2.492,702.73}   \$\text{4}   \$\text{2.492,702.73}   \$\text{4.292,702.73}   \$4.292,702.73	Quad 60146   X= 385,851.62   \$\phi\$   \$Actions to Proper in Properties   Pr	STATION NAME	SOURCE OF	AEROTRI- ANGULATION POINT	COORDINATES IN FEET STATE ALASKA			. ~
Quad 60146   $x = 385,821,62 = 0$   $x = 385,190,69$   $x = 2601,69$   $x = 2492,601,69$   $x = 2601,69$   $x = 2692,790,72$   $x = 2692,790,72$   $x = 2692,74$   $x = 2699,74$   $x = 269$	Quad 60146   X= 385,851.62   \$\phi\$   \$\text{2601.69}   \$\lambda\$   \$\text{2601.69}   \$2		(Index)	NUMBER			FORWARD	BACK
F. 2   $y=2,492,601.69$   $\lambda$	GEOLOGICAL, Quad 60146 $x = 2,492,601.69$ $\lambda$ 2601.69 $\lambda$ 2601.69 $\lambda$ 2601.69 $\lambda$ 2601.6 $\lambda$ 2701.6 $\lambda$ 2701.6 $\lambda$ 2701.6 $\lambda$ 2701.7 $\lambda$ 2701.		Quad 60146		385,851	Ф	851.62	(4148.38
GEOLOGICAL, Quad 60146   N= $\frac{x^{2}}{95,192,992,74}$   $\lambda$   790.53   790.53   790.50   7	GEOLOGICAL, Quad 60146   N= 385.790.53   $\phi$   790.5   790.		F. 2			γ	2601.69	(2398.31)
P. 2   $y = 2.492.999.74$   $\lambda$   P. 2   $y = 2.492.999.74$   $\lambda$   COPPER POINT GEOLOGICAL,	Quad 60146			ф	790.53	(4209.47)		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1901	P. 2			γ	2999.74	(2000.26)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	P. 5   $y=2,491,72,02$   $\lambda$   $\gamma$		Quad 60146			Φ.	2067.01	(2932.99)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$						1743.02	(3256.98)
1901   $\frac{9 \cdot 4}{P}$   $\frac{1}{2}$   $\frac{2}{2}$   $2$	1901 $\frac{P. 7}{Quad} 60146$ $\frac{x^{2}}{P. 10}$ $\frac{2,491,842.30}{y^{2}}$ $\frac{\lambda}{627}$ $\frac{\phi}{\phi}$ $\frac{627}{4785}$ $\frac{2}{12}$ $\frac{2,491,842.30}{\phi}$ $\frac{\lambda}{A}$ $\frac{627}{4785}$ $\frac{2}{12}$ $\frac{2,509,785}{A}$ $\frac{\lambda}{A}$ $\frac{2,509,785}{A}$ $\frac{\lambda}{A}$ $\frac{4785}{A}$ $\frac{2,509,785}{A}$ $\frac{\lambda}{A}$ $\frac{4785}{A}$ $47$	LAND, 1901	Quad 60146			Ф	3855.77	(1144.23)
1901   Quad 60146   $x = 395,627$   $\phi$	1901   Quad 60146   $x = 395,627$   $\phi$	10/1 675	P. 7			γ	1843.30	(3156.70)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	85,	Quad 60146			Ф	627	(4373)
Quad 60146 $x =$ 394,327.08 $\phi$ 4327.08         G.P. Vol VI $x =$ 2,502,520.90 $\lambda$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		P. 10			γ	4785	(215)
P. 2   $y=2,502,520.90$   $\lambda$	P. 2   P. 2   $y=2,502,520.90$   $\lambda$   $2520.9$   $\lambda$		Quad 60146			φ	4327.08	(672.92)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					γ	2520.90	(24.79.10)
P. 150 $y=$ $\lambda$ $\lambda$ $\lambda$ $\lambda$ $\gamma$ $x=$ $\phi$ $\lambda$ $\lambda$ $\lambda$ $y=$ $\lambda$ $\phi$ $\lambda$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Vol		zχ	67 09	0.706	(950.1)
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				y=	146 36	799.4	(701)
LON $y=$ $\lambda$ $\lambda$ LONDate $\lambda$ $\lambda$ LonDateListing checked by Hand Plotting checked by Bate $X$ $X$	$   y=   y=   \lambda   $ $   x=   \phi   $ $   y=   \lambda   $ $   x=   \phi   $ $   y=   \phi   $				=χ			
LON $x=$ $\phi$ $\phi$ LONDATE $x=$ $\phi$ LONDATE $y=$ $\lambda$ $\lambda$ LONDATELISTING CHECKED BY LISTING CHECKED BY AND PLOTTING CHECKED BY $X$ $G$	LON $x=$ $\phi$ TON $y=$ $\phi$ TON $0$ $0$				ñ=	γ		
LON	LON				χ=	φ.		
LON $\frac{\chi=}{5/19/66} \qquad \frac{\chi=}{\text{Computation CHECKED BY}} \qquad \frac{\phi}{\lambda}$ $\frac{g=}{5/19/66} \qquad \frac{\chi=}{\text{Listing CHECKED BY}} \qquad \frac{\chi}{\text{K. G. Boyle}} \qquad \frac{\text{Date}}{\text{Date}}$	LON $\chi =$ $\psi$ LONDATECOMPUTATION CHECKED BY 5/19/66 $X$ . G. Boyle LISTING CHECKED BY DATEDATEDATELISTING CHECKED BY HAND PLOTTING CHECKED BYDATE				y=	٧		
LON 5/19/66 COMPUTATION CHECKED BY K. G. BOYLE DATE  LISTING CHECKED BY K. G. BOYLE DATE  LISTING CHECKED BY  DATE  HAND PLOTTING CHECKED BY  DATE  DATE  DATE	LON $\frac{y=}{5/19/66}$ Computation checked by K. G. Boyle Date Date Date hand plotting checked by Date Date				-X	ф		
LON 5/19/66 COMPUTATION CHECKED BY K. G. Boyle DATE DATE LISTING CHECKED BY DATE HAND PLOTTING CHECKED BY	LON 5/19/66 COMPUTATION CHECKED BY K. G. Boyle DATE DATE LISTING CHECKED BY DATE HAND PLOTTING CHECKED BY DATE DATE DATE DATE DATE				∂=	~		
DATE LISTING CHECKED BY DATE HAND PLOTTING CHECKED BY DATE	DATE LISTING CHECKED BY  DATE  HAND PLOTTING CHECKED BY  DATE			5/19/66		U		99/
DATE HAND PLOTTING CHECKED BY	DATE HAND PLOTTING CHECKED BY	LISTED BY		DATE				
		HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE	•

#### COMPILATION REPORT T-13002

#### 31 - DELINEATION

Delineation was accomplished using stereo instrument compilation methods. The Kelsh plotter was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:30,000 scale bridging/compilation panchromatic photographs.

All photographs used to compile this map are listed on NOAA Form 76-36B. The photography was adequate.

#### 32 - CONTROL

Refer to the Photogrammetric Plot Report dated November 3, 1965.

#### 33 - SUPPLEMENTAL DATA

Color contact photographs 65 L(C) 4605-4609 were provided at 1:15,000 scale were used to assist in the interpretation of alongshore and offshore detail.

### 34 - CONTOURS AND DRAINAGE

Contours are not applicable to this project. Drainage was compiled by office interpretation of the photographs.

#### 35 - SHORELINE AND ALONGSHORE DETAILS

The mean high water line was compiled from office interpretation of the compilation photographs. Shallow, ledge and foul limits were delineated as an aid to the hydrographer and should be evaluated during field edit.

No mean lower low water line was compiled due to the stage of tide of the compilation photographs being 4.3 feet above MLLW.

#### 36 - OFFSHORE DETAILS

Offshore detail was compiled by instrument methods as described in item #31. Offshore rocks are to be verified by the field editor.

#### 37 - LANDMARKS AND AIDS

There are no charted landmarks or navigational aids within the mapping limits of this manuscript.

#### 38 - CONTROL FOR FUTURE SURVEYS

None.

#### 39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

#### 40 - HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report dated November 3, 1965.

### 46 - COMPARISON WITH EXISTING MAPS

A comparison was made with the following U.S. Geological Survey Quadrangle: Cordova (D-8), Alaska, dated 1952, scale 1:63,360; and Cordova (D-7), Alaska, scale 1:63,360, dated 1952.

# 47 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following U.S. Coast and Geodetic Survey Chart: 8519, 8th edition, dated May 17, 1965, scale 1:79,291.

#### ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

#### ITEMS TO BE CARRIED FORWARD

None.

Submitted by,

Jeny I. Hannold for K. Boyle

Cartographic Aid

May 1966

Approved,

🛴 Albert C. Rauck, Jr.

Jany L. Harrisel

Chief, Coastal Mapping Unit, AMC

# ADDENDUM TO THE COMPILATION REPORT - T-13002

Partial field edit was performed on this map in August 1966 in conjunction with hydrographic survey H-8901. The eastern shoreline of Copper Mountain Peninsula, east of Longitude 146°37.5', was not field edited.

All field edit data was recorded on the field edit paper print. Difficulty was encountered in deciphering the terminology used to record rock heights. Consequently, care was taken to show the most hazardous height that could be evaluated from the field edit print.

Chief, Photogrammetry Division

October 27, 1966

**CFS236** 

Commanding Officer USC&GS Ship HODGSON

Field edit, project PH-6411

Submitted under separate cover are field edit ozalids and photographs for subject project.

You will note that not all of the area covered by its maps was edited. Only the area within the hydrographic survey project limits was accomplished.

Hydrographic signals were located by photogrammetric methods and transfersed from the photographs to the cronoflex theme to the boat sheet. As per project instructions all of these locations were final. Cronoflex with these signals have been retained for use in plotting the smooth sheet.

It is requested that final shoreline for the smooth sheet, in the area edited, be furnished by January 15, 1967.

John B. Watkins, Jr.

CC: CF32

IF YOU CAN'T MOKE THIS ODIE LET ME KHOW.

NIZILL

# Sheet T-13002

Field edit notes are found on the field edit ozalid attached. Field edit was made only within the area of the hydrographic survey, these limits are shown on the ozalid.

The sunken rock from Chart 8519 was found at Lat. 60°50'50.5" Long. 146°38'58.5" and is awash at NILM. This data from E day, sheet HO-10-2-66.

All control recovery was accomplished during the 1965 field season and appropriate recovery cards submitted at that time.

#### REVIEW REPORT T-13002 SHORELINE

#### 61. GENERAL STATEMENT

Final review for this final Class III map was accomplished at the Atlantic Marine Center in June 1984. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

#### 62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

#### 63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following U.S.G.S. 1:63,360 scale quadrangles: Cordova (D-7), Alaska, dated 1952, and Cordova (D-8), Alaska, dated 1952.

#### 64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with a registered copy of contemporary hydrographic survey H-8901, 1:10,000 scale, field surveyed October 1966.

Partial field edit of the shoreline map was accomplished by the hydrographer to that area common to the hydrographic survey limits. Field edit data was applied by the Coastal Mapping Section and a copy of the advanced Class III map was forwarded to the hydrographic processing office for smooth sheet application.

During the original compilation, various shallow, ledge and foul limits were delineated as advisory information to the hydrographer. Those areas not verified during field edit were removed from the manuscript during final review. Also, it was apparent that the terminology used by the field editor to reference rock heights is questionable. However, this data was accepted, as applied to the map and the hydrographic survey because of its minimal effect on the current 1:79,291 chart of the area.

#### 65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart 16708, scale 1:79,291, 16th edition, dated October 3, 1981.

#### 66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Geny L. Hancock Jerry L. Hancock Final Reviewer T-13002

Approved for forwarding,

Billy H. Barnes

Chief, Photogrammetric Section, AMC

Approved,

Chief, Photogrammetric Section, Rockville

Chief, Photogrammetry Branch Rockville

### GEOGRAPHIC NAMES

### FINAL NAME SHEET

PH-6411 (Valdez Arm - Tatitlek Narrows, Alaska)

TP-12302 TP-13002 914

Bidarka Point

Boulder Bay

Copper Mountain Peninsula

Landlocked Bay

Port Fidalgo

Approved by:

Charles E. Harrington Chief Geographer

Nautical Charting Division

FORM C& G5-8352 (3-25-63)

#### NAUTICAL CHART DIVISION

#### **RECORD OF APPLICATION TO CHARTS**

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

#### INSTRUCTIONS

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart

  1. Letter all information.

  2. In "Remarks" column cross out words that do not apply.

  3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Re-

CHART	DATE	CARTOGRAPHER	REMARK\$
	,		Full Part Before After Verification Review Inspection Signed Vis
	!		Drawing No.
			Full Part Before After Verification Review Inspection Signed Vis
		/	Drawing No.
			Ell D. D.C. M. W. W. D. D. L. D. C. D. W.
			Full Part Before After Verification Review Inspection Signed Viz
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	-		
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
-			Full Part Before After Verification Review Inspection Signed Via
	<del></del>		Drawing No.
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	_	`	
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
,			<u> </u>
	<u> </u>		-
	<del></del>		
		.`	
	<del></del>		