

T-13314

NOAA FORM 76-35  
(3-76)

U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

NOAA FORM 76-36A  
(3-72)

U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.

TYPE OF SURVEY

SURVEY TP. T-13314

☒ ORIGINAL

MAP EDITION NO. (1)

☐ RESURVEY

MAP CLASS Final

DESCRIPTIVE REPORT - DATA RECORD

## COMPILATION SOURCES

## 1. COMPILATION PHOTOGRAPHY

CAMERA(S)  Wild RC-8	TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED	TIME REFERENCE ZONE Hawaii MERIDIAN 150th		<input checked="" type="checkbox"/> STANDARD  <input type="checkbox"/> DAYLIGHT
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				

NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE
75TNHY(P)4425-4428	2/21/75	11:06	1:15,000	1.1 ft. above MLLW

## REMARKS

Mean high water at Hilo is 1.9 ft.

## 2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high water line was compiled by office interpretation of the above listed photographs augmented by notes from the field editor.

## 3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

None compiled.

## 4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

## 5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
<del>T-00261</del> None	No Survey	No Survey	T-13315

## REMARKS

NOAA FORM 76-36C  
(3-72)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

## HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Melby	Sep 1975
2. HORIZONTAL CONTROL	RECOVERED BY R. Melby	Sep 1975
	ESTABLISHED BY R. Melby	Sep 1975
	PRE-MARKED OR IDENTIFIED BY R. Melby	Sep 1975
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY R. Melby	Sep 1975
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	<input type="checkbox"/> COMPLETE BY	
	<input type="checkbox"/> SPECIFIC NAMES ONLY	
	<input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
75TNHY(P) 4426	GENERAL LYMAN FIELD AP STATION A, 1962		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

NOAA FORM 76-36C  
(3-72)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

## HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Spear	Apr-May '76
2. HORIZONTAL CONTROL	RECOVERED BY J. Osborn, Jr.	Apr-May '76
	ESTABLISHED BY J. Osborn, Jr.	Apr-May '76
	PRE-MARKED OR IDENTIFIED BY J. Osborn, Jr.	Apr-May '76
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY J. Osborn, Jr.	Apr 1976
	LOCATED (Field Methods) BY J. Osborn, Jr.	Apr 1976
	IDENTIFIED BY J. Osborn, Jr.	Apr 1976
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

None

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
75TNHY(P) 4427	HILO, HARBOR COMMISSIONERS WATER TANK, 1951		

3. PHOTO NUMBERS (Clarification of details)

75TNHY(P)4425-4429

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
75TNHY(P) 4427	TANK		

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 field edit ozalid

5 Form 76-40

1 field edit report

## RECORD OF SURVEY USE

## I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Jan 1976	Class III Manuscript	1/30/76	1/30/76
Field edit applied Compilation complete	Oct 1976	Class I Manuscript	11/5/76	
Final Review	May 1978	Final	May 1978	

## II. LANDMARKS AND AIDS TO NAVIGATION

## 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
17	<del>11/8/76</del>	11/8/76	Aids to be charted
1		<del>11/8/76</del>	<del>Aids to be deleted</del>
12		11/8/76	Landmarks to be charted
1		11/8/76	Landmarks to be deleted

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: November 8, 19763. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: \_\_\_\_\_

## III. FEDERAL RECORDS CENTER DATA


1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.  
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☒ FORM NOS <sup>76-40</sup> ~~55~~ SUBMITTED BY FIELD PARTIES.  
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.  
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: \_\_\_\_\_

## IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL





SUMMARY TO ACCOMPANY  
DESCRIPTIVE REPORTS T-13314,  
T-13315 and T-13316

This summary covers three of the four maps which comprise Project PH-6703. At this writing the other map in the Project, T-13261, has not been scheduled for compilation. It is anticipated that Map T-13261 will be compiled later in conjunction with Project CM-7712 which is planned to junction with this project. Maps T-13314, T-13315 and T-13316 are each 1:5,000 scale extending two minutes in latitude and two minutes in longitude.

Photography of the area was flown in February, 1975, by private contractor. Scale is 1:15,000 and 1:30,000. Panchromatic film was used with the RC-8 camera. Coverage and quality are adequate. The breakwater forming Hilo Bay was not covered entirely by the photography. Its position was determined by the field editor using field methods.

The area covered is that of Hilo Bay located on the northeast coast of the island of Hawaii. This project originally consisted of seventeen (17) maps at 1:10,000 scale and seven (7) maps at 1:5,000 scale covering the entire northeast coast of the island of Hawaii from Halaula on the north to Waiakahiula on the south. All but four of those maps were cancelled. ~~See correspondence dated April 29, 1977.~~

Field work prior to compilation was limited to the recovery and identification of horizontal control necessary for bridging.

Bridging was done by analytic methods at the Washington Science Center. The maps were compiled at the Atlantic Marine Center in January, 1976, by stereo instrument method.

Field edit was performed in April, 1976, concurrent with hydrography and applied to the maps at the Atlantic Marine Center in October, 1976.

All maps were final reviewed at the Atlantic Marine Center in May, 1978. Pertinent data was forwarded to the Washington Science Center for reproduction and final registration.



## FIELD INSPECTION

T-13314

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of horizontal control necessary for bridging.

PHOTOGRAMMETRIC PLOT REPORT  
HILO BAY, HAWAII  
Job PH-6703  
November 14, 1975

Area Covered: The area covered in this project <sup>is</sup> ~~the~~ the east coast area of the island Hawaii. This area is covered by four 1:10,000-scale sheets, T~~13~~-13259 thru T~~13~~-13262 and three 1:5,000-scale sheets, T~~13~~-13314 thru T~~13~~-13316. Note: T-13259, T-13260 + T-13262 are cancelled. A.L.S. 5/24/78

Method: Two strips of 1:15,000 scale black-and-white photography were bridged by analytic aerotriangulation methods. The two strips of bridging photography were controlled by field-identified control.

Common points were located on the bridging photography for ratio purposes. Tie points were used to insure an adequate junction of the strips during the adjustment.

All manuscripts were plotted on the Coradi and the photo requisition for the ratios has been submitted to the photo lab.

Adequacy of Control: The control checked well within map accuracy standards and is more than sufficient for its intended use. See attached sheet for accuracy of control in strip adjustment.

Supplemental Data: USGS quadrangles were used to provide vertical control for the adjustment.

Photography: The coverage, overlap, and quality of the photography was adequate for the job.


Submitted by,

Brian Thornton

Approved and forwarded:

John D. Perrow, Jr.  
Chief, Aerotriangulation Section

# HILO BAY HAWAII PH-6703



# List & Accuracy of Control Used In Strip Adjustment

Strip #1	Point	X-Error	Y-Error
	416101	-.153	.071
	416102	2.098	2.736
	426101	.476	.187
	426102	.419	-.749
	428110	-.772	-.898
	429101	-.695	.198
	431101	.372	-.082
	431102	.614	-.886

Strip #2	Point	X-Error	Y-Error
	405100	-.259	-.589
	405101	.070	-.007

	409101	-.045	.007
	409102	.490	.093
	412100	-.325	.564
	412101	.035	-.008
	416101	-.031	.004
	416102	2.203	2.786

## DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	STATION NAME	JOB NO.	PH-6703	GEODETTIC DATUM		COORDINATES IN FEET STATE _____ ZONE _____	GEOGRAPHIC POSITION		REMARKS	
				Old Hawaiian	ORIGINATING ACTIVITY		$\phi$ LATITUDE $\lambda$ LONGITUDE	Division, Norfolk, Va.		
T-13314										
	HILO, HARBOR COMMISSIONERS, G.P. WATER TANK, 1951		Pg. 132			X=	$\phi$ 19 43 54.526		1676.6 ( 168.3)	
						Y=	$\lambda$ 155 03 26.443		770.5 ( 976.6)	
	GENERAL LYMAN FIELD		G.P.			X=	$\phi$ 19 43 29.348		902.4 ( 942.5)	
	AP STA A, 1962		Pg. 133			Y=	$\lambda$ 155 03 51.873		1510.5 ( 236.7)	
	GENERAL LYMAN FIELD		G.P.			X=	$\phi$ 19 43 29.343		902.3 ( 942.7)	
	AP STA B, 1962		Pg. 133			Y=	$\lambda$ 155 02 43.840		1276.6 ( 470.6)	
	GENERAL LYMAN FIELD,		G.P.			X=	$\phi$ 19 43 16.784		516.1 (1328.8)	
	CONTROL TOWER BEACON 1962		Pg. 133			Y=	$\lambda$ 155 03 45.079		1312.7 ( 434.6)	
	GENERAL LYMAN FIELD					X=	$\phi$ 19 43 22.361		687.6 (1157.3)	
	ARP, 1962					Y=	$\lambda$ 155 03 27.484		800.3 ( 946.9)	
	HILO, BULK SUGAR BINS,		G.P.			X=	$\phi$ 19 43 57.629		1772.0 ( 72.9)	
	WEST LIGHT, 1949		Pg. 36		51	Y=	$\lambda$ 155 03 19.623		571.4 (1175.7)	
	HILO, RADIO STATION		Field pos			X=	$\phi$ 19 44 10.483		322.3 (1522.6)	
	KHLO, TOWER, 1975		Form 28D		428110	Y=	$\lambda$ 155 02 07.821		227.7 (1519.3)	
	KUHIO BAY, RANGE REAR		Field pos			X=	$\phi$ 19 44 05.964		183.4 (1661.5)	
	LIGHT, 1975		Form 28D		28	Y=	$\lambda$ 155 03 07.492		218.2 (1528.9)	
						X=	$\phi$			
						Y=	$\lambda$			
						X=	$\phi$			
						Y=	$\lambda$			
COMPUTED BY	A. C. Rauck, Jr.				Pg. 3/75	COMPUTATION CHECKED BY F. Mauldin				DATE 12/8/75
LISTED BY	A. C. Rauck, Jr.				Pg. 3/75	LISTING CHECKED BY F. Mauldin				DATE 12/8/75
HAND PLOTTING BY	I. Perkinson				DATE 12/15/75	HAND PLOTTING CHECKED BY J. Roderick				DATE 12/15/75

## COMPILATION REPORT

T-13314

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using the 1:15,000 scale compilation photography. This was adequate for details and coverage, except for the complete delineation of the Hilo Breakwater as noted in item 36.

32. CONTROL:

See Photogrammetric Plot Report, dated November 14, 1975.

33. CONTOURS AND DRAINAGE:

Contours are not applicable to the project. Drainage was delineated by the Wild B-8 stereoplotter and by office interpretation of the photographs.

34. SUPPLEMENTAL DATA:

None.

35. SHORELINE AND ALONGSHORE DETAILS:

The shoreline and alongshore details were delineated by office interpretation of the photographs.

Mean high water line obscured by trees or shadow have been shown with a dashed line. These are to be clarified by the field editor.

36. OFFSHORE DETAILS:

The Hilo breakwater has been compiled to the limit of photography. The remainder of this breakwater must be field surveyed.

Foreshore areas labeled "foul", must be classified as to rock ledge, coral reef, rocks or coral heads by the field editor.

37. LANDMARKS AND AIDS:

Appropriate copies of Forms 76-40, Landmarks and Non-floating Aids to Navigation, were forwarded to the field editor and hydrographer for further processing.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See the Form 76-36b, item #5 of this Descriptive Report concerning junctions.

40. HORIZONTAL AND VERTICAL ACCURACY:

No Statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with USGS Quadrangle Hilo, Hawaii, scale 1:24,000, dated 1963.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with National Ocean Survey Chart 19324, scale 1:10,000, 17th edition, dated August 30, 1975.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD


None.

Submitted by:



Irene K. Perkinson  
Cartographic Technician  
January 19, 1976

Approved:



Albert C. Rauck, Jr.  
Chief, Coastal Mapping Section




April 17, 1978 11

GEOGRAPHIC NAMES  
FINAL NAME SHEET  
PH-6703 (Hilo, Hawaii)  
T-13314

General Lyman Field	Mokaoku
Kanakea Pond	Onekahakaha Park
Keaukaha	Pacific Ocean
Keokea Point	Puhi Bay
Kionakapahu Pond	Reeds Bay
Kuhio Bay	

Approved by:

  
Charles E. Harrington, C3x8  
Chief Geographer

NOAA FORM 75-74  
(7-75)U.S. DEPARTMENT OF COMMERCE  
NOAA  
NATIONAL OCEAN SURVEY

## PHOTOGRAMMETRIC OFFICE REVIEW

TP - 13314

1. PROJECTION AND GRIDS  FM	2. TITLE  FM	3. MANUSCRIPT NUMBERS  JM	4. MANUSCRIPT SIZE  FM
CONTROL STATIONS			
5. HORIZONTAL CONTROL STATIONS OF THIRD-ORDER OR HIGHER ACCURACY	6. RECOVERABLE HORIZONTAL STATIONS OF LESS THAN THIRD-ORDER ACCURACY (Topographic stations)		7. PHOTO HYDRO STATIONS

FIELD EDIT: HILO HARBOR

JOB PH-6703

OPR-419-RA-76

MANUSCRIPT NO. TP-13314-13316

RAYMOND L. SPEER  
CDR., NOAA

COMMANDING OFFICER

## INTRODUCTION & METHODS

Field Edit for Hilo Harbor, JOB PH-6703, OPR-419-RA-76, commenced on April 22nd and was completed on May 18th. One field unit performed all the work. The majority of verification was accomplished by walking the shoreline, with the remainder being taken care of by driving rental vehicles, and RAINIER skiffs 556 and 557. Field edit is complete and thorough for the three 1:5000 scale manuscripts that cover Hilo Harbor.

Field Edit operations began first in the inner Hilo Harbor region near the port piers on T-Sheet TP-13315 in order to facilitate commencement of hydrographic survey operations on H-9612. Work on this sheet progressed westward and then north to its completion at the junction with T-Sheet TP-13316. Field work on TP-13316 then began at its northernmost limits and progressed south to the junction with TP-13315. TP-13316 was the second priority so survey operations could begin on H-9613. After completion of photogrammetric support for initial hydrography, field edit was accomplished for the Wailoa River, Pond, and Park area in order that survey work could be undertaken in this shallower region of H-9612. Finally, work began on T-Sheet TP-13314, at its junction with TP-13315, and progressed eastward to its completion at the manuscript limits. In conjunction with shoreline verification and location of aids, landmarks, and dangers to navigation, simultaneous photo signal inspection and location for visual hydrography on H-9612 was accomplished on TP-13314 and 13315. Questions from the Master Field Sheets requiring geodetic observations for locations were answered during the initial two weeks of RAINIER combined operations.

All deletions, additions, and corrections to the final shoreline appear on the Master Field Edit Sheets and on the processed cronapaque photographs. With the exception of photo-located signal work, the Master Field Edit Sheets are indices of all field edit work carried out. Numerous Field notes, all necessary for proper compilation, required that the photo signal location work be excessed as it would have excessively cluttered the Masters. Separate film ozalids are being submitted that contain the photo signal work with proper references. These separates will be discussed in greater detail later in the text. All discrepancies and questions listed on the Master Field Edit Sheets are completely and thoroughly answered on the Master. Proper references are included for each. Special violet ink field notes on the Master Field Sheets are items that have been verified by field edit. The photograph number for each particular item is given as a reference. Special red ink was used on the Masters to indicate changes or additions found during field edit. Position or location references are included. Finally, those field notes inked in green are deletions from the Manuscripts. References again are included. All notes on the Master Field Edit Sheets which are verified on the cronapaque photographs include the descriptions

or explanation of the feature verified and the photo number on which it was located. All Field Edit information on the smooth boatsheets for H-9612 and H-9613 which was verified by field edit was inked in black. Changes, which include deletions, and (or) additions were inked in special red. Blue, the smooth boatsheet color for unverified items, was not used due to the completeness of verification for all manuscripts.

For a reference of photograph numbers - T-Sheet Manuscripts, refer to "Separates Following the Text". Height data on rocks was estimated to plus or minus 1 foot and on the bluffs of T-Sheet TP-13316 to plus

#### ADEQUACY OF COMPILATION

The compilation of the Manuscripts for JOB PH-6703 were adequate in accuracy for most regions, and generally complete. Two regions, however, appeared to be inadequately compiled. The first is the region between the Hilo Sugar Mill Stack and the Wailuku River on T-Sheet TP-13315. Excessive distortion is viewed when the manuscript is overlaid with the appropriate photographs of that area (21 FEB 75, 4414, 4415, 4416, 4424, and 4425). Realignment of passpoints and subpoints must be carried out constantly, more than believed should be necessary, to maintain continuity between the shore line of the photographs and

SHORELINE SUMMARIES

TP-13314: Field Edit commenced at the tip of Pier I at latitude 19°44' 12" N, longitude 155°03'20" W, and initially progressed south, then west to the manuscript's junction with TP-13315 at longitude 155°04' W. Photogrammetric support was given to this particular region so that survey operations could begin here with knowledge regarding dangers to navigation. Later in the project, field work on this manuscript resumed at Pier I, and continued east to the manuscript limits. Field Edit is complete and thorough for TP-13314.

The Hilo Harbor Breakwater has been geodetically located as per instructions. Geographic positions were determined using field survey methods (triangle computations with checks) for five stations. Four of the stations were located at the four bends in the breakwater's shape while the fifth was located at the tip. At each station, measurements were then taped to determine the breakwater's width at the MHWL and at the top, perpendicular to the edge to determine the width at the top. The measurements were taped in meters, and are accurate to one tenth of a meter. In addition, a measurement was taped from the station at the tip to the MHWL. The stations were plotted and distances were scaled. Finally the points were connected. The breakwater location is thorough. For further information, refer to the Master Field Edit Sheet and to the "Separates Following the Text", BREAKWATER STATION COMPUTATIONS AND MEASUREMENTS. For a further discussion of geodetic survey techniques used, refer to Horizontal Control Report: Hilo Harbor, OPR-419-RA-76.

All discrepancies, questions, and notes to the field editor on the Master, as well as all non-floating aids to navigation and landmarks for charts have been thoroughly researched and answered for this manuscript. Refer to the Master and "Separates" FORM 76-40's.

The shoreline compilation west of the harbor piers was generally very good, with only minor changes revised by field edit. The large spit, located on the Hotel Row waterfront at latitude 19°43'51" N, longitude 155°03'52" W is actually a smaller spit with an island off its tip. The region between the two is awash.

The three privately maintained daybeacons A, B, and C, in Reeds Bay, were located by 3 point sextant fix. Geographic Positions were then computed for each fix using the Ship PDP-8e computer and program RK-300, UTILITY COMPUTATIONS, VERSION 2/10/76. Printouts of those computations are being submitted. Refer to "Separates Following the Text".

The passage that opens into the small lagoon at latitude 19°43'37" N, longitude 155°03'54" W is extremely shallow and foul at low tide. Small skiffs were seen tied up in the lagoon, however none were seen making the transit. It did appear possible that at high tide a small craft could be poled or paddled, if not powered into the lagoon. Upon inspection from a distance, it appeared that the inlets on the northeast corner of the lagoon extend further under the growth than could be compiled. Due to physical limitations, the area was inaccessible and the recommendation is for retention of the shoreline as compiled on the Master.

The questionable wreck at T-Sheet position 19°43'54" N, 155°03'36" W, was dove on by the RAINIER diving officer and found to be non-existent. Instead, rocks were discovered that are submerged from 4 to 6 feet. The recommendation is for deletion of the wreck and substitution of the hydrographic data. Reference the Master Field Edit Sheet and Descriptive Report, H-9613 for further information.

The pier region, as has been previously mentioned, shows excess distortion when the appropriate photographs and the manuscript are overlaid. The general shapes are correct. In photographic processing of this area, a more than reasonable number of passpoint and subpoint realignments between photograph and T-Sheet were required to maintain acceptable continuity between the photograph and manuscript shoreline. A rushed compilation and lack of sufficient overlap in photographs on the flight line that covered this area is a possible explanation for the distortion viewed. The recommendation is for acceptance of the compiled shoreline unless more detailed examination of the photographs and field notes produces any changes to the MHWL compiled in the field. More discussion on this subject will be forthcoming in a later section of the text.

The tank fields along Kalaniana'ole Drive contain both fences and walls for security. The outer perimeter is surrounded by mesh wire fence approximately 10 feet in height. Individual tanks or clusters of tanks, however, are surrounded by gray brick fire retaining walls that are 10 feet in height and 1 to 2 feet in thickness. Reference the Master for further information.

The shoreline east of the breakwater to the manuscript limits shows numerous minor revisions to the compiled shoreline. They are too great in number to mention individually. Generally the MHWL is more seaward than was compiled and there are numerous rock spits, ledges, ridges, and clusters awash. The shoreline is lava rock that is being constantly pounded by surf and is highly intricate. Reference the Master and the field notes on the cronapaque photographs for a more



complete understanding. All shoreline for this region, whether from the original compilation or newly compiled, is inked in red for ease in interpretation.

TP-13315: Shoreline verification for this manuscript began its junction with TP-13314 at longitude 155°04' W, and progressed west then north to the manuscript's junction with TP-13316 at latitude 15°45' N. Here again, this was done to give the necessary photogrammetric support for hydrographic survey operations on H-9612. At a later date, field work on this manuscript was carried out in the Wailuku and Wailoa Rivers and in Waialeale Pond. Field Edit is complete and thorough for

shoreline were observed in this region. One change is that the river region extends further inland than is shown, and second is the narrow channel that passes underneath the tree growth. This channel was not previously compiled on the manuscript nor was it shown on the chart. Refer to the Master for further information.

The bluffs that cover the entire western shore of Hilo Harbor begin at approximate position  $19^{\circ}44'02''$  N X  $155^{\circ}05'26''$  W. In general the bluffs are delineated correctly on this manuscript. They are, however, quite steep and should not be set back as far as previously compiled. The base of the bluffs is in most cases the MHWL.

There is a massive bulkhead located just south of Alealea Point at Latitude  $19^{\circ}44'25''$  N, longitude  $155^{\circ}05'35''$  W. It is approximately 30 feet in height and is of definite landmark value. It is recommended that it be charted as a 30 foot high bulkhead.

The hydrographic investigation of the region centered around position  $19^{\circ}44'57''$  N X  $155^{\circ}05'16''$  W is complete. For results and discussion, refer to Descriptive Report H-9613.

TP-13316: Shoreline verification for this manuscript commenced at its northern limits at latitude  $19^{\circ}47'$  N and progressed south to its junction with TP-13315 at latitude  $19^{\circ}45'$  N. Field Edit is complete and thorough for this manuscript.

The MHWL does carry up into Honolii Stream and portions of the stream are navigable, but not from seaward. The entrance from sea is dangerous due to extensive and heavy surf at the mouth of the stream. This area appears to be a very popular beach for local surfers.

Bluffs cover the entire expanse of this manuscript. The delineation appears correct. They should, however, be shifted seaward due to their high vertical nature and the fact that in most cases the bluffs' base is the MHWL. Bluff heights were verified for the entire length of the manuscript. In general, heights compiled averaged approximately 10 feet greater than those estimated by the field editor. Refer to the Master Field Edit Sheet for further information.

The MHWL carries up into the limits of Kapue Stream. There is an extensive sand bar that covers 90% of the stream's mouth, and navigation, except at high tide, is doubtful.

All non-floating aids to navigation and landmarks for charts as well as questions and discrepancies on TP-13316 not previously mentioned in the text have been thoroughly researched and discussed on the Master Field Edit Sheet and in "Separates" (FORM 76-40's) which

can be referenced for further information.

#### DATA PROCESSING

With the exception of the Geographic Position computations for Daybeacon locations using RK-300, UTILITY COMPUTATIONS, VERSION 2/10/76, no other computer programs were used for automated or non-automated processing of field edit data. For further information on WANG, SERIES 700 and PDP-8e programs used for geodetic location computation and processing, Horizontal Control Report: Hilo Harbor, OPR-419-RA-76, can be referenced.

Some location of rocks submerged and awash that are dangers to navigation was done during the course of hydrographic survey operations. They will not be discussed in this text. For information on hydrographic surveying techniques, data processing, and results, reference Descriptive Reports H-9612 and H9613, and the accompanying smooth boatsheets.

#### PHOTO-IDENTIFIED SIGNALS


Photo-identified signal inspection and location was a highly integral part of the Hilo Harbor portion of OPR-419-RA-76, H-9612, which was run as a visual survey using digital sextants. Photo identification was also important in regions too shallow for survey launches where whalers and skiffs ran standard visual hydrography and obtained detached positions with 3 point sextant fixes. Separate film ozalids for photogrammetrically located signals are being submitted for T-Sheets TP-13314 and 13315. They are the manuscripts whose shoreline covers H-9612. Information contained on the ozalids are: the number of the signal on the master list, the photograph number used for each ray transferred, and a reference to the "Separates Following the Text", PHOTO SIGNAL COMPUTATIONS. Under the corresponding Master Signal List number will be found the field computations such as: the meters forward and backward that were scaled, conversion to seconds, and latitude and longitude computations. Signal locations are not noted on the Master Field Edit Sheet. The numerous notes necessary for proper field compilation made the addition of Photo Signal notes excess. The Photo Signal Film Ozalids contain all necessary information, with proper references, for the verification of Photogrammetrically located signals.

Individual photograph quality was generally good. There did seem to be more than usual distortion around the perimeters of the photograph.

The clarity and contrast in the central regions facilitated adequate photo identification of objects for signals. Coverage was lacking in some areas, however, most noticeably the upper Wailoa River area of TP-13315, and the Reeds Bay region of TP-13314. Lack of sufficient number of photographs in flight lines, and lack in adequate overlaps forces numerous visual signals to be located with only two positioning rays and others with the third ray being in the excessive distortion regions of the photograph perimeter. Further, the lack of coverage was so evident in the previously mentioned areas that some of the intersections for two rays were less than  $10^\circ$ . These, as well as all other two ray signal locations were made by choosing signals that were easily identifiable on the manuscript and could be located even with poor intersection. It is the belief of the field editor that the Geographic Positions for all photo-identified signals are accurate to the scale of the survey. The lack of adequate photographic coverage is believed to be one of the reasons for the poor compilation noted in the Wailuku River and Hilo Harbor Piers region.

#### ADDITIONAL INFORMATION AND DISCUSSION

A lack of sufficient overlap in photographic coverage appears to



Three other topics are worthy of discussion here. The first is that no flight line manuscript was submitted to the RAINIER as a part of the field edit package. This prevented us from making more definitive statements as to the adequacy of flight lines and photographic coverage.

Secondly, another possible reason for the less than adequate compilation in the Wailuku River and Harbor Piers area could be explained by rushing the compilation. Because this was a critical job, in terms of time, RAINIER is most appreciative of having received both the Hilo Harbor JOB PH-6703, as well as JOB CM-7215 for Kaneohe Bay, early. However, we believe that it was known far enough in advance that the RAINIER's approved schedule called for her to go to Kaneohe first, and then to move on to Hilo Harbor and yet RAINIER received the Hilo data two weeks before the Kaneohe data. Transmittal letters show both jobs as being transmitted on January 20, 1976. With complete knowledge of

C) Closer communication between Coastal Mapping Division and PMC on matters of ship's schedules, the nature of surveying operations and in the long run, for better standardization of field edit data. Improvements have already been observed in new Instructions for Data Requirements, 1976, and the continual updating of the Provisional Photogrammetry Instructions.

D) Submission of Flight Line information in manuscript form so judgements can be made by the field editor in his Recommendations as to the adequacy of coverage.

E) A method of notation on the compiled manuscript is needed to inform the field editor which photograph was used to compile a certain section of the shoreline. It is believed that this might increase the continuity between office compilation and field edit verification.

Respectfully submitted,

*John C. Osborn, Jr.*

John C. Osborn, Jr.  
ENS, NOAA





## NON-FLOATING AND/OR LANDMARKS FOR CHARTS

☐ HYDROGRAPHIC PARTY  
☐ GEODETIC PARTY  
☐ PHOTO FIELD PARTY  
☒ COMPILATION ACTIVITY  
☐ FINAL REVIEWER  
☐ QUALITY CONTROL & REVIEW GRP.  
☐ COAST PILOT BRANCH

*(See reverse for responsible personnel)*

<input type="checkbox"/> TO BE CHARTED	REPORTING UNIT
<input type="checkbox"/> TO BE REVISED	(Field Party, Ship or Office)
<input checked="" type="checkbox"/> TO BE DELETED	Coastal Mapping Div.
	A.M.C.- Norfolk, Va.

STATE  
Hawaii

LOCALITY

LOCALITY
Hawaii Island- North Coast

DATE

DATE ,  
Sept. 1978

The following objects HAVE ☒ HAVE NOT ☐ been inspected from seaward to determine their value as landmarks.

OPR PROJECT NO.:

JOB NUMBER	DATE	TIME	LOCATION	DESCRIPTION	REMARKS
1	10/10/2023	08:00	Site A	Initial Survey	Established baseline measurements.
2	10/10/2023	09:30	Site B	Topographic Survey	Collected elevation data for contouring.
3	10/10/2023	11:00	Site C	Photogrammetry	Overlaid aerial photos for area analysis.
4	10/10/2023	13:30	Site D	Geological Mapping	Identified rock strata and fault lines.
5	10/10/2023	15:00	Site E	Hydrological Study	Measured stream discharge and water level.
6	10/10/2023	16:30	Site F	Environmental Assessment	Conducted soil sampling for contamination.
7	10/10/2023	18:00	Site G	Archaeological Excavation	Unearthed Roman era artifacts.
8	10/10/2023	19:30	Site H	Geotechnical Investigation	Performed cone penetration test (CPT).
9	10/10/2023	21:00	Site I	Remote Sensing Analysis	Processed satellite imagery for land use.
10	10/10/2023	22:30	Site J	Geological Data Compilation	Compiled all field data into a master file.

**SURVEY NUMBER**

DATUM

100

DATUM
-------

---

\_\_\_\_\_

Downloaded from <http://ajphaphysocpharm.sagepub.com/> at 11:01 11 November 2014

677

Ph-6703

T-13314

5

ПРОТЯЖАЮЩИ

Old Hawaiian

## METHOD AND DATA

## METHOD AND DATE OF LOCATION

E OF LOCATION

CHARTING  
NAME

DESCRIPTION

Record reason for deletion of landmark or aid to navigation.

Record reason for deletion of landmark or aid to navigation.  
Show (triangulation station names, where applicable, in parentheses)

LATITUDE

LATITUDE		LONGITUDE	
----------	--	-----------	--

---

10

DATE	DESCRIPTION	AMOUNT	CHECK NO.	BANK	ACCOUNT	REMARKS
10/1/78	DEPOSIT	100.00				
10/2/78	PAYROLL	50.00	101			
10/3/78	RENT	25.00	102			
10/4/78	UTILITIES	15.00	103			
10/5/78	SALES	75.00	104			
10/6/78	EXPENSES	30.00	105			
10/7/78	DEPOSIT	120.00				
10/8/78	PAYROLL	55.00	106			
10/9/78	RENT	28.00	107			
10/10/78	UTILITIES	18.00	108			
10/11/78	SALES	80.00	109			
10/12/78	EXPENSES	35.00	110			
10/13/78	DEPOSIT	130.00				
10/14/78	PAYROLL	60.00	111			
10/15/78	RENT	30.00	112			
10/16/78	UTILITIES	20.00	113			
10/17/78	SALES	85.00	114			
10/18/78	EXPENSES	40.00	115			
10/19/78	DEPOSIT	140.00				
10/20/78	PAYROLL	65.00	116			
10/21/78	RENT	32.00	117			
10/22/78	UTILITIES	22.00	118			
10/23/78	SALES	90.00	119			
10/24/78	EXPENSES	45.00	120			
10/25/78	DEPOSIT	150.00				
10/26/78	PAYROLL	70.00	121			
10/27/78	RENT	35.00	122			
10/28/78	UTILITIES	25.00	123			
10/29/78	SALES	95.00	124			
10/30/78	EXPENSES	50.00	125			
10/31/78	DEPOSIT	160.00				
11/1/78	PAYROLL	75.00	126			
11/2/78	RENT	38.00	127			
11/3/78	UTILITIES	28.00	128			
11/4/78	SALES	100.00	129			
11/5/78	EXPENSES	55.00	130			
11/6/78	DEPOSIT	170.00				
11/7/78	PAYROLL	80.00	131			
11/8/78	RENT	40.00	132			
11/9/78	UTILITIES	30.00	133			
11/10/78	SALES	105.00	134			
11/11/78	EXPENSES	60.00	135			
11/12/78	DEPOSIT	180.00				
11/13/78	PAYROLL	85.00	136			
11/14/78	RENT	42.00	137			
11/15/78	UTILITIES	32.00	138			
11/16/78	SALES	110.00	139			
11/17/78	EXPENSES	65.00	140			
11/18/78	DEPOSIT	190.00				
11/19/78	PAYROLL	90.00	141			
11/20/78	RENT	45.00	142			
11/21/78	UTILITIES	35.00	143			
11/22/78	SALES	115.00	144			
11/23/78	EXPENSES	70.00	145			
11/24/78	DEPOSIT	200.00				
11/25/78	PAYROLL	95.00	146			
11/26/78	RENT	48.00	147			
11/27/78	UTILITIES	38.00	148			
11/28/78	SALES	120.00	149			
11/29/78	EXPENSES	75.00	150			
11/30/78	DEPOSIT	210.00				
12/1/78	PAYROLL	100.00	151			
12/2/78	RENT	50.00	152			
12/3/78	UTILITIES					

RADIO  
TOWER

KIMO, West tower. Field editor searched for, but not found.

1.777 6U

151

155 02	I
--------	---

---

F-V-Vis.  
April, 1976

07061

14c



REVIEW REPORT  
T-13314

SHORELINE

May 9, 1978

61. GENERAL STATEMENT.

See Summary, page 6 of this Descriptive Report.

Triangulation station, "Hilo Bulk Sugar Bins, West Light, 1949, is described (book 1020, pg. 49) as one of two aeronautical obstruction lights atop a large building. This object was submitted on a Form 76-40 by the field editor as a nonfloating aid. This reviewer recommends that the object not be charted as a nonfloating aid. Aeronautical obstruction lights are not normally charted as nonfloating aids.

The field editor indicated the existence of several areas of marsh along the shoreline near Keokea Point. He failed to give the back limits however. These marsh areas are not discernible on the photographs. Considering their small size, they were determined not to be significant and were not mapped. Volcanic rock forms most of the shoreline which is very irregular in shape.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not Applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not Applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with a copy of Final Verified Smoothsheet H-9612 (RA-5-1-76). The field editor gave the limits of a foul area at the head of Reeds Bay. This limit was shown on the Class I Map. However, several rocks are plotted on the smoothsheet lying outside of that limit. There is photogrammetric evidence supporting the existence of these rocks. Therefore, the foul limit line was revised on the map.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with Chart 19324, 1:10,000 scale, 18th edition, dated May 7, 1977. A rectangular obstruction charted West of Pier No. 3 was not shown on the Class I Map. It is visible on the photography, however, and was added to the map during final review. The feature was originally compiled on the Class III Map as a wreck. It was identified by the field editor as submerged rocks.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the project instructions and meets the requirements for Bureau Standards and the National Standards of Map Accuracy. *See page 16*

Submitted by:

*A. L. Shands*

A. L. Shands  
Final Reviewer

Approved for forwarding:

*Roy X. Mateushige*  
for Jeffrey G. Carlen  
Chief, Coastal Mapping Division, AMC

Approved:

*John D. Perreau Jr.*  
Chief, Photogrammetric Branch

*James C. Carter*  
Chief, Coastal Mapping Division

Three rocks inside the foul area at Lat.  $19^{\circ}44'34''$   
Long.  $155^{\circ}02'02''$  could not be accurately located.  
Leaders pointed to an area of heavy surf on the  
photograph and no images are visible. The area of  
heavy surf is also in a different position on the  
adjoining photograph. They are labeled as Position  
Approximate on the map as they should have been  
located by fixes.

*JAW*