

83
STA
1912

3272

C & G SURVEY

3272 & 3273

Mann, J. H.

C. & G. SURVEY.
LIBRARY & ARCHIVES
OCT 14 1912
Acc. No

Panvalu Point

to

Maliko Gulch

Plans Table Survey & Linking by Mr. C. Lutz
Asst. C. & G. Survey

June 1912

Projection by J. C. Ganger Asst. C. & G. Survey
Chief of Party
Scale 1:20,000

Shore line 22.5 Sta. miles.
Roads 6.2 " "
Area 4.0 sq. " "

P.T. Points	Latitude	Longitude
Peak or highest point	20° 51' 1337	156° 08' 302
Cairn	51 1306	08 786
Protestant Church Spire	51 1811	08 1470
Hm coconut palm	52 160	08 1615
Derrick (Landing boom)	51 1688	09 75
Cairn	51 1323	09 1007
Cairn	52 71	10 319
"Inakai" or outermost Peak (144 ft)	52 1424	10 831

Prominent Hummock	53 1592	11 1435
E. red gable	53 1550	11 1721
Catholic Church Spire	54 201	13 312
Cairn	54 654	12 1356
Pinnacle Rock	54 905	12 1486
"Barrel" (2" pipe in cement core)	54 777	13 328
Cairn	54 1229	12 1692
Protestant Church Spire	54 1128	13 1084
"Huelo" (2" pipe in cement core)	54 1638	13 498
Cairn	55 6	13 1009
"Honokala" (1" pipe projecting 6")	55 442	14 169
Top of gable roof, End of ridge, gable	55 472	14 263
Cairn	55 842	13 1266
Cairn	55 1578	13 1447
Derrick (Landing)	56 58	14 819
Cairn	56 164	14 981
Cairn	56 593	14 1429
Hm Coconut Palm	56 337	15 708
Cairn	56 360	15 845
S.E. gable	56 515	15 1590
E. red gable	56 329	15 1601
Cairn	56 680	16 162
E. gable house	56 43	16 637
E. gable shed	56 512	16 987
Cairn	56 549	16 1046
"Kuloli" (Cement post with cross)	55 384	17 223

3272 & 3273

Descriptive Report to accompany
Sheet *

Revised and corrected

it is practically open to the regular
trade winds. At Treacher's sugar rock
& reef lies off the mouth of the cove &
should be avoided, inasmuch, as it is.

with one lone puhala tree & Haiker hill wooded, are all quite conspicuous from the sea.

Panwahu Point Light is an automatic intermittent white light 123 ft above sea level. The 15 ft. structure supporting the light is painted white.

Panwela Point Light is fixed white, & has an elevation of 150 ft. The structure & accompanying buildings are white.

The survey was controlled by triangulation data furnished by the Territorial Survey Office. A 5 mile traverse was run from Pan Kukai to a three point fix one mile east of Honopu closing with an error of 30 meters which was adjusted.

This report covers the two sheets which together cover the coast line from Panwahu Point to Iyaliko Gulch. The first sheet was drenched when the party capsized in a canoe making a second projection necessary.

Report by W. C. Lutz, Aid. P. G. S.
Revised & supplemented by J. P. Gauger, Asst. P. G. S.

P. H. Pijits
 Lone Puhala Tree
 Concrete post with cross +
 Cairn
 E. gable house
 Cairn
 Cairn
 E. gable ruins
 Catholic Ch. Spire
 2" long pipe projecting 6"
 Pauwela flashlight house
 E. gable barn
 Cairn
 Signpost

Latitude	Longitude
20° 55' 41.2"	156° 17' 23.7"
56 1514	17 617
56 1396	17 1085
56 976	17 901
56 1195	18 105
56 1063	18 810
56 1079	19 187
55 1760	19 318
56 1616	19 439
56 1773	19 800
56 1078	19 857
56 1375	20 279
56 249	19 1700

NAUTICAL CHARTS BRANCH

SURVEY NO. 3272

Record of Application to Charts

[illegible]

M-216A-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.