5927

Diag'd.on Diag. Ch. No. - 5530-4

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

| Type of Survey Shoreline Survey Field No. CS-262-C Office No. T-5927 |
|---|
| LOCALITY |
| State California |
| General locality San Francisco Bay |
| Locality Point Isabel |
| |
| 194_6 |
| CHIEF OF PARTY |
| G.E.Morris,Jr. |
| LIBRARY & ARCHIVES |
| DATE February, 1949 |

2887

Quadrangle (II): None

Project No. (II): CS 262 C

Field Office: San Francisco, Calif.Chief of Party: Capt. E. J. Pagenhart

Compilation Office: Tampa, Fla. Chief of Party: George E. Morris Jr. Lt. Comdr.

Instructions dated (II III): 8 Feb. 1944

Copy filed in Descriptive Report No. T-

Completed survey received in office: @ Aug. 1946

Reported to Nautical Chart Section:

5532 (Botore Review) 22 1401. 1948

Reviewed: 26 April, 1948 Applied to chart No.

Redrafting Completed:

Registered: 4 January /1949

Published: Shore line

Compilation Scale: 1:10,000

Published Scale: 1:10000

Scale Factor (III): None

Geographic Datum (III): N.A. 1927

Datum Plane (III), M. S. L.

Reference Station (III): Pullman Shops black stack, 1921

Long.: 1220 201 Lat.: 37º 551 40.88 (1260.4 m.)

17.06

State Plane Coordinates (VI): 2 Zone

Military Grid Zone (VI)

PHOTOGRAPHS (III)

| Number | Date | Time | Scale . | Stage of Tide | |
|---|--------|---------------------------------------|----------|-------------------------------|---|
| .6361 - 65 incl. 6381 6387 | 9/3/41 | 12:17 p.m. 12:37 p.m. 1:05 p.m. | 1:10,000 | 5.2 ft. | |
| 638 1 6387 | .17 | 12:37 p.m. | . 11 | 5.2 ft. 5.0 ft. 4.6 ft. | |
| 5-01 1 1 | | 1,0 / 0,001 | ·85\ | 440 104 | |
| | | | | | |
| · | | | | | |
| <u> </u> | | | | | |
| J | | | | | |
| | | | | | |
| , | | | | | 4 |
| | | | | | |
| - | | | | | |
| 5 | | | | | |
| | | | | | 1 |
| | | | | | |
| | | | | | |
| ** <u>*</u> | | | | | į |
| Ţ <u></u> | | | | | |
| | £ | | | | |
| | | | | | |
| <u> </u> | | | | | |
| | | • | | | |
| ÷ - | | | | | |
| ,- | | | | | |
| 7 | C. | | | | |
| | J1 , ' | | | | |
| | | | | | |
| ~ | | | | | |
| <u> </u> | | e | | | |
| | | | | | |
| ,La ;———————————————————————————————————— | | | | | |
| ć | | | | | |
| <u> </u> | | | | | É |
| | | | | | |
| | | | | | |

STATISTICS (III)

Land Area (Sq. Statute Wiles); 25.3

Shoreline (More than 200 meters to opposite shore); 6.4

Shoreline (Less than 200 meters to opposite shore); 2.8

Number of Recoverable Topographic Stations established; 2

Number of Temporary Hydrographic Stations located by radial plot: none

Leveling (to control contours) = miles; none

Roman numberals indicate whether the item is to be entered by,

(II) Field Party, (III) Compilation Party, or, (VI) the Washington Office.

When entering names of personnel on this record give the surname and initials (not initials only).

Remarks:

COMPILATION REPORT TO ACCOMPANY MAP MANUSCRIPT NO. T-5927 PROJECT CS 262 C

26 and 27 CONTROL AND RADIAL PLOT

A special report by B. H. Lyon, Asst. Photogrammetric Engineer, covering main radial plot was submitted with the

| | mre rider , | COACT THE | | ware by | LOU MAD | submitted | ** T OAT O | 110 | |
|---|-------------|------------|-------|---------|---------|-----------|------------|-----|---|
| <u> </u> | | | | | | | | | |
| | | <u>-</u> - | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| .5 . 4 | | | | | | | | | |
| | | | | | | | | | |
| <u></u> | | | | | | | | | |
| | | | | | | | | | |
| LE L | | | | | | | | | |
| | | | | | | | | | |
| <u>, </u> | | | | | | | | | |
| | | | | | | | | | |
| 펠. | | | | | | | | | |
| _ | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| . | | | | | | | | | |
| £. | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 7g- | | | | | | | | | |
| | | | | | | | | | |
| ş | | | | | | | | | |
| | _ | | | | | | | | |
| } | | | | | | | | | |
| <u> </u> | | | | | | | | | • |
| | | | | | | | | | |
| | | | ~ - | | | | | | |
| | 1 | | | | | | | | |
| | 1 | | ~ ~ | | | | | | |
| | | | | | | | | | |
| | | | ~ ~ ~ | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

29 SUPPLEMENTAL DATA

A property Map showing property owned by the Kaiser Company Inc. was used in conjunction with the single lens photograph of the Richmond Shipyards... It was quite helpful in delineating the area.

30 Mean HIGH WATER LINE

The Mean H. W. L. has been shown according to field inspection notes.

31 LOW WATER AND SHOAL LINES

Inapplicable since none were recovered by the field inspector.

32 DETAILS OFFSHORE FROM THE HIGH WATER LINE

Inapplicable

33 WHARVES AND SHORELINE STRUCTURES

Outside of the Richmond Shippard area there are but few shoreline structures and wharves. Those shown on the photographs have been delineated as indicated.

34 LANDMARKS AND AIDS TO NAVIGATION.

All landmarks and aids to navigation, recovered by field party have been listed on form No. 567 and made a part of this report.

35 HYDROGRAPHIC CONTROL

Instructions to field party, dated February 8, 1944, state that no hydrographic stations need be selected by them for this project.

36 LANDING FIELDS AND AERONAUTICAL AIDS

Inapplicable.

LL COMPARISON WITH EXISTING TOPOGRAPHIC QUADRANGLES

Comparisons were made with two quadrangles done by the Corps of Engineers, U. S. Army. Survey on the earlier one was made in 1892-94. A cultural revision was made in 1914. The sheet is quite old and a fair amount of change has taken place; the Richmond Shipyards in particular. The latest quadrangle was prepared in 1941 and is pretty well up to the date of the photographs. The shoreline in general shows little change. It is impossible to make a detailed comparison since the scale is 1:62,500, while the map manuscript is on a scale of 1:10,000.

45 COMPARISON WITH NAUTICAL CHARTS.

Chart No. 5532 published by the U. S. C. & G. S. bearing a print date of 8 Dec. 1943 was used for comparison. The shoreline in general compares favorably.

Respectfully submitted,

Engineering Draftsman

Approved and Forwarded:

Lt. Comdr. George E. Morris Jr.

Chief of Party

DIVISION OF PHOTOGRAMMETRY Review of

Shoreline Map Manuscript T-5927 (S 1/2)
(The N 1/2 is not delineated, since no shoreline is present)
San Francisco Bay -- Point Richmond

Subject headings not used in this review report are not applicable or have been adequately covered in the descriptive report.

26. CONTROL

Two triangulation stations fall within the projection limits of this map, but both of them are outside of the delineated area (shoreline).

Pullman Shop Black Stack, 1921 Jarge, 1944

Of the four bench marks within the area of the whole map area, only one falls within the delineated area of this shoreline drawing: (fm. 524)

B.M. 1, 1932, Point Isabel. r. 1944 (fm. 501)

Three landmarks are within the area of the S 2: (fm 567)

No. 212 Tank) Both fall within the delineated No. 213 Stack) shoreline area and are on Cht 5532

Water Tank (Pullman Shops, elevated). Outside of the delineated area and not on chart 5532

28. DELINEATION

Changes made during review areeshown in red acid ink

43. COMPARISON WITH PREVIOUS TOPOGRAPHIC MAPS

| T-399 | 1/10000 | 1853 | T-2940 | 1/10000 | 1909 |
|-------|-----------|------|--------|---------|------|
| 1622 | , tt | 1881 | 2941 | 'n | 1909 |
| 2245 | 11 | 1895 | 3653 | 17 | 1917 |

The present survey supersedes the old surveys in all planimetric and shoreline detail.

44. COMPARISON WITH EXISTING QUADRANGLES

See Compilation Report

45. COMPARISON WITH NAUTICAL CHARTS

5532 1/40000 July 1947

General agreement of form of shoreline, but character differs. On T-5927 the shoreline from north of Point Fleming to Stege is an indefinite line rather than a fast-land line. There are new docks at Point Fleming, and a concrete sewer is a prominent feature along the south side of Point Isabel.. The areas of fill are larger than on the chart.

The map manuscript had been applied to Chart 5532 prior to review.

Reviewed by

Under the direction of

APPROVED BY:

Technical essistant to the Chief, Div. of Photogrammetry

Chief, Nautical Char Division of Charts

This map manuscript was reviewed in Sept 1946, but report was written in April 1948

Form 567 April 1945

DEPARTMENT OF COMMERCE

U. S. COAST AND ECODETIC SURVEY

NONFLOARING AND LANDMARKS FOR CHARTS

TO BE CHARTED STRIKE OUT ONE TO BE DELETED STRIKE OUT ONE

FOR COAST PHOT

Tampa Photogrammatric Office 30 July, 1946 I recommend that the following objects which have (have reen inspected from seaward to determine their value as landmarks, be

charted on (deletate fram the charts indicated.

The positions given have been checked after listing by W. Darney. Photogrammetric Ald

| STATE | California | | | | POSITION | | į | METHOD | | THA | |
|----------|--|------------|--------|--------------|----------|--------------|--------------|----------|-----------|---------------------------|--------|
| | | | LATI | LATITUDE | LONG | LONGITUDE | | LOCATION | DATE | ОВЕ СН ВЕ СН ОВ СН\ | CHARTS |
| CHARTING | DESCRIPTION | SIGNAL | 0 | D. M. METERS | 0 | D. P. METERS | DATUM | | NO CALLON | OHSNI | |
| Tenk | Aluminum Water Tank | N. Cable | 37 Sh | 21,58 | 122 19 | 19 1350 | N.A. 1927 | Rediel | 3946 | × | 55.32 |
| Stack | | £ | ないに | 1455 | 722 19 | 1072 | | 3 | 0 | × | * |
| * Tenk | Fullman Shops (Flev.) Booden Water | * | 37 55 | | 122 20 | 544 | ** | * | È | M | ** |
| | | | | | | - | | | | | |
| | Control of the Contro | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | * No. 3 is outside of | delinealed | d ored | | | * 4 * 360. | | | | | |
| - | | | | | | * | | | | | |
| | | | | | | | | | | | |
| | | • | | | | | | | | | |
| | | | | | - | | | | | - | |
| | | | | | | | | | | | |
| | | | | | | | • | | | | |

aids form such by prepared in accordance with 113 to the data should be considered for the charts of the area and not by individual field survey sheets. Information under each column heading should be given.

NAUTICAL CHARTS BRANCH

SURVEY NO. <u>5927</u>

Record of Application to Charts

| DATE | CHART | CARTOGRAPHER | REMARKS |
|---|-------------|--------------|---|
| 3/22/48 | 5532 | Richardson | Before After Verification and Review Elamined |
| | | | for Critical Corrections |
| 12/54 | 5532 | M. Erans | Police After Verification and Review Reconstruction |
| | | | Before After Verification and Review |
| | *** | | Before After Verification and Review |
| - | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | <u> </u> | | Before After Verification and Review |
| - · · · · · · · · · · · · · · · · · · · | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

NAUTICAL CHARTS BRANCH

SURVEY NO. 7-5927

Record of Application to Charts

| DATE | CHART | CARTOGRAPHER | REMARKS |
|---------|-------|--------------|---|
| 3/19/48 | 5532 | Quchardoon | Before After Verification and Review Gamine |
| | | * | for Critical Changes |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| ·. | | | Before After Verification and Review |
| • | | | Before After Verification and Review |
| | | | Before After Verification and Review |
| | | | |
| | - | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | - |

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

| v v. | A A | cho of | C C | D D | E E | or local Maria | G G | Mar H | N K | |
|--------|--------|--------|--------------------------|---|--|--|--|--|--|--|
| v v | | B B | C | D | E | or F | G | ^х в. Н | У К | |
| v v | | | | | | | | | | |
| v v | | | ļ' |]` | | | | | | 1 |
| · | | | 1 | | | | | | | 2 |
| | | ļ. — - | | | | | | | | 3 |
| | | | | | | | | <u> </u> | | 4 |
| | | | | | | | | | | , 2 |
| | ~ | | | | <u> </u> | | ٠. | | | 6 |
| | v . | | | | | | | , | , | . 7 |
| · L | | | | | | | ٠ | | | 8 |
| ν | | | | | | | | | | 9 |
| bor | ı | | | - | | | | | | 10 ` |
| - | ν (fo: | r titl | e) | | | | a | | | 11 |
| R.R. | | | - | | [- | | | | | 12 |
| | .s. #4 | ۰ م | | | | | 2 | çu | | 13 |
| | | | | | | | , | | | 14 |
| | | | <u> </u> | <u> </u> | | | | | | 15 |
| | | | | | | | | | | 16 |
| | • | | | | | , | | - | | 17 |
| | | * | - Deci | s. of | BĠN | | | ļ | | 18 |
| | | | | - | | | | | | 19 |
| | , | _Un | derlin | ed nam | es app | roved. | | | | 20 |
| | | | | 10-2 | 1.9.L | <i>J</i> | | | | 21 |
| | | | | | | | | | , | 22 |
| | | • | | | | , | | | | 23 |
| | | | | | | | • | | | 24 |
| | - | | | | | | | | | 25 |
| | | , | | | | | As, | | | 26 |
| | | | | | ; | | | | | 27 M 234 |
| | bor | / (fo | chor (for title a.R. #40 | chor (for title) R.R. - U.S. #40 * Deci | thor (for title) R.R. - U.S. #40 * Decis. of Underlined name 10-2 | * - Decis. of BGN Underlined names appring-28-48. | * - Decis. of BGN Underlined names approved. 10-28-48. | * - Decis. of EGN Underlined names approved. 10-28-48. | * - Decis. of BGN Underlined names approved. 10-28-48. | * - Decis. of BGN Underlined names approved. 10-28-48. |