

Diag. Cht. No. 78-4

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

Type of Survey Planimetric Air Photographic
(Shoreline)

Field No. Office No. T-8086

LOCALITY

State Virginia

General locality James River

Locality Bucklers Point - Jordan Point

CHIEF OF PARTY
H.O.Fortin, Chief of Party
F.L.Peacock, Balto. Photo. Office

LIBRARY & ARCHIVES

DATE

B-1870-1 (1



DATA RECORD

7-8086

Quadrangle (II); Charles City, Va. (U.S.G.S.)

Project No. (II): C.S. 283

Field Office:

Chief of Party: Fred. L. Peacock

Air Photographic Party No. 2

Compilation Office:

Chief of Party: Fred. L. Peacock

Baltimore Photogrammetric Office

Div. of Photogrammetry
Copy filed in Descriptive
(VI)

Instructions dated (II III) 3

March 26, 1942 - July 15, 1942

Sept. 30, 1942 - Nov. 14, 1942

- .

Completed survey received in office: 7-14-44

Reported to Nautical Chart Sections 7-2/-44

Reviewed: 12 Mar 46

Applied to chart No. 531 (partially) Date: 22 Nov 44

Redrafting Completed: 12-28-49

Registered: 2 Feb 50

Published:

Compilation Scale: 1:10,000

Published Scale:

Scale Factor (III): None

Geographic Datum (III): N. A. 1927

Datum Plane (III): Mean Sea Level

Reference Station (III): RIVER 2, 1942

Lat.: 37° 17' 06.131"(189.0m) Long.: 77° 11' 18.545"(456.8m) Adjusted threatjusted

State Plane Coordinates (VI): Virginia South Zone

x= 2,381,547.28 feet Y= 349, 146.64 feet

Military Grid Zone (VI)

PHOTOGRAPHS (III)

ate Time	Scale	Stage of Tide
" 11:17 A.M		0.8' above M.L.W.
" 11:34 A.M	. "	0.15! " " 0.85! " " 0.2 alove MLW
	25/41 11:45 A.M " 11:17 A.M " 1:33 P.M " 11:34 A.M	25/41 11:45 A.M. 1:10,000 " 11:17 A.M. " " 1:33 P.M. "

Tide from (III) Predicted tables for Hampton Rds., Va., corrected to Harrisons Landing Mean Range: 2.6' Spring Range: 2.91

Camera: (Kind or source) U. S. C. & G. S. nine lens camera (focal length 81") All negatives are on file in Washington Office

Lieut. Comdr. E. B. Lewey Summer 1942 Field Inspection by: Lieut. Comdr. Henry O. Fortin dates Season 1943 APRIL

Field Edit by: date:

Date of Mean High-Water Line Location (III): Date of photographs supplemented by field inspection data obtained in 1942 and 1943. Season's field inspection reports previously submitted.

Projection and Grids ruled by (III) B.R.C F.L.T. Washington Office	date: 10/6/43
" " checked by: B.R.C. Washington Office	date: 10/7/43
Control plotted by: Walter E. Schmidt	date: 10/21/43
Control checked by: Ada May Hobine	date: 10/22/43
Radial Plot by: Walter E. Schmidt	date: Nov. 1943
Detailed by: M. E. Herzog (shoreline - rough draft)	date: 6/6/44 7/11/44
Reviewed in compilation office by: A. C. Rauck, Jr.	7/11/44 date: 7/4/44 7/11/44
Elevations on Field Edit Sheet checked by: None	date:

STATISTICS (III)

Land Area (Sq. Statute Wiles); 3

Shoreline (More than 200 meters to opposite shore): 15 Statute miles

Shoreline (Less than 200 meters to opposite shore): 10 Statute miles

Number of Recoverable Topographic Stations established: 11

Number of Temporary Hydrographic Stations located by radial plot: 69

Leveling (to control contours) - miles:

Roman numberals indicate whether the item is to be entered by,

(II) Field Party, (III) Compilation Party, or, (VI) the Washington Office.

When entering names of personnel on this record give the surname and initials (not initials only).

Remarks:

SUMMARY to ACCOMPANY TESEC

george 1:0000, is one of 40 shoreline surveys in Project 09-283 along the James River, Virginia.

project 3-283 was originally planned as a planimetric mapping project but was limited to shoreline surveys only after war Mapping Project CS-289, covering practically all the James River, was undertaken.

Topographic quadrangle, T=== (Project C3-289) completely covers T&D&D. The former was compiled in 1944 from 1:20,000 scale photographs taken in 1942, in contrast with T&D&D, compiled in 1944-3 from 1:10,000 scale photographs belien in 1941.

Field Inspection

Field inspection data for the area of Toll are contained in the "Report on Field Inspection of Air Photographs, James Riv er and Tributaries, Virginia" by Henry O. Fortin, dated April 20, 1943. Filed in Division of Photogrammetry, General Files

26 CONTROL:

In the descriptive report for Map Drawing, Survey No. T-8083, Appendix "B", is a tabulation of horizontal control used in the radial plots for Surveys Nos. T-8083 to T-8087, Incl. This descriptive report was submitted to the Washington Office on January 31, 1944. A detailed list of all the horizontal control used for Map Drawing, Survey No. T-8086, showing the degree of accuracy with which the horizontal control for this Map Drawing was held, is found in the above mentioned tabulation.

The following horizontal control stations fall within the limits of this Map Drawing. They are:

```
- WILSON, 1942
             IRVING, 1932, r.1942
         JORDAN POWIFRONT RANGE (LIGHT), 1938, r.1942 - h fight fish as "Jordan"

*DUCK BLIND NO. 4, 1942

* DUCK BLIND NO. 5, 1942

* DUCK BLIND NO. 5, 1942
           * DUCK BLIND NO. 6, 1942
           * DUCK BLIND NO. 7, 1942
           *DUCK BLIND NO. 8, 1942
            *DUCK BLIND NO. 9, 1942
            *DUCK BLIND NO. 10, 1942
           ~ RIVER 2, 1942
             COGGINS POINT, BLACK MATER TANK, 1942 (Landmark)
           - J.C.G., 1942 (U.S.E.)
             TIN (WARE HOUSE) SOUTGABLE, 1942
            STANCY, SOUTHERLY ON RED DWELLING WE
            *DUCK BLIND NO. 1, 1942
            *DUCK BLIND NO. 2, 1942
            *DUCK BLIND NO. 3, 1942
Sta destroyalWESTOVER WATER TOWER, 1938 (Tank removed since photographs
                                              were made)
          ➤ WESTOVER DOCK, FLAG ON PILE, 1942
        · 🥆 OVER 2, 1942
        MAY 2, 1942

MAYCOCK PAINTHOUSE, GABLE, CHIMNEY, 1942
    . - Westover, red dwelling west of, southerly chimney, 1942

- Bailey Creek Light, 1938, 1942 - In 1945 Eight Fisher James River 109"
          * fear than third order
```

26 CONTROL: (Continued)

BUCK 2, 1942

- ABANDONED BEACON NEAR-THIANGUEATTON STATION RUIN, 1942 COGGINS 2, 1942

- 143 A, Center of Crossroads, (U.S.G.S.)

CENTER OF BRIDGE OVER RED POINT CREEK, 1942 (U.S.G.S.)-16th hecessary

Harts Common North-17412

The following horizontal control stations fall just out-

side the limits of this Map Drawing. They are:

PACK, 2, 1942, r.1943
ATMOSPHERIC NITROGEN LIGHT, (no date)
HOPEWELL, HUMMEL-ROSS CO., TALLER STACK, NORTHERLY OF
2, 1932, r.1942
HOPEWELL, HUMMEL-ROSS CO., LOWER OF TWO STACKS, 1932,
r.1942
EPPES, 1910, r.1942 (Same as J.C.A.) (U.S.E.)
MAJOR, 1910, r.1942

JORDAN POINT REAR RANGE LIGHT, 1942 SOUTH CHIMNEY, RICHMOND Y.M.C.A. BLDG., 1942 CARDINE, 1910, r.1942 (Same as J.C.C.) (U.S.E.)

*DUCK BLIND NO. 12, 1942

BERKLEY HO. W. CHY., 1871, r.1938, 1942 (Same as HARRISON HO. W. CHY.)

HARRISONS LANDING, FISHING SHACK, W. GABLE, 1942 ELEVATED WATER TANK NO. 1, 1938, r.1942 ELEVATED WATER TANK NO. 2, 1938, r.1942 THUE, 1938, r.1942

J.E.A. (No est. date) r.1942 (U.S.E.)

HOUSE ON BLUFF S. GABLE, 1938, r.1942

At many of the above horizontal control stations the field inspection unit established field inspection stations at well defined points near the horizontal control stations.

26 CONTROL: (Continued)

on the photographs. They were not used as horizontal control. They are: - Over, 1910, +1942 [Same as J. C. H. (USE)] ~VAN 2, 1942 > RIVER, 1910, r.1942 WEST 2, 1942 J.C.I. 1942, (U.S.E.) -⇒J.C.I.-A, 1942 (U.S.E.) J.C.K., 1942, (U.S.E.) & Fella on T-8084 ~RUIN, 1938, r.1942 (Same as J.C.J.) (U.S.E.) MAJOR 2, 1942 - Fella on T-8087 JORDAN, 1910, r.1942 (Same as J.C.B.) (U.S.E.) = Falls on 7-8087 WILCOX 2, 1932, r.1942 + Fello of T-8083 J.C.H., 1942, (U.S.E.) } Falls outside of 7-8086 J.C.N. A, 1942, (U.S.E. PEN, 1910, r.1938, 1942 (Same as J.C.L.) (U.S.E.) DUNN, 1938, r.1942 J.C.E., 1942 (U.S.E.) Herring Creek, Snag near Mouth, 1942

In addition there is shown on the Map Drawing, the United States Geological Survey geographic position (by a triangulation symbol) and the radial plotted position (by a small circle in red acid ink), of the United States Geological Survey Traverse Stations which could not be held during the running of the radial plot. They are:

CENTER OF ROAD FORKS, 1942 SECOND CLASS "T" ROAD, 1942 "T" ROAD EAST, 1942

These United States Geological Survey Traverse Stations were recovered and identified on the 1:10,000 field photographs by the field inspection unit.

27 RADIAL PLOT:

A complete discussion of the radial plot for Map Drawing, Survey No. T-8086 is contained in Appendices "A" and "B" of the descriptive report for Map Drawing, Survey No. T-8083, which was submitted to the Washington Office on January 31, 1944.

28 DETAILING:

The shoreline and immediate adjacent culture of that part of the James River and its tributaries, which lie within the limits of this Map Drawing, have been detailed.

Adequate field inspection data, to accomplish this detailing, were furnished the Compilation Office by the field inspection unit.

The number of nine lens photographs covering the area of this Map Drawing was sufficient for detailing. The scale of the photographs and of the Map Drawing were in good agreement.

Detail points have been shown on the reverse side of the Map Drawing with blue ink circles. Temporary hydrographic stations, landmarks, and recoverable topographic stations were radially plotted and have been shown on the Map Drawing with 2.5 mm circles in black acid ink. Their descriptions have been lettered adjacent to their respective circle.

All minor drainage adjacent to the shoreline has been delineated by stereoscopic examination of the nine lens office photographs.

All buildings, roads, fences, etc., which were visible on the photographs and which were immediately adjacent to the shoreline have been shown on the Map Drawing.

The only data furnished the Compilation Office on a small wooden bridge at the mouth of Bickers Creek is that it is in poor condition. No other bridges appear in the shoreline area of the Map Drawing.

A list of abbreviations, used on this Map Drawing, accompanied by explanatory notes, has been shown in the right hand margin.

29 SUPPLEMENTAL DATA:

No supplemental data was furnished the Compilation Office for use in detailing this Map Drawing.

30 MEAN HIGH-WATER LINE:

Full, heavy-weight and light-weight black acid ink lines have been used to differentiate between the Mean High-Water Line and the outer limits of marsh bordering the Mean High-Water Line respectively. The light-weight line is not considered to be the Mean High-Water Line, but is only an indication of the outer limits of low, wet land at Mean High-Water.

Tree covered dirt bluffs, adjacent to the Mean High-Water Line have been shown with the standard symbol and

32 DETAILS OFFSHORE FROM THE MEAN HIGH-WATER LINE: (Continued)

Creek. All of these wrecks bare at Mean High-Water.

Several duck blinds which are also either triangulation stations or hydrographic stations, are shown on the Map Drawing.

Areas in which stakes, piling, snags, fish traps, remains of wharves, cattle fences, and other objects which were not visible on the photographs, but were indicated by field inspection data, have been shown, outlined in black dashed lines, with accompanying descriptive notes.

Several trees across Powell Creek, logs awash and submerged logs, have been shown on this Map Drawing, according to field inspection data.

33 WHARVES AND SHORELINE STRUCTURES:

All wharves, piers, ruins of piers, fences, etc., have been shown on the Map Drawing with accompanying descriptive notes.

. 34 LANDMARKS AND AIDS TO NAVIGATION:

The following six landmarks are shown on this Map ing and have been recommended by the field inspec-

Drawing and have been recommended by the field inspection unit for charting. They are:

HANGAR, north gable, white sides, black and	ne on Chart 530
yellow checkerboard roof	(N. GAB)
CHIMNEY, E. GABLE HOUSE, MAYCOCKS POINT (Also	CHY. (E. GAB. HO.)
triangulation station.)	5 667
ABANDONED BEACON NEAR TRANSPORTED STATION RUIN (Also triangulation station.)	OLD BN
CHIMNEY, conc., on E. gable, house with red foof, on point	CHY.
CHIMNEY, N.E. gable, white house, red trimmings, on beach.	CHY.
WESTOVER MANOR, white door frame, in center.	HOUSE

34 LANDMARKS AND AIDS TO NAVIGATION: (Continued)

In addition to the above the field inspection unit recovered the following 3 landmarks which are charted,

RANGE

JORDAN POINT FRONT, Fl. W. 1 sec. (Also triangu-COGGINS PT. BLACK WATER TANK (Also triangulation lation station.) JAMES RIVER 109 LIGHT station)
BATLEY CREEK LIGHT (Also triangulation station,)
Bailey Creek LT 1978 (14)

All of the above landmarks, except those which are triangulation stations, are shown on this Map Drawing with a 2.5 mm black acid ink circle.

The field inspection unit recommended that the following station be deleted as a landmark, namely:

WESTOVER WATER TOWER (Also triangulation station, deleteded reported tank removed.)

Form 567 is being submitted for this deleted landmark and the six new recommended landmarks (preciously charted)

The following fixed aids to navigation, which are also triangulation stations, were identified on the photographs by the field inspection unit and are shown on this Map Drawing. They are:

RANGE JORDAN POINT FRONT Fl. W. 1 sec. (Also JORDAN POINT FRONT RANGE LIGHT, 1938, r.1942.) James R. 109 LIBATLEY CREEK FLATS, Fl. W. & sec. (Also BAILEY CREEK LIGHT, 1938, r.1942.)

35 HYDROGRAPHIC CONTROL:

The Compilation Office was furnished the identification of 69 temporary hydrographic stations and 11 recoverable topographic stations (4 of which are recommended for landmarks.) These were identified on the 1:10,000 field photographs by numbers and their descriptions were listed in

35 HYDROGRAPHIC CONTROL: (Continued)

sketch books, Form 274, by corresponding numbers. Some of the descriptions have been duplicated on the field photographs. These stations were transferred to the 1:10,000 office photographs and radially plotted on the Map Drawing. In addition the field inspection unit recommended 13 triangulation stations (2 of which are found and landmarks and 3 of which are landmarks already charted) for use as partial hydrographic control. The descriptions of the four classes of hydrographic stations have been noted directly on the Map Drawing.

Form 524 is being submitted for eleven recoverable topographic stations. They are:

OUTER END SMALL LANDING (TAR BAY)
LARGE CYPRESS
BLAZE ON LARGE CYPRESS
OUTER END SMALL LANDING
BLAZE ON WILLOW
W. GABLE OF ROOF OVER LOADER
FORKED DECIDUOUS TREE ON ISLAND
HANGAR, NORTH GABLE (Landmark)
CHIMNEY, CONC. ON E. GABLE HO. (Landmark)
CHIMNEY, N.E. GABLE WHITE HO. (Landmark)
WESTOVER MANOR (Landmark)

36 LANDING FIEIDS AND AERONAUTICAL AIDS: -

No aeronautical aids have been recommended by the field inspection unit. One landing field has been detailed at Jordan Point in accordance with the field inspection data.

37 JUNCTIONS:

The junction to the North with Map Drawing, Survey No. T-8087 is in excellent agreement.

The junction to the East with Map Drawing, Survey No. T-8084 is in excellent agreement.

37 JUNCTIONS: (Continued)

No junction could be made to the West with Map Drawing, Survey No. T-8091 because the compilation for this Map Drawing has not as yet been started. This junction will be made at a later date.

There is no contemporary Survey of this series to the South.

38 GEOGRAPHIC NAMES:

A partial investigation of geographic names was made for the area of this Map Drawing by the 1942 field inspection unit, which was furnished the Compilation Office in the form of notes in a copy of the U.S. Coast Pilot and on the field inspection photographs.

The geographic names shown on the Map Drawing are in accordance with the field inspection data, except in areas not included in the investigation. In such areas, the names shown have been taken from the best known sources available for use by this Compilation Office.

There are no disputed geographic names in the area of this Map Drawing. The undisputed geographic names have been alphabetically listed and are submitted herein.

39 HORIZONTAL ACCURACY:

The probable error in the relative positions of detail points, the Mean High-Water Line, and well defined objects is believed to be within the limits of satisfactory accuracy.

40 RECOMMENDATIONS FOR FUTURE SURVEYS:

The shoreline, rough draft, Map Drawing, Survey No. T-8086 is believed to be complete in all details for charting and no other surveys are deemed necessary.

44 COMPARISON WITH EXISTING TOPOGRAPHIC QUADRANGLES:

Comparison was made with the United States Geological Survey Charles City, Va. 15 minute quadrangle, edition of 1918, reprinted in 1931, Scale 1:62,500.

Due to scale difference only a visual comparison could conveniently be made. The following differences were noted:

In the vicinity of Jordan Point a large pond is shown on the Map Drawing which does not appear on the quadrangle.

At Lat. 37° 17' and Long. 77° 10' a pond is shown on the quadrangle. From office examination of the photographs this is believed to be a stream emptying into Powell Creek and it has been detailed accordingly. In the vicinity of Chappell Creek is a low area or swamp shown on the Map Drawing. This does not appear on the quadrangle.

45 COMPARISON WITH NAUTICAL CHARTS:

Chart No. 530, published at Washington, D. C., September 1940 and corrected to March 6, 1944, Scale 1:40,000.

Due to scale difference a general comparison only could conveniently be made. The following differences were noted:

The marsh area at Bucklers Point, shown on the chart, is now covered with a growth of deciduous trees.

At Lat. 37° 17' and Long. 77° 10' a pond is shown on the chart.

From office examination of the photographs this is believed to be a stream emptying into Powell Creek, and is shown as such on the Map Drawing.

In the vicinity of Jordan Point a large pond is shown on the Map Drawing which does not appear on the chart.

45 COMPARISON WITH NAUTICAL CHARTS: (Continued)

The marsh area at Indian Point, shown on the chart, is now of a much smaller area and covers a small area just adjacent to both shores of Bickers Creek.

h	Chart. No. 531	nuhlished at Washington	T C Aug	
<u> </u>				
	<u>—</u>			
-				
<u> </u>				
(<u>-</u> -	,			
<u> </u>				
,				
ſ				
<u></u>				
•				
z				
				•
prime to the contract of the c				
1				
			2 9	
				1
· _				
Ţ				
=				

Respectfully submitted: July 11, 1944

M Eleanor Herzog
Asst. Photogrammetric Aid

Compilation and Descriptive Report, Reviewed by:

Albert C. Rauck, Jr. Sr. Photogrammetric Aid

Compilation of Map Drawing Supervised by:

Joseph Steinberg
Asst. Photogrammetric Engineer

and

7. Edward Deal, Jr. Asst. Photogrammetric Engineer

Approved and Forwarded: July 14, 1944

Fred. L. Peacock

Chief, Air Photographic Party No. 2

GEOGRAPHIC NAMES

Undisputed

Bailey Creek
Blairs
Bickers Greek - Jenny Creek (Pending with
Billy Creek
Bucklers Point
Chappell Creek
Coggins Point
Ducking Stool Point
Eelbank Point
Herring Creek
James River

- Jordan Point *
- Maycocks Point
- Powell Creek
- Tar Bay
- Westover

X=USBEN decision Names preceded by a are approved. 8-16-49 L. Heck.

Review Report T-8086 Shoreline Map

26. Control.-Westover Water Tower, 1938 has been destroyed. However, the foundation is still visible on the 1:20,000 photographs and has been shown on the manuscript with a red circle.

The Duck Blind stations previously shown with a triangle symbol are considered less than third order control by Geodesy. The symbol has been changed to a circle.

- 28. petailing.-Additions and corrections made during review have been based on the latest photographys available: the 1942 1:20,000 nine-lens photos. There is no field inspection of these later photos. Using photo interpretation, marsh and swamp areas have been differentiated on the map manuscript. A new pond and dam has been shown at λ 37°16½. ‡ 77°10'.
- 30. Mean High-Water Line. The chief corrections to the shoreline have been on the marshy islands in the middle of the river.
- 32. Details Offshore from the High-Mater Line.-The wrecked barge, bare at MHV, at \ 37°18.6', \ 77°14.6' does not appear on the 1:20,000 photos so it has been removed from the manuscript. The three duck blinds west of Jordan Pt. could not be identified on the 1:20,000 photos. They have not been removed because their nonexistence is not positive. Four new duck blinds have been added and one removed from the manuscript. Some of the grass in water areas have been redefined.
- 34. Landmarks and Aids to Navigation. See Chart Letter No. 499 (1944). The names of the two lights have been taken from the 1945 Light List.
- 41. Comparison with Previous Topographic Surveys.-T-1391 (1875) 1:10,000 is superseded for the area in common except for the contours, fence lines, and interior detail for nautical charting purposes.
- 42. Contemporary Topographic Surveys. This survey covers the southern half of T-8321 and will be used as supplemental data in the compiling of its shoreline.

Reviewed by:

Under Direction of

Jack Rinx, Ca: 12 March 1946

Chief, Review Section F. M. M. Division of Photogrammetry

Approved by:

Technical Assistant to the Chief, Nautical Chark Branch Chief, Div. of Photogrammetry Division of Charts

Chief, Div. of Coastal Surveysige

NAUTICAL CHARTS BRANCH

SURVEY NO. 8086

Record of Application to Charts

	I	T	
DATE	CHART	CARTOGRAPHER	REMARKS
1-18-54	530	Jack allen	Betwee After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			Before After Verification and Review
			· · · · · · · · · · · · · · · · · · ·
			·

M-2168-1

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.