

9924

Diag. Cht. No. 8863-2.

Form 504

U. S. COAST AND GEODETIC SURVEY

DEPARTMENT OF COMMERCE

DESCRIPTIVE REPORT

Type of Survey Topographic

Field No. Ph-34(48) Office No. T-9924

LOCALITY

State Alaska

General locality Andreanof Islands

Locality Bobrof Island

1943-54

CHIEF OF PARTY

S.B.Grenell, Chief of Field Party

L.W.Swanson, Div. of Photo. Wash., D.C.

LIBRARY & ARCHIVES

DATE November 10, 1959

9924

DATA RECORD

T-9924

Project No. (II): CS-218
Ph-34(48)

Quadrangle Name (IV): Bobrof Island

Field Office (II): Ship EXPLORER

Chief of Party: S. B. Grenell

Photogrammetric Office (III): Washington, D.C.

Officer-in-Charge: L. W. Swanson

Instructions dated (II) (III): 19 March 1952
20 February 1953

Copy filed in Division of
Photogrammetry (IV)
Office files

Method of Compilation (III): Shoreline & photohydros by graphic methods
Topography by Reading Plotter, Model "B"

Manuscript Scale (III): 1:20,000

Stereoscopic Plotting Instrument Scale (III): 1:20,000

Scale Factor (III): 1.0

Date received in Washington Office (IV): FEB 23 1953

Date reported to Nautical Chart Branch (IV): 2-28-55

Applied to Chart No. Date: Date registered (IV): 6 May 1957

Publication Scale (IV): Publication date (IV):

Geographic Datum (III): N.A. 1927

Vertical Datum (III):
Mean sea level except as follows:
Elevations shown as (25) refer to mean high water
Elevations shown as (5) refer to sounding datum
i.e., mean low water or mean lower low water

Reference Station (III): ROF 1943

Lat.: 51 54 08.945

Long.: 177 25 02.005

Adjusted
~~Unadjusted~~

Plane Coordinates (IV): State: U.T.M. Zone: 1

Y= X=

Roman numerals indicate whether the item is to be entered by (II) Field Party, (III) Photogrammetric Office,
or (IV) Washington Office.

When entering names of personnel on this record give the surname and initials, not initials only.

DATA RECORD

Field Inspection by (II): Interior inspection: None Date: 1953 Field Season
Shoreline inspection by: C. W. Clark 1954 Field Season

Planetable contouring by (II): Date:

Completion Surveys by (II): Date:

Mean High Water Location (III) (State date and method of location):

Field Inspection of Photographs
(1954 Field Season)

Projection and Grids ruled by (IV): A. Riley Date: 10-6-54

Projection and Grids checked by (IV): A. Riley Date: 10-6-54

Control plotted by (III): C. O. DeMarr Date: Oct. 1954

Control checked by (III): I. G. Lande Date: Oct. 1954
J. Amburn

Radial Plot ~~22500000000~~ S. G. Blankenbaker Date: Nov. 1954
~~XXXXXXXXXX~~ Control checked by (III):

Stereoscopic Instrument compilation (III): Planimetry) Louis Levin Date: Nov. 1954
Contours) Date:

Manuscript delineated by (III): Shoreline 1/10,000 - S. G. Blankenbaker Date: Nov. 4 '54
Topo 1/20,000 - J. B. McDonald Dec. 1954

Photogrammetric Office Review by (III): Shoreline Compilation Date: Nov. 1954
by Roscoe J. French
Stereo. Instrument Compilation Jan. 1955
by Orvis N. Dalbey

Elevations on Manuscript Date: Jan. 1955
checked by (II) (III): Orvis N. Dalbey

Camera (kind or source) (III): *U.S.C. & G.S. Nine lens camera, model "B",
f = 8.25 inches* [Also "D" camera (6869)]

PHOTOGRAPHS (III)

Number	Date	Time	Scale	Stage of Tide
14668	7-16-43	2:53	1:10,000	
14669	7-16-43	2:53	"	
14670	7-16-43	2:54	"	Computed 1.3 ft. above MLLW
14671	7-16-43	2:54	"	
14672	7-16-43	2:56	"	
14673	7-16-43	2:57	"	
14674	7-16-43	2:57	"	
34331	10-16-51	11:06	1:20,000	3.0 <i>ENR</i>
34332	10-16-51	11:07	"	Computed 2.8 ft. above MLLW
34335	10-16-51	11:18	"	
34336	10-16-51	11:19	"	
48-D-198	9-20-48	13:31-1340	1:10000 <i>ENR</i>	2.0 above MLLW

Hru-208

Tide (III)

Diurnal

Reference Station: *Sweeper Cove*
~~Subordinate Station:~~ Use Sweeper Cove time for Bobrof
~~Subordinate Station:~~ Use .9 for ratio of ranges

Ratio of Ranges	Mean Range	Range
		3.7
		3.3 Bobrof

Washington Office Review by (IV): *Everett H. Ramey*

Date: *11 April 1955*

Final Drafting by (IV): *R. Kelly*

Date: *6-25-56*

Drafting verified for reproduction by (IV): *Wm O. Hallum*

Date: *8-29-56*

Proof Edit by (IV):

Date:

Land Area (Sq. Statute Miles) (III): *3*

Shoreline (More than 200 meters to opposite shore) (III): *10 miles*

Shoreline (Less than 200 meters to opposite shore) (III): *None*

Control Leveling - Miles (II): *None*

Number of Triangulation Stations searched for (II): *5*

Recovered: *5*

Identified: *5*

Number of BMs searched for (II): *None*

Recovered:


Identified:

Number of Recoverable Photo Stations established (III): *2*

Number of Temporary Photo Hydro Stations established (III): *29*

Remarks: *1 Recoverable topographic station identified for horizontal control.*

TOPOGRAPHIC MAPPING PROJECT PH-34
Aleutian Islands ALASKA Part B



Summary to Accompany Topographic Map T-9924

This map is one of Project Ph-34. It covers Bobrof Island of the Aleutian Islands.

This map was compiled in 1954 by a combination of graphic and Reading Plotter methods. Field work, in advance of compilation, included the establishment of some additional horizontal and vertical control, complete shoreline inspection and the investigation of geographic names. Coast Pilot Notes and hydrography were also done in conjunction with the field work.

Compilation of the shoreline was done at a scale of 1:10,000 using nine-lens photographs taken in 1943. This compilation was reduced to 1:20,000 scale for a base for contouring, using nine-lens photographs at a scale of 1:20,000 taken in 1951. The compilation at a scale of 1:10,000 was because of the clarity of the 1:10,000 1943 photographs. This was only an expedient in the compilation process and the compilation was not retained. Map T-9924 was not field edited. After the addition of hydrographic information the map will be published by the Army Map Service as a standard topographic quadrangle.

Items registered under T-9924 will include a descriptive report, a copy of the manuscript at a scale of 1:20,000 and a copy of the published map.

CRONER

FIELD INSPECTION REPORT

For Map T-9924

2. Areal Field Inspection

The entire area of Bobrof Island is covered by this one map.

Bobrof Island is a relatively small island about $2\frac{1}{2}$ miles north and south by 2 miles east and west in extent.

The upper part of the island is usually cloud covered and there has been very little opportunity to observe higher elevations.

The elevation of the highest point of the island is 2419 feet. This point is triangulation station Bobrof Volcano, 1943. The high point appears to be a single peak without a crater. Partly surrounding the highest peak and at a lower elevation is part of the rim of a Caldera. * 2421 MSL SHR

The terrain is very rugged and rises steeply from the water on the south, west and east sides. At the north point of the island is a large block of lava about 400 meters long, 200 meters wide and 400 feet high connected to the main part of the island by a low neck. This block of lava rises vertically from the water on the northeast, northwest and southwest sides and from seaward appears nearly level on top. There is a prominent inverted V slide with station SPAR at the apex on the west side. The south end of the lava block is a steep grass covered slope.

There is no evidence of any recent volcanic activity on the island.

The island is completely covered with 1:10,000 scale nine-lens photographs taken in 1943. The quality of these photographs is good. The quality of 1:20,000 scale nine-lens photographs taken in 1951 is generally poor. The latter photographs were not used for field inspection although an attempt was made to identify some of the horizontal control stations on them.

Two flight lines of 1:10,000 scale single-lens photographs cover the shoreline on the east and west sides of the island. The quality of these photographs is good. They were used to supplement 1:10,000 scale 9-lens photography.

All shoreline was field inspected. Field inspection is considered adequate for the area.

3. Horizontal Control

(a) The following supplemental horizontal control stations were established by fourth-order theodolite observations:

SPAR, 1953

BOBO, 1954

(b) All horizontal control is computed on the N. A. 1927 datum and no datum adjustments are necessary.

(c) All horizontal control was established by the U. S. Coast and Geodetic Survey.

(d) No specific stations were required by the instructions. Four stations were identified on each of four points of the island and they should be sufficient to control scale and orientation of the photogrammetric plot. Station BOBO, 1954 was identified but is not intended for horizontal control because of its close proximity to BOBROF (USN), 1943.

Peaks identified for vertical control P-001, P-002 and P-003 are not considered suitable for horizontal control. Geographic positions of these peaks have been computed.

(e) All Coast Survey stations were searched for and recovered.

(f) The following horizontal control stations were identified:

<u>Station</u>	<u>Photograph</u>	<u>Order of Accuracy</u>
BOBROF(USN), 1943	14672, 34336	Second
DOC, 1943	14672	Third
ROF, 1943	14673, 48-D-202	"
BO, 1943	14671	"
SPAR, 1953	14677, 34332	Fourth

4. Vertical Control

(a) There are no bench marks within the area of this map.

(b) Elevations were established by trigonometric leveling by observations at station BOBROF (USN), 1943 and other triangulation stations on adjacent islands. Elevations are based on observations on the water surface.

Elevations were computed for all points identified for horizontal control. The vertical datum used is mean high water based on the stage of the tide computed from the tide tables at the time of observations on the water surface. The datum thus established is probably within 1 foot of mean high water. All elevations are thought to be well within the limits of accuracy required.

Only one zenith distance was observed on P-004 and a check was not obtained on the elevation.

Identification of vertical control points P-001, P-002 and P-003 was done aboard ship without benefit of a good horizontal view of the peaks (they are usually cloud covered), by stereoscopic examination of the best model available. Identification of these points is indicated as doubtful. Elevations are on the highest points of the peaks.

(c) Vertical control points were identified as follows:

No.	Horizontal Control Name	Photograph No.	Elevation in feet above MHW
--	BOBROF (USN), 1943	14672	231
P-001	Bobrof Volcano, 1943	14673	2419
P-002	--	14673	2105
P-003	--	14670	1902
P-004	SPAR, 1953	14667, 34332	402

Vertical control points identified are indicated on manuscript CS-295.

(d) Vertical control established is considered adequate for stereoscopic mapping.

5. Contours and Drainage

Contouring is inapplicable. Drainage is obvious and well defined on the photographs.

6. Woodland Cover

None exists. Vegetation is grass and other low plants.

7. Shoreline and Alongshore Features

(a) All shoreline was field inspected from a launch running as close inshore as was safe. The mean high-water line was indicated at random intervals and most of it is obvious on the photographs. Shoreline inspection was done partly in 1953 and partly in 1954.

(b) The low-water line was not defined. Most of the shoreline is very steep and the low-water line and high-water line are the same. In a few places on boulder beaches the low-water line is a very short distance outside the high-water line.

(c) The foreshore is mostly boulders with some steep rock cliffs rising vertically from the water. The different types of shoreline are indicated on the photographs.

(d) Bluffs and cliffs rise up steeply from the water along the entire shoreline except on either side of the low neck connecting the lava block at the north end to the main part of the island. Types of bluffs and cliffs are indicated on the photographs in various places.

(e) There are no shoreline structures on the island.

8. Offshore Features

Offshore features are very few and consist of several rocks all of which are very close to the shoreline. The approximate offshore limit

of kelp is indicated on the photographs. The inshore limit of hydrography is not shown on manuscript CS-295. Boat sheets will be forwarded to the Washington office at the close of the field season. The inshore limit of hydrography follows the general offshore limit of kelp and defines kelp areas better than that indicated on the photographs.

Heights of rocks were estimated either above mean high water or above the water surface at the time of field inspection. In the latter case the time and date are noted on the photographs.

9. Landmarks and Aids

There are no recommended landmarks and there are no aids to navigation within the area of this map.

10. Boundaries, Monuments and Lines

Inapplicable.

11. Other Control

Recoverable topographic stations established are SPAR and BOBO. Geographic positions of these two stations were computed from fourth-order theodolite observations.

Photo-hydro stations established are listed on extra pages at the end of this report.

The geographic position of photo-hydro station COP was computed from fourth-order theodolite observations.

The approximate locations of recoverable topographic stations and photo-hydro stations are indicated on manuscript CS-295.

12. Other Interior Features

Covered under Side Heading 2.

There are no known structures on the island. The ruins of a trappers cabin are visible on the photographs on the low neck near the north end of the island. Only the floor remains intact.

13. Geographic Names

To be reported in a separate report in connection with other phases of field work.

Charted names on this map are: BOBROF ISLAND, BOBROF VOLCANO and BERING SEA.

The name KANAGA SOUND applying to the water area south of Bobrof Island was recommended during the 1953 season. See "Special Report on Geographic Names - Tanaga and Kanaga Islands - USC&GSS EXPLORER - Season 1953."

14. Special Reports and Supplemental Data

Supplemental data include other phases of field work completed during the current season - hydrography, Coast Pilot Notes and geographic names - to be forwarded later.

Data forwarded with this report are:

Field and office photographs.
Manuscript CS-295.
Control station identification cards for horizontal and vertical control.
Descriptions of recoverable topographic stations.
Computations of triangles for fourth-order stations.
Computations of geographic positions for fourth-order stations.
Computations of elevations from zenith distance observations.

Other data to be forwarded at close of field seasons are:

Observations of horizontal directions, fourth-order.
Lists of horizontal directions, fourth-order.
Observations of zenith distances.
Abstracts of zenith distances.
Recovery notes, triangulation stations.
Boat sheet EX-2154.

15. Field Inspection Notes

Photographs on which horizontal control identification notes appear are listed under Side Heading 3, Horizontal Control.

Photographs on which vertical control identification notes appear are listed under Side Heading 4, Vertical Control.

Photographs on which photo-hydro stations are identified are listed on the list of photo-hydro stations at the end of this report.

Photographs on which other field inspection notes appear are:

14667 thru 14674.
9-20-48-D-200 thru 207.

16. Advance Manuscripts

Manuscripts CS-295, ^{*} scale 1:10,000, compiled in 1943 was used for shoreline, plotting photo-hydro control, etc. for boat sheets.

** See Chart Letter L 277 (1945) for report on CS-295. ENR*

The datum on manuscript CS-295 is not indicated but is apparently Unalaska Datum. The N. A. 1927 datum was plotted on the manuscript from control stations plotted thereon.

The scale of the boat sheet is 1:20,000 and a photographic reduction of the manuscript was made at the Navy Photo Lab., Adak, for transfer of shoreline to the boat sheet.

There appears to be slight discrepancies in scale and orientation of the manuscript but it was entirely satisfactory for the uses made of it.

See 564

Respectfully submitted

Charles W. Clark
Charles W. Clark
Commander, USC&GS

Approved and forwarded:

S. B. Grenell
S. B. Grenell
Comdr., USC&GS
Chief of Party

PHOTOGRAMMETRIC PLOT REPORT
T-9924 Ph-34 (48)

21. Area covered. - The manuscript covers Bobrof Island, Alaska, only.
222. Method. - The island is covered with 1:10,000 scale nine lens positype photographs taken in 1943 and with 1:20,000 scale nine lens metal mounted photographs taken in 1951. The 1:10,000 scale photography was used for field inspection. *Field inspection: also some single-lens photographs. See §2. 24K*

The decision was made to lay two radial plots covering the island using both sets of photography. The 1:10,000 scale plot was assembled first and was used for shoreline compilation, location of photo-hydro signals, and for providing supplemental control for the 1:20,000 scale plot. (Five pass points were pricked that were common to both sets of photography.)

This plot report covers the two plots.

Manuscripts were ruled at 1:10,000 and 1:20,000 scales with polyconic projections and UTM Grids.

No master templet exists for the 1:10,000 scale photography. The 1951 master templet was used in preparation of the templets from the 1951 photography.

The closure and adjustment to control was satisfactory on both plots.

Photographs used in the plots:

<u>1:10,000 scale</u>		<u>1:20,000 scale</u>	
14668	14672	34331	34335
14669	14673	34332	34336
14670	14674		
14671			

23. Adequacy of control. - Stations P-001 (Bobrof Volcano USN, 1943); P-002, 1954; and P-003, 1954, were not held in the 1:10,000 scale plot. Radial plot positions 0.8 mm and 0.5 mm. off their plotted positions have been drilled and circled on the manuscript. On page 8 of the field inspection report these stations are rated as "not considered suitable for horizontal control". The intersections of radials for these points were fairly good considering the elevations of the stations and definitely fell off the plotted positions seemingly indicating tilt in the photography was not the reason for failure to hold the stations. The error is apparently in the selection of the photograph positions or in the computation or

observation of the Geographic Positions.

These control points (P-001; P-002; P-003) were not transferred to the 1:20,000 scale photography.

Bobrof (USN), 1943- Sub. Sta. No. 2, is the only other station considered as control for the plot that was not held within 0.2 mm. Bobrof (USN) 1943 (home station) and Bobo, 1954 (topo station) in the immediate vicinity were held in the 1:10,000 scale plot. Bobo, 1954, was used to control the 1:20,000 scale plot in the area.

24. Supplemental Data.- inapplicable.
25. Photography.- The 1:10,000 scale photography is adequate for radial plotting. The 1:20,000 photography flight lines are not the best for radial plotting.

Submitted by:

S. G. Blankenbaker
S. G. Blankenbaker

November 4, 1954

Approved by:

Roscoe J. French
Roscoe J. French

COMPILATION REPORT

31. Delineation:

The shoreline was delineated by graphic methods from the 1:10,000 scale photographs by the Graphic Compilation Section. A photographic reduction was then made and transferred to the 1:20,000 scale manuscript by holding to the common pass points.

The contours and drainage were then compiled on the nine-lens plotter from the 1:20,000 scale photos and added to the manuscript. Although a single pair of photographs covered the entire island, it was necessary to use two models because of the cloud coverage on both models.

Except for some shadow areas on the steep bluffs, no unusual difficulty was encountered during instrument compilation.

32. Control:

Both models were set up using sea level, only, for vertical datum. The elevations of all vertical control points were read on the instrument, and these elevations checked very closely with those furnished by the field party.

The vertical control was more than adequate for 50' contours.

33. Supplemental Data:

There were none available.

34. Contours and Drainage:

See Item No. 31.

35. Shoreline and Alongshore Details:

The shoreline inspection was adequate and, except for a few small shadow areas, no unusual difficulty was encountered in delineating the H.W.L.,

alongshore details and 50' contours.

39. Junctions:

Junction was made with T-9925 to the East and T-9932 to the South. *
There are no Junctions at the North and West limits.

* water area enr

40. Horizontal and Vertical Accuracy:

There are no areas believed to be of subnormal horizontal or vertical accuracy.

See §66

46. Comparison with existing Maps:

Adak, Alaska (63) 1:250,000 1951 Edition, Reprinted 1953

See §63

47. Comparison with Nautical Charts:

Chart No. 8863 Scale 1:300,000 Date of publication - 1951
Last correction date - 1/14/52

See §65

48. Geographic Names List:

See list of geographic names on following page.

49. Notes to Hydrographer:

A list of the topographic and hydrographic stations is on a separate page entitled, "Notes to the Hydrographer".

50. Compilation Office Review:

See enclosed Form T-2.

Approved:

S. V Griffith
Chief, Cartographic Branch

Respectfully submitted:

Orvis N. Dalbey
Orvis N. Dalbey
Supervisory Cartographer

GEOGRAPHIC NAMES

Survey No. T-9424

GEOGRAPHIC NAMES										
Survey No. T-9424										
Name on Survey										
	A	B	C	D	E	F	G	H	K	
Alaska										1
Andreanof Islands										2
Bering Sea										3
Bobrof Island										4
Bobrof Volcano										5
Redan Point										6
Kanaga Sound										7
(to SE. of Bobrof I.)										
Names approved										8
12-2-54										
L. Hock										9
										10
										11
										12
										13
										14
										15
										16
										17
										18
										19
										20
										21
										22
										23
										24
										25
										26
										27

M 234

Names approved
12-2-54
L. Hock

Notes to the Hydrographer

The following hydrographic and topographic stations were established in the field:

Photo-Hydro Stations

<u>Name</u>	<u>Photograph</u>	<u>Description</u>
AFT.	14671	WW on point of cliff
AIR.	14669	WW
BEE.	14668	WW on face of cliff
CAL.	14669	WW on boulder
COP.	14673	WW on point of rock
DEB.	14668	WW on boulder
ELK.	14667	WW on face of cliff
EST.	14673	WW on large boulder
FAG.	14668	Highest point of round top rock (No ww)
GEM.	14668	WW on boulder
HUB.	14669	WW on boulder at base of slide
IDA.	14669	WW on point of bluff
JUG.	14670	WW on W'ly high point of 20' rock
KID.	14669	WW on face of cliff
LIE	14670	WW
MAN.	14670	WW
NAG.	14671	WW on highest point of N'ly rock
OPE.	14672	WW
PET.	14671	WW
ROK	14671	Light colored rock (not used)
SAX.	14674	WW - east end of top of rock
SOB.	14672	WW
SOT.	14670	WW on point of bluff, left edge of large slide
TEE.	14672	Highest point of rock (not used)
TOP.	14670	Highest point of large rock (no ww)
TUG.	14674	WW on point of bluff
UNA.	14674	WW on boulder
USE.	14669	Spot of grass on bare spot on face of low bluff
WAG.	14674	WW on boulder

Topographic Stations

<u>Name</u>	<u>Photograph</u>
BOBO, 1954	Not identified
SPAR, 1954	34332

Review Report
Topographic Map T-9924
11 April 1955

62. Comparison with Registered Topographic Surveys: None.
63. Comparison with Maps of Other Agencies: Adak, Alaska (USGS) 1:250,000
1951 Edition, reprinted 1953.

No discrepancies.

64. Comparison with Contemporary Hydrographic Surveys:

H-8057	1:60,000	1953
H-8141	1:20,000	1954 (Print of Boat Sheet)

No discrepancies indicated. New topographic positions result from T-9924 and will effect a revision of hydrography.

65. Comparison with Nautical Charts:

8863	1951, corrected to 52-1/14
9145, 1:40,000	1945, corrected to 51-8/13

Charts show the elevation of Bobrof Volcano as 2875. This elevation was determined during this survey as 2421 mean sea level. Chart 9145 shows a rock awash at latitude $51^{\circ} 53.3$ - longitude $177^{\circ} 27.3$ which was not inspected by the field party or could not be interpreted from the photographs. Map T-9924 was applied to Chart 9145 on 2 December 1954 but the new chart was not examined during this review. Changes made to T-9924 are shown in red on the map manuscript.

66. Adequacy of Results and Future Surveys:

This survey complies with project instructions and National Map Accuracy Standards.

Reviewed by:


Everett H. Ramey

APPROVED:



Chief, Review Section
Photogrammetry Division



Chief, Photogrammetry Division





Chief, Nautical Chart Branch
Charts Division



Chief, Coastal Surveys Division

[illegible]

Plotted by: C.H.B.
CHECKED BY: C.O.D.

DATE _____

M-2388-12

MAP T-9924

PROJECT NO. Ph-34

SCALE OF MAP.....1:20,000.

SCALE FACTOR 1.0

[illegible]

1 FT. = .3048006 METER

COMPUTED BY: T.C.L.

С. Н. В.

DATE _____

10-4-54

Plotted by: C.O.D.
CHECKED BY:

DATE _____

M-2388-12

PHOTOGRAMMETRIC OFFICE REVIEW

T. 9924

1. Projection and grids ☒ 2. Title ☒ 3. Manuscript numbers ☒ 4. Manuscript size ☒

CONTROL STATIONS

5. Horizontal control stations of third-order or higher accuracy ☒ 6. Recoverable horizontal stations of less than third-order accuracy (topographic stations) ☒ 7. Photo hydro stations ☒ 8. Bench marks ☒
9. Plotting of sextant fixes ☒ 10. Photogrammetric plot report ☒ 11. Detail points ☒

ALONGSHORE AREAS

(Nautical Chart Data)

12. Shoreline ☒ 13. Low-water line ☒ 14. Rocks, shoals, etc. ☒ 15. Bridges ☒ 16. Aids to navigation ☒ 17. Landmarks ☒ 18. Other alongshore physical features ☒ 19. Other along-shore cultural features ☒

PHYSICAL FEATURES

20. Water features ☒ 21. Natural ground cover ☒ 22. Planetable contours ☒ 23. Stereoscopic instrument contours ☒ 24. Contours in general ☒ 25. Spot elevations ☒ 26. Other physical features ☒

CULTURAL FEATURES

27. Roads ☒ 28. Buildings ☒ 29. Railroads ☒ 30. Other cultural features ☒

BOUNDARIES

31. Boundary lines ☒ 32. Public land lines ☒

MISCELLANEOUS

33. Geographic names ☒ 34. Junctions ☒ 35. Legibility of the manuscript ☒ 36. Discrepancy overlay ☒ 37. Descriptive Report ☒ 38. Field inspection photographs ☒ 39. Forms ☒
40. Orville N. Dalbey ☒

Reviewer

Supervisor, Review Section or Unit

41. Remarks (see attached sheet)

FIELD COMPLETION ADDITIONS AND CORRECTIONS TO THE MANUSCRIPT

42. Additions and corrections furnished by the field completion survey have been applied to the manuscript. The manuscript is now complete except as noted under item 43.

Compiler

Supervisor

43. Remarks:

Div. of Photo

COMPUTATION OF TRIANGLES
COMPUTATION OF ELEVATIONS
COMPUTATION OF GEOGRAPHIC POSITIONS

Project GS-218 Ph-34

Map T-9924
Bobrof Island, Alaska

1954 Season

SHIP EXPLORER
S. B. Grenell, Comdg.

P-001

COMPUTATION OF TRIANGLES

State: Alaska - Bobrof I.

11-9121

U. S. COAST AND GEODETIC SURVEY OFFICE

NO.

STATION

OBSERVED ANGLE

CORR'N

SPHER'L
ANGLE

SPHER'L
EXCESS

PLANE ANGLE
AND DISTANCE

LOGARITHM

Peak S. of Bobrof Volcano. P-002

DEPARTMENT OF COMMERCE
U. S. COAST AND GEODETIC SURVEY
Form 25
Ed. Jan., 1929

COMPUTATION OF TRIANGLES

State: Alaska - Bobrof I.

11-9121

NO.	STATION	OBSERVED ANGLE	CORR'N	SPHER'L ANGLE	SPHER'L EXCESS	PLANE ANGLE AND DISTANCE	LOGARITHM
	2-3						4.264 720
	1 Peak P-002	(84 14 04)					0.002 202
F	2 SHIP, 1943	46 50 26					9.862 997
L	3 SUDAK, 1953	48 55 30					9.877 285
	1-3					13457	4.129 919
	1-2					13938.2	4.144 207
	2-3						4.469 889
	1 Peak P-002	(93 33 49)					0.000 841
F	2 SHIP, 1943	58 18 38					9.929 883
A	3 ARIES, 1953	28 07 33					9.673 398
	1-3					25154	4.400 613
	1-2					13935.7	4.144 128
	2-3						4.029 144
	1 Peak P-002	(39 21 49)					0.197 747
J	2 OKING	55 45 29					9.917 332
F	3 SHIP, 1943	84 52 42					9.998 263
	1-3					13938.7	4.144 223
	1-2						4.225 154
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						

Do not write in this margin

Peak w. of Bobrof Volcano.

P-003

COMPUTATION OF TRIANGLES

State: Alaska - Bobrof I.

U. S. GOVERNMENT PRINTING OFFICE: 16-60265-1							
	STATION	OBSERVED ANGLE	CORR'N	SPHER'L ANGLE	SPHER'L EXCESS	PLANE ANGLE AND DISTANCE	LOGARITHM
	2-3 P-003						4.264720
	1 Peak	(85 03 47)					0.001614
G	2 SHIP, 1943	44 12 46					9.843435
R	3 SUDAK, 1953	50 43 27					9.888801
	1-3					12876	4.109769
	1-2					14293.4	4.155135
	2-3 P-003						4.029144
	1 Peak	(37 44 30)					0.213176
K	2 OKING	54 44 48					9.912014
G	3 SHIP, 1943	87 30 42					9.999590
	1-3					14300.3	4.155344
	1-2						4.241910
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						

Project Ph-34

FOURTH-ORDER

DEPARTMENT OF COMMERCE
U. S. COAST AND GEODETIC SURVEY
Form 25
Ed. Jan., 1929

COMPUTATION OF TRIANGLES

State: Alaska - Bobroff I.

11-0121

NO.	STATION	OBSERVED ANGLE	CORR'N	SPHER'L ANGLE	SPHER'L EXCESS	PLANE ANGLE AND DISTANCE	LOGARITHM
	2-3					12862.0	4.109308
	1 O COP	(90 24 40)					0.99997426
G.P.	2 SHIP, 1943	4 42 17 ✓					0.08202065
	3 BOBROFF (USN), 1943	84 53 03 ✓					0.99601646
	1-3					1055.0	(3.023 252)
	1-2					12811.1	(4.107 586)
	2-3					13692.8	4.136493
	1 O COP	(83 41 02)					0.99393006
	2 FOX	4 23 34 ✓					0.07659335
	3 BOBROFF (USN), 1943	91 55 24 ✓					0.99943663
	1-3					1055.2	
	1-2						
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						

Do not write in this margin

Project Ph-34

DEPARTMENT OF COMMERCE
U. S. COAST AND GEODETIC SURVEY
Form 25
Ed. Nov. 1946

FOURTH-ORDER
COMPUTATION OF TRIANGLES

State: Alaska - Bobrof I.

U. S. GOVERNMENT PRINTING OFFICE 16-50265-1							
	STATION	OBSERVED ANGLE	CORR'N	SPHER'L ANGLE	SPHER'L EXCESS	PLANE ANGLE AND DISTANCE	LOGARITHM
	2-3						4.108774
	1 O SPAR	(23 45 16)	-			-	0.394892
	2 NUB, 1943	25 47 21	-				9.638550
	3 SUDAK, 1953	130 27 23	-				9.881328
	1-3					13874.4	4.142216
	1-2						4.384994
	2-3						4.080805
	1 O SPAR	(13 33 53)					0.629776
	2 SUDAK, 1953	150 45 32					
	3 ARIES, 1953	15 40 35					9.431691
	1-3					-	
	1-2					13876.3	4.142272
	2-3						
	1 O SPAR	()					
	2 SUDAK, 1953						
	3 OMARS, 1953	15 00 51					
	1-3						
	1-2						
	2-3						
	1						
	2						
	3						
	1-3						
	1-2						

FOURTH-ORDER

Project Ph-34
~~Form~~
COMPUTATION OF TRIANGLES

State: Alaska - Bobrof I.

11-0121

U. S. GOVERNMENT PRINTING OFFICE: 1929

NO.	STATION	OBSERVED ANGLE	CORR'N	SPHER'L ANGLE	SPHER'L EXCESS	PLANE ANGLE AND DISTANCE	LOGARITHM
2-3						57.53 m.	1.789 894 ⁵ ✓
1	BOBO	(17 20 19) ✓					0.525 757 ✓
2	BOBROF A STATION	94 13 57 ✓					9.998 814 ✓
3	BOBROF (USN), 1943	68 25 44 ✓					9.968 465 ✓
1-3						192.52 m.	2.284 465 ✓
1-2						179.52 m.	2.254 116 ✓
2-3							
1							
2							
3							
1-3							
1-2							
2-3						57.53 m.	1.759 894 ✓
1	Sub. Sta. No. 1	(83 - 40 -) ✓					0.002 659 ✓
2	BOBROF A STATION	38 - 11 - ✓					9.791 115 ✓
3	BOBROF (USN), 1943	58 - 08 - ✓					9.929 050 ✓
1-3						35.78 m.	1.553 668 ✓

Do not write in this margin

Sub


Sub. Sta
No. 2

Ridge

R.M. No. 1


R.M. No. 2

A station



COMPUTATION OF
HORIZONTAL DISTANCE AND DIFFERENCE IN ELEVATION
BOBROF (USN), 1943 TO A STATION

Zenith Distance = $106^{\circ} 15' 40''$



$$\text{Log cos } (Z.D. - 90^{\circ}) = 9.982269$$

$$\text{Log } 59.95 \text{ meters} = 1.777789$$

$$\text{Log Hor. Dist.} = 1.760058$$

$$\text{Hor. Dist.} = 57.55 \text{ meters}$$

$$\text{Log sin } (Z.D. - 90^{\circ}) = 9.44718$$

$$\text{Log } 196.7 \text{ Feet} = 2.29380$$

$$\text{Log Vert. Dist.} = 1.74098$$


$$\text{Vert. Dist.} = -55.08 \text{ Feet}$$

$$t = +4.15 \text{ Feet}$$

$$0 = 0.00 \text{ Feet}$$

$$\text{Diff. in Elev. BOBROF to A station} = -50.93 \text{ Feet}$$

Zenith Distance = $74^{\circ} 29' 25''$



$$\text{Log cos } (90^{\circ} - Z.D.) = 9.983890$$

$$\text{Log } 59.68 \text{ meters} = 1.775829$$

$$\text{Log Hor. Dist.} = 1.759719$$

$$\text{Hor. Dist.} = 57.51 \text{ meters}$$

$$\text{Log sin } (90^{\circ} - Z.D.) = 9.42716$$

$$\text{Log } 195.8 \text{ Feet} = 2.29181$$

$$\text{Log Vert. Dist.} = 1.71897$$

$$\text{Vert. Dist.} = -52.36 \text{ Feet}$$

$$t = -2.60 \text{ Feet}$$

$$0 = +4.05 \text{ Feet}$$

$$\text{Diff. in Elev. BOBROF to A station} = -50.91 \text{ Feet}$$

$$\text{Mean Hor. Dist.} = 57.53 \text{ meters}$$

$$\text{Mean Diff. in Elev.} = -50.92 \text{ Feet.}$$

✓ CDL

COMPUTATION OF ELEVATIONS AND REFRACTIONS FROM RECIPROCAL OBSERVATIONS

Station 1, occ.	SUDAK, 1953					
Station 2, obs.	BOOROF (USN), 1943					
Mean of s_1 1953 + 1954 obs.	89 48 39					
s_2 1954 obs.	90 16 51					
$s_2 - s_1$	0 28 12					
$\frac{1}{2} (s_2 - s_1)$	0 14 06					
$\frac{1}{2} (s_2 - s_1)$ in secs.						
log ditto						
T	log tan 7.61295					
log s						
log [s tan $\frac{1}{2} (s_2 - s_1)$]	4.07886					
log A						
log B						
log C						
log $(h_2 - h_1)$	1.69181					
$h_2 - h_1$	49.18					
h_1	21.17					
h_2	70.35					
2 log s						
log p = 9 - 2 log s						
p of $(h_2 - h_1)$						

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	SHIP, 1943	NUG, 1943	BOBR OF (USN), 1943	BOBR OF (USN), 1943	BOBR OF (USN), 1943	BOBR OF (USN), 1943
Station 2, obs.	BOBR OF (USN), 1943	BOBR OF (USN), 1943	PLUTO, 1953	PLUTO, 1953	SHIP, 1943	BARNES (USN), 1943
Object sighted	Top of white signal cloth	Top of tripod	Top of Banner	Ground.	Water surface tangent of rock	Top of tripod.

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	ARIES, 1953	SHIP, 1943	OKING			
Station 2, obs.	Bobrof Volcano P-001	Bobrof Volcano P-001	Bobrof Volcano P-001			
Object sighted	Highest Point	Same	Same			
ζ_1	88 24 15	87 09 18	87 36 44			
α and mean ϕ	254 52	161 52	122 52			
$\log (0.5-m)$	9.63246	9.63246	9.63246			
$\log s$	4.39846	4.15493	4.23370			
$\csc \rho$	3.19530	3.19539	3.19471			
$\csc \sin 1''$	5.81443	5.81443	5.81443	5.81443	5.81443	5.81443
$\log (k \text{ in secs.})$	2.54065	2.29721	2.37530			
$k \text{ in secs.}$	347	198	237			
$(90^\circ - \zeta_1 + k) \text{ in secs.}$	1 41 32 1 40 09	2 54 00	2 27 13			
$\log \text{ ditto}$	46 446					
T	$\log \tan$ 8.47046	8.70465	8.63195			
$\log s$	4.39846	4.15493	4.23370			
$\log [s \tan (90^\circ - \zeta_1 + k)]$						
$\log A$						
$\log B$						
$\log C$	2.86302					
$\log (h_2 - h_1)$	2.86892	2.85958	2.86565			
$h_2 - h_1$	739.5	723.7	733.9			
h_1	4.2	10.6	3.4			
$z - o$	1.6	1.7	1.6			

P-002

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	ARIES, 1953	SUDAK, 1953	SHIP, 1953	OKING		
Station 2, obs.	P-002 Peak A	P-002 Peak L	P-002 Peak A	P-002 Peak J		
Object sighted	Highest Point	Same	Same	Same		
δ_1	88 37 49	87 25 22	87 28 18	87 53 30		
α and mean ϕ	255 52	245 52	161 52	122 52		
$\log(0.5-m)$	9.63246	9.63246	9.63246	9.63246		
$\log s$	4.40061	4.12992	4.14421	4.22515		
$\text{colog } \rho$	3.19446	3.19459	3.19539	3.19471		
$\text{colog sin } 1''$	5.31443	5.31443	5.31443	5.31443	5.31443	5.31443
$\log(k \text{ in secs.})$	2.54196	2.27140	2.28649	2.36775		
$k \text{ in secs.}$	348	187	193	233		
$(90^\circ - \delta_1 + k) \text{ in secs.}$	1 28 01	2 37 45	2 34 55	2 10 23		
	1 26 37					
$\log \text{ ditto}$						
T	$\log \tan$ 8.40839	8.66200	8.65412	8.57916		
$\log s$	4.40061	4.12992	4.14421	4.22515		
$\log[s \tan(90^\circ - \delta_1 + k)]$						
$\log A$						
$\log B$						
$\log C$	2.80223					
$\log(h_2 - h_1)$	2.80900	2.79192	2.79833	2.80431		
$h_2 - h_1$	644.2	619.3	628.5	637.3		
h_1	4.2	21.2	10.6	3.4		
$t-o$	1.6	1.6	1.7	1.6		
Corrected elevation	650.0	642.1	640.8	642.3		
	Reject					
$\log p = 9 - 2 \log s$		Mean	Elev.	P-002		
p			6.41.7	meters		
Weighted mean elevation of sta. obs.			210.5	feet		

P-003

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	SUDAK 1953	SHIP 1943	OKING			
Station 2, obs.	P-003 Peak K	P-003 Peak B	P-003 Peak K			
Object sighted	Highest Point	Same	Same			
ζ_1	87 34 28	87 46 55	88 10 48			
α and mean ϕ	243 52	159 52	121 52			
$\log (0.5-m)$	9.63246	9.63246	9.63246			
$\log s$	4.10977	4.15514	4.24191			
$\text{colog } p$	3.19472	3.19537	3.19469			
$\text{colog sin } 1''$	5.81443	5.81443	5.81443	5.81443	5.81443	5.81443
$\log (k \text{ in secs.})$	2.25138	2.29740	2.38349			
$k \text{ in secs.}$	178	198	242			
$(90^\circ - \zeta_1 + k) \text{ in secs.}$	2 28 30	2 16 23	1 53 14			
$\log \text{ ditto}$						
T	8.63572	8.59872	8.51786			
$\log s$	4.10977	4.15514	4.24191			
$\log [s \tan (90^\circ - \zeta_1 + k)]$						
$\log A$						
$\log B$						
$\log C$						
$\log (h_2 - h_1)$	2.74549	2.75386	2.75977			
$h_2 - h_1$	556.5	567.4	575.1			
h_1	21.2	10.6	3.4			
$t - 0$	1.6	1.7	1.6			
Corrected elevation	579.3	579.7	580.1			
$\log p = 9 - 2 \log s$	Mean Elevation	P-003				
p	579.7	meters				
Weighted mean elevation of sta. obs.	1902	feet				

P-004

Project PH-34

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	SUDAK 1953					
Station 2, obs.	SPAR P-004					
Object sighted	Top					
δ_1	89 38 32 ✓					
α and mean ϕ	236 ✓ 52					
$\log(0.5-m)$	9.63246 ✓					
$\log s$	4.14227 ✓					
$\text{colog } \rho$	3.19474 ✓					
$\text{colog sin } 1''$	5.81443	5.81443	5.81443	5.81443	5.81443	5.81443
$\log (k \text{ in sec})$	2.78390					

COMPUTATION OF ELEVATIONS FROM NONRECIPROCAL OBSERVATIONS.

Station 1, occ.	BOROF (USN) 1943	BOROF "A"				
Station 2, obs.	B080	B080				
Object sighted	Top of rock	Top of rock				
ζ_1	106 06 20	102 26 33				
α and mean ϕ						
$\log (0.5-m)$						
$\log s$						
$\text{colog } \rho$						
$\text{colog sin } 1''$	5.31443	5.31443	5.31443	5.31443	5.31443	5.31443
$\log (k \text{ in secs.})$						
$k \text{ in secs.}$						
$(90^\circ - \zeta_1 + k) \text{ in secs.}$	16 06 20	12 26 33				
$\log \text{ ditto}$						
T	9.46051	9.34369				
$\log s$	2.28446	2.25412				
$\log [s \tan (90^\circ - \zeta_1 + k)]$	1.74497	1.59781				
$\log A$						
$\log B$						
$\log C$						
$\log (h_2 - h_1)$	1.74497	1.59781				
$h_2 - h_1$	-55.59	-39.61				
h_1	70.36	54.84				
$t-o$	+ 1.26	+ 0.79				
Corrected elevation	16.03	16.02				
$\log p = 9 - 2 \log s$						
p						
Weighted mean elevation of sta. obs.						

✓ CD4.

POSITION COMPUTATION, THIRD-ORDER TRIANGULATION

11-9362 U. S. GOVERNMENT PRINTING OFFICE 1970

FOURTH-ORDER

Project Ph-34
T-9924

POSITION COMPUTATION, THIRD-ORDER TRIANGULATION

		°	'	"	°	'	"	°	'	"
α	2	186	28	24						
$\Delta\alpha$		+ 25	47	21						
α	2	212	15	45						
$\Delta\alpha$		+	8	53						
α'	1	180	00	00.0						
α'	1	32	24	38						
FIRST ANGLE OF TRIANGLE										
ϕ	51	44	26.874	2 NUB. 1943	λ	177	38	06.774		
$\Delta\phi$	+	11	03.371		$\Delta\lambda$	-	11	17.826		
ϕ'	51	55	30.245	1 O SPAR	λ'	177	26	48.948		
VALUES IN SECONDS										
s	4.384994	934.7 (919.7)		51-49-58		4.142216		51-53-25		Values in seconds
$\cos\alpha$	9.927171									
B	8.509951	4.384994		9.727378		8.508814		9.918746		Logarithms
h	2.822116									
s^2	8.76999	8.508814		0.209932		0.209932		0.209932		Values in seconds
$\sin^2\alpha$	9.454776									
C	1.50645	2.838118		-677.8262		1.50823		2.779708		Values in seconds
	9.73120									
h^2	5.6441	2.726657		-532.9		9.63015		9.895881		Values in seconds
D	2.3908									
	8.0250	+0.0106		-663.3709		7.1790		+0.0015		Values in seconds
		-663.3709		-250.3806		-250.3806		-250.3806		Values in seconds

FOURTH-ORDER

Project Ph-34

T-992X

POSITION COMPUTATION, THIRD-ORDER TRIANGULATION

FIRST ANGLE OF TRIANGLE											
90° 24' 40"											
to 2											
to 1											
to 3											
to 4											
to 5											
to 6											
to 7											
to 8											
to 9											
to 10											
to 11											
to 12											
to 13											
to 14											
to 15											
to 16											
to 17											
to 18											
to 19											
to 20											
to 21											
to 22											
to 23											
to 24											
to 25											
to 26											
to 27											
to 28											
to 29											
to 30											
to 31											
to 32											
to 33											
to 34											
to 35											
to 36											
to 37											
to 38											
to 39											
to 40											
to 41											
to 42											
to 43											
to 44											
to 45											
to 46											
to 47											
to 48											
to 49											
to 50											
to 51											
to 52											
to 53											
to 54											
to 55											
to 56											
to 57											
to 58											
to 59											
to 60											
to 61											
to 62											
to 63											
to 64											
to 65											
to 66											
to 67											
to 68											
to 69											
to 70											
to 71											
to 72											
to 73											
to 74											
to 75											
to 76											
to 77											
to 78											
to 79											
to 80											
to 81											
to 82											
to 83											
to 84											
to 85											
to 86											
to 87											
to 88											
to 89											
to 90											
to 91											
to 92											
to 93											
to 94											
to 95											
to 96											
to 97											
to 98											
to 99											
to 100											
to 101											
to 102											
to 103											
to 104											
to 105											
to 106											
to 107											
to 108											
to 109											
to 110											
to 111											
to 112											
to 113											
to 114											
to 115											
to 116											
to 117											
to 118											
to 119											
to 120											
to 121											
to 122											
to 123											
to 124											
to 125											
to 126											
to 127											
to 128											
to 129											
to 130											
to 131											
to 132											
to 133											
to 134											
to 135											
to 136											
to 137											
to 138											
to 139											
to 140											
to 141											
to 142											
to 143											
to 144											
to 145											
to 146											
to 147											
to 148											
to 149											
to 150											
to 151											
to 152											
to 153											
to 154											
to 155											
to 156											
to 157											
to 158											
to 159											
to 160											
to 161											
to 162											
to 163											
to 164											
to 165											
to 166											
to 167											
to 168											
to 169											
to 170											
to 171											
to 172											
to 173											
to 174											
to 175											
to 176											
to 177											
to 178											
to 179											
to 180											
to 181											
to 182											
to 183											
to 184											
to 185											
to 186											
to 187											
to 188											
to 189											
to 190											
to 191											
to 192											
to 193											
to 194											
to 195											
to 196											
to 197											
to 198											
to 199											
to 200											
to 201											
to 202											
to 203											
to 204											
to 205											
to 206											
to 207											
to 208											
to 209											
to 210											
to 211											
to 212											
to 213											
to 214											
to 215											
to 216											
to 217											
to 218											
to 219											
to 220											
to 221											
to 222											
to 223											
to 224											
to 225											
to 226											
to 227											
to 228											
to 229											
to 230											
to 231											
to 232											
to 233											
to 234											
to 235											
to 236											
to 237											
to 238											
to 239											
to 240											
to 241											
to 242											
to 243											
to 244											
to 245											
to 246											
to 247											
to 248											
to 249											
to 250											
to 251											
to 252											
to 253											
to 254											
to 255											
to 256											
to 257											
to 258											
to 259											
to 260											
to 261											
to 262											
to 263											
to 264											
to 265											
to 266											
to 267											
to 268											
to 269											
to 270											
to 271											
to 272											
to 273											
to 274											
to 275											
to 276											
to 277											
to 278											
to 279											
to 280											
to 281											
to 282											
to 283											
to 284											
to 285											
to 286											
to 287											
to 288											
to 289											
to 290											
to 291											
to 292											
to 293											
to 294											
to 295											
to 296											
to 297											
to 298											
to 299											
to 300											
to 301											
to 302											
to 303											
to 304											
to 305											
to 306											
to 307											
to 308											
to 309											
to 310											
to 311											
to 312											
to 313											
to 314											
to 315											
to 316											
to 317											
to 318											
to 319											
to 320											
to 321											
to 322											
to 323											
to 324											
to 325											
to 326											
to 327											
to 328											
to 329											
to 330											
to 331											
to 332											
to 333											
to 334											
to 335											
to 336											
to 337											
to 338											
to 339											
to 340											
to 341											
to 342											
to 343											
to 344											
to 345											
to 346											
to 347											
to 348											
to 349											
to 350											
to 351											
to 352											
to 353											
to 354											
to 355											
to 356											
to 357											
to 358											
to 359											
to 360											
to 361											
to 362											
to 363											
to 364											
to 365											
to 366											
to 367											
to 368											
to 369											
to 370											
to 371											
to 372											
to 373											
to 374											
to 375											
to 376											
to 377											
to 378											
to 379											
to 380											
to 381											
to 382											
to 383											
to 384											
to 385											
to 386											
to 387											
to 388											
to 389											
to 390											
to 391											
to 392											
to 393											
to 394											
to 395											
to 396											
to 397											
to 398											
to 399											
to 400											
to 401											
to 402											
to 403											
to 404											
to 405											
to 406											
to 407											
to 408											
to 409											
to 410											
to 411											
to 412											
to 413											
to 414											
to 415											
to 416											
to 417											
to 418											
to 419											
to 420											
to 421											
to 422											
to 423											
to 424											
to 425											
to 426											
to 427											
to 428											
to 429											
to 430											
to 431											
to 432											
to 433											
to 434											
to 435											
to 436											
to 437											
to 438											
to 439											
to 440											
to 441											
to 442											
to 443											
to 444											
to 445											
to 446											
to 447											
to 448											
to 449											
to 450											
to 451											
to 452											
to 453											
to 454											
to 455											
to 456											
to 457											
to 458											
to 459											
to 460											
to 461											
to 462											
to 463											
to 464											
to 465											
to 466											
to 467											
to 468											
to 469											
to 470											
to 471											
to 472											
to 473											
to 474											
to 475											
to 476											
to 477											
to 478											
to 479											
to 480											
to 481											
to 482											
to 483											
to 484											
to 485											
to 486											
to 487											
to 488											
to 489											
to 490											
to 491											
to 492											
to 493											
to 494											
to 495											
to 496											
to 497											
to 498											
to 499											
to 500											
to 501											
to 502											
to 503											
to 504											
to 505											
to 506											
to 507											
to 508											
to 509											
to 510											
to 511											
to 512											
to 513											
to 514											
to 515											
to 516											
to 517											
to 518											
to 519											
to 520											
to 521											
to 522											
to 523											
to 524											
to 525											
to 526											
to 527											
to 528											
to 529											
to 530											
to 531											
to 532											
to 533											
to 534											
to 535											
to 536											
to 537											
to 538											
to 539											
to 540											
to 541											
to 542											
to 543											
to 544											
to 545											
to 546											
to 547											
to 548											
to 549											
to 550											
to 551											
to 552											
to 553											
to 554											
to 555											
to 556											
to 557											
to 558											
to 559											
to 560											
to 561											
to 562											
to 563											
to 564											
to 565											
to 566											
to 567											
to 568											
to 569											
to 570											
to 571											
to 572											
to 573											
to 574											
to 575											
to 576											
to 577											
to 578											
to 579											
to 580											
to 581											
to 582											
to 583											
to 584											
to 585											
to 586											
to 587											
to 588											
to 589											
to 590											
to 591											
to 592											
to 593											
to 594											
to 595											
to 596											
to 597											
to 598											
to 599											
to 600											
to 601											
to 602											
to 603											
to 604											
to 605											
to 606											
to 607											
to 608											
to 609											
to 610											
to 611											
to 612											
to 613											
to 614											
to 615											
to 616											
to 617											
to 618											
to 619											
to 620											
to 621											
to 622											
to 623											
to 624											
to 625											
to 626											
to 627											
to 628											
to 629											
to 630											
to 631											
to 632											
to 633											
to 634											
to 635											
to 636											
to 637											
to 638											
to 639											
to 640											
to 641											
to 642											
to 643											
to 644											
to 645											
to 646											
to 647											
to 648											
to 649											
to 650											
to 651											
to 652											
to 653											
to 654											
to 655											
to 656											
to 657											
to 658											
to 659											
to 660											
to 661											
to 662											
to 663											
to 664											
to 665											
to 666											
to 667											
to 668											
to 669											
to 670											
to 671											
to 672											
to 673											
to 674											
to 675											
to 676											
to 677											
to 678											
to 679											
to 680											
to 681											
to 682											
to 683											
to 684											
to 685											
to 686											
to 687											
to 688											
to 689											
to 690											
to 691											
to											

POSITION COMPUTATION, THIRD-ORDER TRIANGULATION

α	2	to 3	114	36	54	α	3	to 2	294	25	"	27
$2d \angle$		&	+ 46	50	26	$3d \angle$		&	- 48	55	"	30
α	2	to 1	161	27	20	α	3	to 1	245	29	"	57
$\Delta \alpha$						$\Delta \alpha$						
α'	1	to 2	180	00	00.0	α'	1	to 3	180	00	"	00.0

FIRST ANGLE OF TRIANGLE

FIRST ANGLE OF TRIANGLE																	
84 ° 14 ' 04 "																	
°	'	"	° ' "														
ϕ	51	47	12.852	25418.1943	λ	177	22	17.285	ϕ	51	51	19.861	850DAK, 1953	λ	177	36	51.103
$\Delta\phi$	+	7	07.495		$\Delta\lambda$	+	3	51.871	$\Delta\phi$	+	3	00.482		$\Delta\lambda$	-	10	41.94
ϕ'	51	54	20.347	1 P-002	λ'	177	26	09.156	ϕ'	51	54	20.343	1 P-002	λ'	177	26	09.15

Values in seconds				Logarithms				Values in seconds				Logarithms				Values in seconds			
s	4.144207	$\frac{1}{2}(\phi+\phi')$		s	4.129919	$\frac{1}{2}(\phi+\phi')$		s	4.129919	$\frac{1}{2}(\phi+\phi')$		s	4.129919	$\frac{1}{2}(\phi+\phi')$		s	4.129919	$\frac{1}{2}(\phi+\phi')$	
$\cos \alpha$	9.976844	$\cos \alpha$		$\cos \alpha$	9.617741	$\cos \alpha$		$\cos \alpha$	9.617741	$\cos \alpha$		$\cos \alpha$	9.617741	$\cos \alpha$		$\cos \alpha$	9.617741	$\cos \alpha$	
B	8.509948	B		B	8.509943	B		B	8.509943	B		B	8.509943	B		B	8.509943	B	
h	7.630999	h		h	2.257603	h		h	2.257603	h		h	2.257603	h		h	2.257603	h	
s^2	8.28841	s^2		s^2	8.25984	s^2		s^2	8.25984	s^2		s^2	8.25984	s^2		s^2	8.25984	s^2	
$\sin^2 \alpha$	9.00496	$\sin^2 \alpha$		$\sin^2 \alpha$	9.91804	$\sin^2 \alpha$		$\sin^2 \alpha$	9.91804	$\sin^2 \alpha$		$\sin^2 \alpha$	9.91804	$\sin^2 \alpha$		$\sin^2 \alpha$	9.91804	$\sin^2 \alpha$	
C	1.50717	C		C	1.50823	C		C	1.50823	C		C	1.50823	C		C	1.50823	C	
	8.80054	$\sin \frac{1}{2}(\phi+\phi')$			9.68611	$\sin \frac{1}{2}(\phi+\phi')$			9.68611	$\sin \frac{1}{2}(\phi+\phi')$			9.68611	$\sin \frac{1}{2}(\phi+\phi')$			9.68611	$\sin \frac{1}{2}(\phi+\phi')$	
	5.2624	$-\Delta \alpha$			4.5152	$-\Delta \alpha$			4.5152	$-\Delta \alpha$			4.5152	$-\Delta \alpha$			4.5152	$-\Delta \alpha$	
D	2.3807	D		D	2.3804	D		D	2.3804	D		D	2.3804	D		D	2.3804	D	
	7.6427	$3d \text{ term}$			6.8956	$3d \text{ term}$			6.8956	$3d \text{ term}$			6.8956	$3d \text{ term}$			6.8956	$3d \text{ term}$	
		$-\Delta \phi$				$-\Delta \phi$				$-\Delta \phi$				$-\Delta \phi$				$-\Delta \phi$	

175.1
(972.0)

FOURTH-ORDER

Project Ph-34

T-9924

POSITION COMPUTATION, THIRD-ORDER TRIANGULATION

α	2	to 3	114	36	54	α	3	to 2	294	25	27
$2d \angle$		&	+ 44	12	46	$3d \angle$		&	- 50	43	27
α	2	to 1	158	49	40	α	3	to 1	243	42	00
$\Delta \alpha$						$\Delta \alpha$					
α'	1	to 2	180	00	00.0	α'	1	to 3	180	00	00.0

FIRST ANGLE OF TRIANGLE																			
85° 03' 47"																			
° ' " ° ' " ° ' "																			
ϕ	51	47	12.852	2	541P, 1943	λ	177	22	17.285	ϕ	51	51	19.861	8	SUDAK, 1953	λ	177	36	51.103
$\Delta\phi$	+	7	11.162			$\Delta\lambda$	+	4	30.034	$\Delta\phi$	+	3	04.15°			$\Delta\lambda$	-	10	03.783
ϕ'	51	54	24.014	1	P-003	λ'	177	26	47.319	ϕ'	51	54	24.011	1	P-003	λ'	177	26	47.320

VALUES IN SECONDS											
s	4.155135	$\frac{1}{2}(\phi+\phi')$		s	4.109769	s	4.109769	$\frac{1}{2}(\phi+\phi')$		s	4.109769
$\cos \alpha$	9.969648	$\cos \alpha$	9.646474	$\cos \alpha$	9.646474	$\cos \alpha$	9.646474	$\cos \alpha$	9.646474	$\cos \alpha$	9.646474
B	8.509948	B	8.509943	B	8.509943	B	8.509943	B	8.509943	B	8.509943
h	2.634731	h	2.266186	h	2.266186	h	2.266186	h	2.266186	h	2.266186
s^2	8.31027	s^2	8.21954	s^2	8.21954	s^2	8.21954	s^2	8.21954	s^2	8.21954
$\sin^2 \alpha$	9.11543	$\sin^2 \alpha$	9.90508	$\sin^2 \alpha$	9.90508	$\sin^2 \alpha$	9.90508	$\sin^2 \alpha$	9.90508	$\sin^2 \alpha$	9.90508
C	1.50743	C	1.50823	C	1.50823	C	1.50823	C	1.50823	C	1.50823
	8.93313	$\Delta \lambda$	2.431418	$\Delta \lambda$	2.431418	$\Delta \lambda$	2.431418	$\Delta \lambda$	2.431418	$\Delta \lambda$	2.431418
h^2	5.2694	$\sin \frac{1}{2}(\phi+\phi')$		$\sin \frac{1}{2}(\phi+\phi')$		$\sin \frac{1}{2}(\phi+\phi')$		$\sin \frac{1}{2}(\phi+\phi')$		$\sin \frac{1}{2}(\phi+\phi')$	
D	2.3807	$-\Delta \alpha$		$-\Delta \alpha$		$-\Delta \alpha$		$-\Delta \alpha$		$-\Delta \alpha$	
	7.6491	1st term	-431.252	1st term	-184.580	1st term	-184.580	1st term	-184.580	1st term	-184.580
		2d term	+0.086	2d term	+0.429	2d term	+0.429	2d term	+0.429	2d term	+0.429
		3d term	+0.004	3d term	+0.001	3d term	+0.001	3d term	+0.001	3d term	+0.001
		$-\Delta \phi$	-431.162	$-\Delta \phi$	-184.150	$-\Delta \phi$	-184.150	$-\Delta \phi$	-184.150	$-\Delta \phi$	-184.150

904.6
(242.4)

FOURTH-ORDER

Project PH-34

T-9924

SURVEY NO. T9924

Record of Application to Charts

[illegible]