NUAA FORM /8-35 (3-76)
U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY
DECODIDATIVE DEDODA
DESCRIPTIVE REPORT
THIS MAP EDITION WILL NOT BE FIELD EDITED
Map No. Edition No.
TP-00124 1
Job No. PH-7002
Map Classification
CLASS III FINAL
Type of Survey
SHORELINE
LOCALITY
State
NEW JERSEY General Locality
·
DELAWARE BAY Locality
FALSE EGG ISLAND POINT
THE PART OF THE PARTY OF THE PA
1970 TO 19
17.0 10 17
REGISTRY IN ARCHIVES
REGISTRE IN ARCHIVES
DATE

*U. S. GOVERNMENT PRINTING OFFICE:1976-669-248

MAP NOT INSPECTED BY QUALITY CONTROL OF PHOTOGRAMMETRY DIVISION PRIOR TO REGISTRATION

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN		SURVEY TP.00124
	ORIGINAL	MAP EDITION NO. (1)
	1.	1
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS III Final
	REVISED	јов Рн - <u>7002</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
Coastal Mapping Division	TYPE OF SURVEY	JOB PH
Atlantic Marine Center, Norfolk, VA	ORIGINAL	MAP CLASS
OFFICER-IN-CHANGE	RESURVEY	SURVEY DATES:
A. Y. Bryson	REVISED	19TQ 19
I. INSTRUCTIONS DATED		
1. OFFICE		FIELD
Aerotriangulation (Part I) November 23, 197	<u> </u>	ield July 22, 1970
Aerotriangulation (Part II) January 15, 197	1	
Compilation (Part I) March 17, 1971		
Compilation (Part II) May 5, 1972		
Amendment I March 28, 1975		
Supplement I April 18, 1975		
Memo (Cancel field edit) December 14, 197	9	
Memo (Completion Schedule) June 22, 1981		
II. DATUMS	OTHER (Specify)	
1. HORIZONTAL: (A) 1927 NORTH AMERICAN		
KA MEAN HIGH-WATER	OTHER (Specify)	
MEAN LOW-WATER		
2. VERTICAL: MEAN LOWER LOW-WATER		
MEAN SEA LEVEL		
3. MAP PROJECTION		GRID(S)
Polyconic	New Jersey	ZONE
5. SCALE	STATE	ZONE
1:10,000		
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	D. Brant	May 1972
1. AEROTRIANGULATION BY METHOD: Analytic Landmarks and alos by		May 1972
2. CONTROL AND BRIDGE POINTS PLOTTED BY	D B	May 1972
METHOD: Coradomat CHECKED BY		May 1972
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	L. Williams	Dec. 1979
COMPILATION CHECKED BY	T Dodománie	Dec. 1979
INSTRUMENT: Wild B-8 CONTOURS BY		
SCALE: 1:10,000 CHECKED BY		
4. MANUSCRIPT DELINEATION PLANIMETRY BY		Dec. 1979
CHECKED BY	374	Jan. 1980
метнор: Smooth drafted contours ву	NTA.	
CHECKED BY	T 772 1 1 2	Dec. 1979
SCALE: 1:10,000 HYDRO SUPPORT DATA BY	J. Roderick	Jan. 1980
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	J. Roderick	Jan. 1980
ВУ	Name	
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	None	
7. COMPILATION SECTION REVIEW BY	J. Roderick	Jan. 1980
8. FINAL REVIEW BY	L. O. Neterer, Jr.	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	L. O. Neterer, Jr.	JAN 1984
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		NOU 1984
11. MAP REGISTERED - COASTAL SURVEY SECTION BY		1000 1984

NOAA FORM 76-36B (3-72)		CO	TP-00124				DNAL OCEAN S
1. COMPILATION PH	OTOGRAPHY		MPILATION	SOURCES		·	
CAMERA(S) Wild RC - 8		52.21 mm)	TYPES C	F PHOTOGRAPHY LEGEND		TIME R	EFERENCE
TIDE STAGE REFERE PREDICTED TIDE REFERENCE STA	ENCE ES TION RECORDS		(C) COLO (P) PANCI (I) INFRA	HROMATIC	East MERIC 75t	tern	XXSTA
NUMBER AND	O TYPE	DATE	TIME	SCALE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		OF TIDE
70 L(C) 8568 70 L(C) 1135A 70 L(C) 9566 70 L(C) 9450	– 1136A – 9567	9/29/70 11/17/70 3/11/70 3/11/70	9:46 11:02 13:39 12:05	1:40,000 1:40,000 1:20,000 1:20,000	6.2	ft. abo ft. abo ft. abo ft. abo	ove MLW ove MLW
		pilation pho otography –				on the	map.
		LINE:	from the	above liste	d compi	lation p	hotograph
		_	from the	above liste	d compi	lation p	photograph
	ater line v	was compiled			d compi	lation p	ohotograph
Mean high-w	ater line v	was compiled			d compi	lation p	photograph
Mean high-was Source of Mean Not applical	Ater line v	was compiled	OW-WATER LIN	E:			
Mean high-w	ater line v	was compiled	OW-WATER LIN	E:		mmetric surv	vey information.
Mean high-was source of Mean Not applical	Ater line v	was compiled	DW-WATER LIN	E:		mmetric surv	
Mean high—w. 3. SOURCE OF MEAN Not applical 4. CONTEMPORARY SURVEY NUMBER	Ater line of the	R MEAN LOWER LO	DW-WATER LIN	E:	for photogra	mmetric surv	vey information.
Mean high-was source of Mean Not applical	NLOW-WATERO ble HYDROGRAPHIC	R MEAN LOWER LO	only those surve	E:	for photogra	mmetric surv	vey information.


NOAA FORM 76-36 (3-72)	C .	TP-00124		U. S. DEPARTMI NIC AND ATMOSPHERI NATION		TRATION
		HISTORY OF FIELD	<u> </u>			
I. XX FIELD INSP	ECTION OPER	ATION (Premarking) FIEL	D EDIT OPERATION		 -	
	OPE	RATION		NAME	D.A	TE
1. CHIEF OF FIEL	LD PARTY		J. Wilson		Sept.	1970
· · · · · · · · · · · · · · · · · · ·	<u> </u>	RECOVERED BY	R. Tibbetts		Sept.	
2. HORIZONTAL	CONTROL	ESTABLISHED BY				
		PRE-MARKED OR IDENTIFIED BY	R. Tibbetts		Sept.	1970
		RECOVERED BY	None		\	
3, VERTICAL CO	NTROL	ESTABLISHED BY	None		-	
		PRE-MARKED OR IDENTIFIED BY	None		 - -	
		COVERED (Triangulation Stations) BY	None		 -	
4. LANDMARKS AL AIDS TO NAVIG		LOCATED (Field Methods) BY	None			
		TYPE OF INVESTIGATION	None	· · · · · · · · · · · · · · · · · · ·		
5. GEOGRAPHIC N	JAMES	COMPLETE				
INVESTIGATION		SPECIFIC NAMES ONLY				
		NO INVESTIGATION				
6. PHOTO INSPEC	TION	CLARIFICATION OF DETAILS BY	None	<u> </u>		
7. BOUNDARIES A	ND LIMITS	SURVEYED OR IDENTIFIED BY				
II. SOURCE DATA						
I. HORIZONTAL C	CONTROL IDE	RTIFIED	2. VERTICAL CON Non	NTROL IDENTIFIED		
PHOTO NUMBER		ST A TION NAME	PHOTO NUMBER	STATION DES	SIGNATION	
70L(C)8568		G ISLAND POINT, OWER, 1933		5		
3. PHOTO NUMBE	RS (Clarification	on of details)				
None	(CIZITICALI	0. 14.11.10)				
4. LANDMARKS A	ND AIDS TO NA	VIGATION IDENTIFIED				
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER	OBJECT	NAME	•
70L(C)8568	FALSE EG WOODEN T	G ISLAND POINT OWER				
•						
5. GEOGRAPHIC	IAMES: [REPORT XX NONE	6. BOUNDARY AN	D LIMITS: REPO	RT 1270	NONE
7. SUPPLEMENTA	<u></u>		1		<u> </u>	
None						
8. OTHER FIELD	RECORDS (Ske	tch books, etc. DO NOT list data submit	ted to the Geodesy D	ivision)		
1 - form						
1 - form :						
1 - form	26 9 C			_		

NOAA FORM 76-36D (3-72)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00124

		REC	ORD OF SURVE	Y USE					
I. MANUSC	RIPT COPIES								
		OMPILATION STAG	E\$					PT FORWA	
<u></u>	DATA COMPILED	DATE	RE	MARKS		MARIN	E CHARTS	HYDRO SU	PPORT
Compil	ation complete	Jan. 1980	Class III	manuscri	pt	Mar.	10, 1980	Mar. 7,	1980
Compi1	ation complete		This map w		be	None		None	
II. LANDM	ARKS AND AIDS TO NAVIG	ATION	(_,			_		-	
). REP	ORTS TO MARINE CHART D	IVISION, NAUTICA	L DATA BRANCH						
NUMBER	CHART LETTER Number Assigned	DATE FORWARDED			REMA	ARKS			
1		3/28/80	Landmark	to be ch	arted	_			
1			Aids to b	e charte	đ				_
	,						•••		
								•	
									
2. X	REPORT TO MARINE CHAR	T DIVISION, COAST	F PILOT BRANCH.	DATE FOR	WARDED:	Marc	h 28, 1	980 None	
	RAL RECORDS CENTER DA								
		-							
=	BRIDGING PHOTOGRAPHS; CONTROL STATION IDENT	EX DUPLICAT	E BRIDGING REPO	RT: X C	OMPUTE!	R READ	DUTS. PARTIES		
3. X	SOURCE DATA (except for t	Geographic Names R							′
	ACCOUNT FOR EXCEPTIO	NS:							
4. V	DATA TO FEDERAL RECO	IRDS CENTER. DA	TE FORWARDED:						
	Y EDITIONS (This section				e misteredi		•	-	
	SURVEY NUMBER	JOB NUMB				_	F SURVEY		
SECOND	TP -	_ (2) PH		ļ	∐ A€/			URVEY	- 1
EDITION	DATE OF PHOTOGRAP	HY DATE OF F	TELD EDIT	 □	□m.	_	CLASS V.	FINA	.
	SURVEY NUMBER	JOB NUMBI	ER				SURVEY		
THIRD	TP -	_ (3) PH			REV	ISED	RES	URVEY	
EDITION	DATE OF PHOTOGRAP	HY DATE OF P	TELD EDIT	<u></u>	□m.	_	CLASS	FINA	L
	SURVEY NUMBER	JOB NUMBI	ER		_		SURVEY		
FOURTH	TP	_ (4) PH	TELD EDIT		REV	ISED		ÜRVĖY	.
EDITION	2				□ m.		CLASS	FINA	_



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

TP-00124

This 1:10,000 scale shoreline map is one of nineteen maps that comprise project PH-7002, Cape May to Arnold Point, Delaware Bay, New Jersey.

This project encompasses the eastern portion of Delaware Bay from Cape May latitude $38^{\circ}55'00''$, north to Bridgeton, latitude $39^{\circ}26'30''$ and from Stone Harbor longitude $74^{\circ}43'00''$ west to the Cohansey River longitude $75^{\circ}20'00''$.

This project was divided into two parts. Part I consists of maps TP-00117 through TP-00120 and TP-00130 through TP-00132 at 1:10,000 scale and TP-00260 and TP-00261 at 1:5,000 scale. Part II consists of maps TP-00122 through TP-00129, TP-00644 and TP-00645 at 1:10,000 scale.

Color photography using the "L" camera was taken in March 1970 at 1:20,000 scale to be used as hydro support photography. Color photographs were taken using the "L" camera in November 1970 at 1:40,000 scale. They were bridged by analytic aerotriangulation methods.

Field work was done prior to compilation in September 1970. It involved the premarking of horizontal control for aerotriangulation and the photo-identification of visual hydrographic signals to be positioned by the compilation office.

Analytic aerotriangulation was performed at the Washington Science Center in February 1971 on Part I and in May 1972 on Part II. Standard compilation was performed, however, the photo-hydro signals were not delineated due to the time lapse since their selection. The hydrographers are now using ground surveyed sites for their electronic position equipment and are not using visual signals. Processed ratio photographs were prepared for the hydrographers should they be needed. This was done at the Atlantic Marine Center in December 1979.

Field edit was canceled in December 1979.

The Final Review was performed at the Atlantic Marine Center in June 1983.

This Descriptive Report contains all pertinent information used to compile this final Class III map.

The original base map and all pertinent data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00124

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

PHOTOGRAMMETRIC PLOT REPORT
Delaware Bay, New Jersey Part II
Job PH-7002
May 1972

21. Area Covered

This report pertains to the southern shore of the Delaware Bay from Ben Davis Point easterly to Dennis Creeks. This area is covered by nine (9) 1:10,000 scale maps (TP-00122 thru TP-00130).

22. Method

Seven (7) strips of photographs (strip Nos. 4 thru 10) were bridged using analytic aerotriangulation methods. Strip Nos. 4 thru 7 (60 photographs) were used in a block adjustment. Strip No. 8 was adjusted as a single strip using premarked control. Strip Nos. 9 and 10 were bridged using 1:20,000 scale photography. These strips were controlled by positions of points determined in the block adjustment from Part I of this project. Ties were made to all strips. Sketch No. 1 shows the layout of maps, strips of bridging photography and the location of horizontal control stations. The positions of common points between the 1:40,000 and 1:20,000 scale photography were determined in order to ratio the 1:20,000 scale photography for hydro support use. Sketch No. 2 shows the location of the strips of 1:20,000 scale photography for hydro support. Attached to this report is a tabulation of control.

Positions were also determined for fifty (50) hydro signals that were selected and described by a field party before bridging.

Data for the nine (9) 1:10,000 scale maps were plotted by the Coradomat on the New Jersey State Plane Coordinate System.

23. Adequacy of Control

All horizontal control stations were premarked and control was adequate.

24. Supplemental Data

Vertical control for the strip and block adjustments was taken from USGS quadrangles.

25. Photography

The following RC-8 photography was used in bridging:

1:40,000 scale

Strip 4	70-L(C)-8568 thru 8570
Strip 5	70-L(C)-1130A thru 1140A
Strip 6	70-L(C)-1101A thru 1124A
Strip 7	70-L(C)-1074A thru 1095A
Strip 8	79-L(C)-1142A thru 1150A

1:20,000 scale

Strip	9	70-L(C)	-9598	thru	9600
Strip		70-L(C	9643	thru	9645

The photography was adequate.

Respectfully submitted;


Donald M. Brant


Approved and forwarded:

Henry P. Eichert, Chief Aerotriangulation Section

DELAWARE BAY, NEW JERSEY Fit to Control (x, y) in feet

1.	STITES, 1936 subpoint	(+0.03, +0.02)
2.	GOSHEN, 1933	(-0.04, -0.06)
3.	LEESBURG, 1932 subpoint	(+0.15, - 0.02)
4.	EAST, 1933	(-0.09, +0.09)
5.	FALSE EGG ISLAND POINT WOODEN TOWER, 1933 FALSE EGG ISLAND POINT WOODEN TOWER, 1933 subpoint	(+0.39, +0.43) (-0.28, +0.07)
6.	JOSCELYNE, 1834	(+0.03, -0.11)
7.	BEN DAVIS POINT LIGHT, 1970 BEN DAVIS POINT LIGHT, 1970 subpoint	{-3.22, -1.53} -0.07, -0.06}
8.	ARNOLD (USE), 1932 subpoint	(-0.09, -0.07)
9.	WILLIS, 1933	(+0.08, -0.06)
10.	PETTINOS, 1935 subpoint	(-4.338, -1.165)
11.	MILLVILLE, 1935 subpoint	(+2.124, +0.769)
12.	Tie Point (From block adjustment)	(+1.142, -0.394)





							D
NOAA FORM 76-41 (6-75)		DESCRIPTIV	E REPORT CONTROL RECC		U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	DEPARTMENT MOSPHERIC AD	DF COMMERCE MINISTRATION
MAP NO.	JOB NO.		GEODETIC DATUM		ORIGINATING ACTIVITY	117	
TP-00124	CM-7002		NA 1927	8	Coastal Mapping	ing Division,	n, AMC
STATION NAME	_	AEROTRI- ANGULATION	COORDINATES IN FEET NEW JEISEY	GEOGRAPHIC POSITION	ION	REKARK	RKS
		POINT NUMBER	zone Eastern		TUDE)
FALSE EGG ISLAND POINT			**	\$ 39012'09.06"	+	279.4	1570.9
WOODEN TOWER, 1933	Page 131		<i>i</i> =	λ 75°10'04.88"		117.1	1322.6
			=X	ф			
			<i>y=</i>	κ.			
		-	=χ	ф			
			y=	۲			
			-χ	φ			
			<i>h</i> =	Υ			
10 10 10 10 10 10 10 10 10 10 10 10 10 1			χ=	ф			
			<i>y</i> =	γ			
			=χ	φ			
			<i>h</i> =	γ			
			<i>χ=</i>	ф			
	•		ğ.	γ			
			χ=	φ			
			<i>ι</i> /σ=	٧			
			χ=.	φ			
			<i>y</i> =	γ			
		•	-χ	ф			
			y a	к			
COMPUTED BY		DATE	COMPUTATION CHECKED BY			DATE	,
LISTED BY L. Williams		DATE 1979		Roderick		PATE	1980
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY			DATE	
		SUPERSEDES NO	ERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE	H IS OBSOLETE.			

COMPILATION REPORT

TP-00124

31. DELINEATION

Delineation was by the Wild B-8 stereoplotting instrument using 1:40,000 scale 1970 color bridging photography.

32. CONTROL

The horizontal control was adequate. Refer to the Photogram-metric Plot Report, dated May 1972.

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

Contours are inapplicable to the project. Drainage was compiled from office interpretation of the photography.

35. SHORELINE AND ALONGSHORE DETAILS

Shoreline and alongshore details were compiled on the Wild B-8 stereoplotting instrument by office interpretation of the photographs.

36. OFFSHORE DETAILS

No unusual problems

37. LANDMARKS AND AIDS

Appropriate copies of 76-40's are submitted with this report.

38. CONTROL FOR FUTURE SURVEYS

None

39. JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

40. HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report, dated May 1972.

TP-00124

46. COMPARISON WITH EXISTING MAPS

A comparison was made with U.S. Geological Survey Quadrangle: Fortescue, New Jersey-Delaware, dated 1956, scale 1:24,000.

47. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with National Ocean Survey Chart 1218, 20th edition, dated November 3, 1973, scale 1:80,000.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None

ITEMS TO BE CARRIED FORWARD

None

Submitted by,

L. Williams Cartographic Aid

Date: January 1980

Approved,

James L. Byrd, Jr.

Chief, Coastal Mapping Section

REVIEW REPORT SHORELINE

TP-00124

61. GENERAL STATEMENT:

See Sûmmary included with this report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

A comparison was made with U.S.G.S. Quadrangle:

Fortescue, New Jersey - Delaware, dated 1956, scale 1:24,000

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

No contemporary hydrographic survey was conducted in the area pertaining to this final Class III map.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with N.O.S. Chart 12304, 28th edition, scale 1:80,000, dated April 17, 1982.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with project instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Lowell O. Neterer, Jr.

Final Reviewer

Approved for forwarding,

A. Barn

Billy H. Barnes

Chief, Photogrammetric Section, AMC

Approved,

Chief, Photogrammetric Section. Rockville Chief, Photogrammetry Branch

GEOGRAPHIC NAMES

FINAL NAME SHEET

PH-7002 (Delaware Bay, N. J.)

TP-00124

Beadon Creek
Beadon Cove
Beadon Point
Boiler Ditch
Courtney Ponds
Delaware Bay
Egg Island Point
False Egg Island Point
Fishing Creek
Fortesque
Fortesque Beach
Fortesque Creek
Indian Ditch
Island Ditch

King Pond
Lone Tree Creek
Lower Brothers Creek
McCormick Pond
Maurice River Cove
Middle Brothers Creek
Oranoaken Creek
Oyster Creek
Piersons Ditch
Raybins Beach
Straight Creek
Upper Brothers Creek
Wilmas Pond

Approved by:

Charles E. Harrington

Chief Geographer

Nautical Charting Division

CTIVITY	TY TYTY PREVIEW GRP.	ible personnel)		CHARTS	AFFECTED		12304	12304						
ORIGINATING ACTIVITY HYDROGRAPHIC PARTY GEODETIC PARTY	SCOMPLLATION ACTIVITY FINAL REVIEWER COAST PILOT ABANCH	(See reverse for responsible personnel)	E OF 1 OCATION	on reverse aids)		FIELD								
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION KS FOR CHARTS	Point Jan. 1980		HAN GOVERN	(See instructions on reverse aids)		OFFICE	70 L(C) 9453 March 11, 1970	70 L(C) 9567 March 11, 1970	·	,				
U.S. DEPARTM	Arnold Po	e as landmarks.			LONGITUDE	/ D.P. Meters	10 37.4							
OR CHARTS	LOCALITY Cape May to Delaware Bay	rmine their value	1927	POSITION		D.M.Meters	33.9 75 1 1047							
ARI	ye Ve	award to dete	DATUM N.A. 1		LATITUDE	•	39 14 3							
NONFLOATING AIDS OR LANDMARKS FOR CHARTS	REPORTING UNIT (Field Part, Ship or Office) Coastal Mapping Section New Jersey AMC Norfolk VA	HAVE NOT A been inspected from seaward to determine their value as landmarks.	SURVEY NUMBER	TP-00124	NO	rk or aid to navigation. re applicable, in parentheses	Light	*		south of map				
	REPORTING UNIT (Field Perty, Ship or Office Coastal Mapping AMC, Norfolk VA	HAVE	JOB NUMBER	PH-7002	DESCRIPTION	(Record resson for defetion of landmark or sid to navigation. Show triangulation station names, where applicable, in parentheses)	Fortescue Directional	Island Point Light*		ed to new position 1982, off project		:		
NOAA FORM 76-40 (8-74) Replaces C&GS Form 567	ATO BE CHARTED TO BE REVISED TO BE DELETED	The following objects	OPR PROJECT NO.			NAME Show tr	LIGHT Fort	LIGHT Egg		*Moved in 198				

	RESPONSIBLE PERSONNEL	PERSONNEL	
TYPE OF ACTION	NAME		ORIGINATOR
OBJECTS INSPECTED FROM SEAWARD	:		☐ PHOTO FIELD PARTY ☐ HYDROGRAPHIC PARTY ☐ GEODETIC PARTY ☐ OTHER (Specify)
			FIELD ACTIVITY REPRESENTATIVE
ECOLLICAS DE LEXMINED AND/OR VENTILED	L. Williams		OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES			QUALITY CONTROL AND REVIEW GROUP
77	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF (Consult Photogrammetric Instructions No. 64,	WETHOD AND DATE OF LOCATION' ic Instructions No. 64,	,
OFFICE COENTIFIED AND LOCATED OBJECTS	TED OBJECTS	' H	field positions** require
Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject. EXAMPLE: 75E(C)6042 8-12-75	(including month, ograph used to ject.	entry of method of lo date of field work ar graph used to locate EXAMPLE: P-8-V 8-12-75 74L(C)2982	cation or ver od number of t or identify t
DETERMi plicable	NED OR VERIFIED data by symbols as follows: P - Photogrammetric Vis - Visually	֡֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	ON STATION RECOVERED Imark or aid which is also a tri- station is recovered, enter 'Triang. date of recovery.
1 +	Field identified Theodolite	EXAMPLE: Irlang. Rec. 8-12-75	•
tion 7 - n 8 -	Planetable Sextant	VERIFIED V	VISUALLY ON PHOTOGRAPH date.
sitions*	require entry of method of of field work.	EXAMPLE: V-Vis. 8-12-75	
EXAMPLE: 1-2-6-L 8-12-75	÷	**PHOTOGRAMMETRIC FIELD PO entirely, or in part, up	C FIELD POSITIONS are dependent n part, upon control established
*FIELD POSITIONS are determined by field obser- vations based entirely upon ground survey methods.	d by field obser- round survey methods.	by photogrammetric methods	ds.

NOAA FORM 78-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.

☆ U.S.GPO:1975-0-665-080/1155

NONFLOATING AIDS OR LANDMARKS FOR CHARTS Nonethering to Committee Nonethering										
NONFLOATING AIDS OR LANDMARKS FOR CHARTS Reporting Unit Aid Aid	(8-74)	-		NATIO	ONAL OCE	U. ANIC AND	S. DEPARTA ATMOSPHER	IC ADMINISTRATION	ORIGINATING	ACTIVITY
Cape Nay Course Cape Nay Course Cape Nay to Arnold Point Date	Replaces C&GS 1		OS OR	MARKS F	OR CHA	RTS			GEODETIC PARTY	ARIY
Coastal Nariolis, W. New Jersey Delawards. ANG Nariolis, W. New Jersey Delawards. ANG Nariolis of Survey Number. 108 Number May 100 Jersey Melamina Heir volue as landmarks. 108 Number May 1927 May 1927 May 1927 Melamina Heir volue as landmarks. PH-7002 TP-00124 May 1927 Melamina Heir volue as landmarks. PH-7002 TP-00124 Melamina Heir volue as landmarks. PH-7002 TP-00124 Melamina Heir volue as landmarks. Internation of landmarks or and to marylation. See and to marylation. LATTIDE LONGINDE OFFICE LATTIDE LONGINDE OFFICE See and Norden Tower, 39 12 279.4 75 10 04.88 70 L(C) 8568 Registrated Point Wooden Tower, 39 12 279.4 117.1 117.1 117.1 Registration and Point Wooden Tower Melamina Heir volue as landmarks or and to marylation Heir volue as landmarks or and to marylation. Registration and Point Wooden Tower, 39 12 279.4 75 10 04.88 70 L(C) 8568 Registration and Point Wooden Tower Melamina Heir volue as landmarks or and to marylation with the marylation and	X TO BE CHAR		STATE	-	OCALITY			DATE	COMPILATION ACT	rivi T Y
AME	TO BE REVIS				ape May					L & REVIEW GRP
HAVE HAVE NOT IXIS been inspected from second to determine their value as landmarks. NA 1927 PATTON NA 1927 NA 1927 NA 1927	TO BE DELE	AMC.	A New Jers	ey (D	elaware					NCH
100 NUMBER 20	The following	HAVE	X been inspected from seav	ward to deter	rmine their	r value as	landmarks.		(See reverse for respons	sible personnel)
PH_7002 TP_00124 POSITION Gas intractions on services sided	OPR PROJECT !	NON BOT	SURVEY NUMBER	DATUM NA 192	7			TAG GMA GOUTAN	7011430 1 80 81	
For cond name for abstition of marifalties or and to marifalties	• .	PH-7002	TP-00124			20		(See instructions	on reverse side)	CHARTS
		DESCRIPT	. NO	LATITU	DE	LONG	TUDE			AFFECTED
(False Egg Island Point Wooden Tower, 39 12 279.4 75 10 04.88 70 L(C) 8568 1933)	CHARTING	(Record reason for deletion of landma Show triangulation stationnames, who	irk or aid to nevigation. era applicable, in perentheses)	,	//. .M. Meters	/ 0	// D.P. Meters	OFFICE	FIELD	
	TOWER	e Egg Island	Tower,	12	9.06	5	04.88	70 L(C) 8568		12304
							1			
		, ;		ł						
					-					
				<u> </u>						
	- 1					_		i		
						_				
							i			
			-							
						j			j	•
					-		- -			
				L						

TYPE OF ACTION OBJECTS INSPECTED FROM SEAWARD	RESPONSIBLE PERSONNEL	ORIGINATOR ORIGINATOR ORIGINATOR ORIGINATOR ORIGINATOR ORIGINATOR
EUSILIONS DETERMINED AND/OR VERIFIED L. Williams	1 ams	FIELD ACTIVITY REPRESENTATIVE OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	1 }	
INSTRUCTIONS	INSTRUCTIONS FOR ENTRIES UNDER METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64,	
	Consum ranged material instructions (vo. 04)	1
OFFICE IDENTIFIED AND LOCATED OBJECTS i. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject. EXAMPLE: 75E(C)6042 FIELD FIELD	8. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982	8
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as F - Field P - Photogrammetric L - Located Vis - Visually V - Verified 1 - Triangulation 5 - Field identified	as follows: When a landmark or angulation station Rec.' with date of EXAMPLE: Triang. Fied When a landmark or angulation station of Rec.' with date of EXAMPLE: Triang. Fied	ON RECOVERED ald which is also a is recovered, enter recovery.
e 6 - ction 7 - on 8 - sitions* requ	III. POSITION 1 Enter 'V+1 EXAMPLE:	at a
EXAMPLE: F-2-6-L 8-12-75	- <u></u> -	S
<pre>*FIELD POSITIONS are determined by field obser- vations based entirely upon ground survey methods.</pre>	ods. by photogramm	ods

NOAA FORM 76-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

 1. Letter all information.

 2. In "Remarks" column cross out words that do not apply.

 3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
		· · · · · · · · · · · · · · · · · · ·	Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		<u> </u>	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
-			
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	<u> </u>		