NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

This Map Was Field Edited

Map No.	Edition No.
TP-00292	One
Job No.	
PH~7017	
Map Classification Final Field Edited Map	
Type of Survey	
Shoreline	
LOCALIT	Υ
State	
Alaska	
General Locality	
Afognak and Kodiak Isla	nds
Locality	
Devil Inlet	
19 ₇₁ TO 1	9 ₇₃
REGISTERED IN A	RCHIVES
DATE	
1	

DESCRIPTIVE REPORT

TP-00292

TABLE OF CONTENTS

NOAA FORM 76-36A, DESCRIPTIVE REPORT - DATA RECORD	• • • •	1
NOAA FORM 76-36B, COMPILATION SOURCES		2
NOAA FORM 76-36C, HISTORY OF FIELD OPERATIONS	• • • •	3
NOAA FORM 76-36D, RECORD OF SURVEY USE		4
PROJECT DIAGRAM		5
SUMMARY		6
FIELD INSPECTION NOTE	• • • •	8
PHOTOGRAMMETRIC PLOT REPORT (AEROTRIANGULATION REPORT)	• • • •	9
NOAA FORM 76-41, DESCRIPTIVE REPORT CONTROL RECORD	• • • •	13
COMPILATION REPORT		14
ADDENDUM TO COMPILATION REPORT		16
FIELD EDIT REPORT		17
REVIEW REPORT	• • • •	23
GEOGRAPHIC NAMES, FINAL NAMES SHEET	• • • •	25
INDEX TO PROJECT DATA AND MATERIAL ON FILE	• • • •	26
FORM CAGS-8352 RECORD OF APPLICATION TO CHARTS		29

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE			00000
NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOS PHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP	-00292
	ORIGINAL	MAP EDITION	I NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY-		Final
	REVISED	JOB PH	
PHOTOGRAMMETRIC OFFICE	LAST PRECEED		
Atlantic Marine Center	LAST PRECEED		
Norfolk, Virginia	TYPE OF SURVEY		
OFFICER-IN-CHARGE	RESURVEY	MAP CLASS - SURVEY DAT	
	REVISED	19 TO 19	
Jeffrey G. Carlen, Cdr., NOAA		131019_	-
I. INSTRUCTIONS DATED			
1. OFFICE	2.	FIELD	
Aerotriangulation Instr. Nov. 19, 1971 Office Instr. Apr. 17, 1972 Office Instr., Supplement 1 May 11, 1973 Office Instr., Amendment 1 Not Dated		nstr. Ma	ay 03, 19
II. DATUMS			
1. HORIZONTAL: 1927 NORTH AMERICAN	OTHER (Specify)		
MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	OTHER (Specify)		
3. MAP PROJECTION	4.	GRID(S)	
Polyconic	Alaska	ZONE 5	
5. SCALE	STATE	ZONE	
1:20,000			
III. HISTORY OF OFFICE OPERATIONS			-
OPERATIONS	NAME		DATE
1. AEROTRIANGULATION BY	D. Norman	M.	lar. 1972
METHOD: Analytic LANDMARKS AND AIDS BY			
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY	D. Phillips	A	pr. 1972
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	R. R. White	M	lay 1972
COMPILATION CHECKED BY	L. O. Neterer	Management and address of the	lay 1972 lay 1972
INSTRUMENT: Wild B-8 Stereoplotter contours by	N/A	P.	13/2
SCALE: 1:20,000 CHECKED BY	N/A		
4. MANUSCRIPT DELINEATION PLANIMETRY BY	T. J. Bulfer	M	ay 1972
CHECKED BY	R. R. White	The second secon	ay 1972
METHOD: CONTOURS BY	N/A		
METHOD: Smooth Drafted CHECKED BY	N/A		
SCALE: 3 00 000	T. J. Bulfer	M	ay 1972
SCALE: 1:20,000 CHECKED BY	R. R. White	M	ay 1972
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	R. R. White	M	ay 1972
6. APPLICATION OF FIELD EDIT DATA	C. E. Blood	N	ov. 1974
CHECKED BY	F. Margiotta	N	ov. 1979
7. COMPILATION SECTION REVIEW BY	D. Butler	N	ov. 1985
8. FINAL REVIEW BY	J. Massey	0	ct. 1986
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY			
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY 11. MAP REGISTERED - COASTAL SURVEY SECTION BY	E. L. DAUGHER		
II. MAP REGISTERED - COASTAL SURVEY SECTION BY	P. I DANCHER	73/	UN'87

NOAA FORM 76-36B			NATIONAL OCEA		S. DEPARTMENT	
13-727		TP-002	92 NATIONAL GCEA	(NIC AND)		CEAN SURVEY
	COM	PILATIO	N SOURCES		•	
1. COMPILATION PHOTOGRAPHY				<u>:-</u> _	 	
CAMERA(SWild RC-9(M) (8		TYPES	S OF PHOTOGRAPHY			
Wild RC-8(E) (1	.52.71mm F.L.)		LEGEND	- 1	TIME REFERE	ENCE _
TIDE STAGE REFERENCE		(C) COL	OR	ZONE		
REDICTED TIDES		•	CHROMATIC		aska	STANDARD
TIDE CONTROLLED PHOTOGR		(I) INF	RARED	MERID		DAYLIGHT
				15	Oth	
NUMBER AND TYPE	DATE	TIME	SCALE	- -	STAGE OF T	IDE
				ŀ		
71 M (P) 220	7/4/71	11:27	1:60,000	8.	9 ft. above	MLLW
71 M (P) 319-320	8/3/71	08:46	1:60,000) 6 ;	7 ft. above	MLLW
71 E (C) 6023-6026	7/4/71	13:00	1:20,000	8.	3 ft. above	MLLW
71 E (C) 6124-6126	7/4/71	13:58	1:20,000	7,	5 ft. above	MLLW
71 E (C) 6131~6133	7/4/71	14:06	1:20,000	7.	5 ft. above	MLLW
,				İ		
REMARKS		·				
2. SOURCE OF MEAN HIGH-WATE	R LINE:			<u></u>	_	- ··· ·
					•	
The mean high water li	ne was compile	d from	the above liste	ed photo	ography.	
3. SOURCE OF	MEAN LOWER LO	W-WATER L	.INE:			
<u> </u>						
None compiled.						
4. CONTEMPORARY HYDROGRAP	PHIC SURVEYS (List o	nly those su	uveys that are sources fo	r photogran	nmetric survey into	ormation.)
SURVEY NUMBER DATE(S)	SURVEY COP	Y USED	SURVEY NUMBER	DATE(S)	SURVEY	COPY USED
5. FINAL JUNCTIONS						
NORTH	EAST		SOUTH		WEST	
TP-00286 & TP-00287	TP-00288		TP-00296		TP-00	291

None

N OAA FORM 76_36C 3 _ 72)		TP-00292 HISTORY OF FIELD		NIC AND ATMOSPHER	ENT OF COMMER IC ADMINISTRATI IAL OCEAN SURV
I. TIELD INSPE	CTION OPE	RATION XX FIELD	DEDIT OPERATION	· · · · · · · · · · · · · · · · · · ·	
	OP	ERATION	N.	AME	DATE
. CHIEF OF FIEL	DPARTY				
	<u></u>	RECOVERED BY			May 1973
. HORIZONTAL C	ONTROL	ESTABLISHED BY	None None		
		PRE-MARKED OR IDENTIFIED BY	None		<u> </u>
		RECOVERED BY	NA NA	· · · · · · · · · · · · · · · · · · ·	<u> </u>
. VERTICAL CON	TROL	ESTABLISHED BY	NA	<u> </u>	
		PRE-MARKED OR IDENTIFIED BY	NA		
	RI	ECOVERED (Triangulation Stations) By	None		
. LANDMARKS AN	D	LOCATED (Field Methods) BY	M. H. Alle	n	June 1973
AIDS TO NAVIG	ATION	IDENTIFIED BY	None		
		TYPE OF INVESTIGATION			
. GEOGRAPHIC N		COMPLETE			
INVESTIGATION		SPECIFIC NAMES ONLY			
		XX NO INVESTIGATION			
. PHOTO INSPECT	TION	CLARIFICATION OF DETAILS BY	M. H. Alle	n	June 1973
. BOUNDARIES A	ND LIMITS	SURVEYED OR IDENTIFIED BY	NA		
SOURCE DATA			Ta		
. HORIZONTAL C			2. VERTICAL CON	TROL IDENTIFIED	
	Non-	ie	NA T		
PHOTO NUMBER		STATION NAME	PHOTO NUMBER	STATION DE	SIGNATION
		•			
. PHOTO NUMBER	71M	ion of details) 1-220 and 71M-221, 71M-319 AVIGATION IDENTIFIED	9 thru 71M-32	1	
	Non	۵			
PHOTO NUMBER	11011	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME
5. GEOGRAPHIC N	AMES:	REPORT NONE	6. BOUNDARY AND	LIMITS: REPO	RT X NONE
7. SUPPLEMENTA	MAPS AND	PLANS			
	Non	e			
. OTHER FIELD F		etch books, etc. DO NOT list data submit	ted to the Geodesy Di	vislon)	
		field edit report, one f			
	One	field edit report, one f	ield edit oza	alid	


4

NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

I. MANUS	CRIPT COPIES										
	с	OMPILATION STAGES		DATE MANUSCR	PT FORWARDED						
	DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPOR						
	ation Complete g Field Edit	June 1972	Class III Manuscript	07/07/72	06/15/72						
	Edit Applied, ation Complete	Nov 1974	Class I Manuscript	08/04/77 12/03/							
<u></u>											
	IARKS AND AIDS TO NAVIG		DATA BRANCH								
NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS								
$\mathbb{A}^{\mathbb{A}^*}$	850 <u>7</u> 4 1	/_07/15/74	1 Nonfloating Aid To Navigation								
	NUMBER ASSIGNED	 									

	" 2. 3.	REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: None REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: None	
Ţ			
-			
_			




SUMMARY

Project PH-7017, Afognak and Kodiak Islands, Alaska, consists of 33 maps. Seven, TP-00284 through TP-00290, are at 1:10,000 scale and 26, TP-00291 through TP-00316, are at 1:20,000 scale. The project area is the northwestern coast line of Kodiak and Afognak Islands and their interface with Shelikof Strait. The project extends from Big Bay in the northeast to Cape Ugat in the southwest. The photogrammetric survey depicts the shoreline and other cartographic features of mapping interest in the coastal areas and navigable waterways bisecting the islands.

The purpose of the project was to provide shoreline data for maintenance of the Nautical Charting Program and in support of hydrographic survey operations planned for the area.

Field operations consisted of recovery, establishment, and identification (premarking) of horizontal control necessary for aerotriangulation. No field inspection was conducted for this project. Panchromatic photographs required for aerotriangulation of the entire project area and subsequent compilation of the 1:20,000-scale maps were obtained with the RC-9 "M" camera at 1:60,000 scale. Supplemental color photographs at 1:20,000 scale



The aerotriangulation of the project was divided into two phases (Part I and II), in order to expedite the delivery of photogrammetric map data in support of hydrographic survey operations. Eighteen strips of photographs were bridged using analytic aerotriangulation methods. Horizontal control used was field identified (premarked). Vertical control was taken from U.S. Geological Survey quadrangles. Aerotriangulated control proved adequate and meets the requirements of the National Standards of Map Accuracy.

Compilation was performed in the Coastal Mapping Section, Atlantic Marine Center, Norfolk, Virginia. Delineation was accomplished using a Wild B-8 stereoplotter through application of standard shoreline mapping techniques. This was supplemented by graphic compilation techniques in selected areas. Delineation was based on an office interpretation of the 1:60,000 scale panchromatic, and 1:20,000- and 1:30,000-scale natural color, photographs. All line work on the base maps was smooth drafted.



FIELD INSPECTION

TP-00292

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

PHOTOGRAMMETRIC PLOT REPORT Afognak Island, Alaska Part I Job PH-7071-17 March 1972

21. Area Covered

This report pertains to 13 sheets on Afognak Island. The sheets are TP-00284 thru TP-00290 at 1:10,000 scale and TP-00291 thru TP-00296 at 1:20,000 scale. The area covered is the northwest shoreline of Afognak Island.

22. Method

Eight strips of photography were bridged by analytic aerotriangulation methods and adjusted to ground on the Alaska state plane coordinate system, zone 5. Strips 1 and 2 of 1:60,000 scale photography were adjusted as a block and used to control the six strips of 1:30,000 scale photography.

23. Adequacy of Control

The horizontal control is sparse in both strips of 1:60,000 scale photography. However the project should still meet the map accuracy standards.

24. Supplemental Data

Vertical control was taken from USGS topographic quadrangles.

25. Photography

The photography was adequate.

Respectfully submitted:

Nor O. Norman

Don O. Norman Cartographer

Approved and forwarded:

Henry P. Eichert, Chief Aerotriangulation Section

```
Fit to Control (x, y) feet
```

Strips 1 & 2 (block adjustment)

1	BANKS, 1907	†	(+0.1,	+0.1)
2	BEN, 1926 subpoint	. (-0.5.	-0.5)
	BLUE, 1926	,	0.0	+0.4)
4	TIE, 1941 subpoint	(-0.2	-0.4)
5	NUN, 1941		+0.1,	
6	BAY COVE POINT, 1907		+0.5	
7	DOLPHIN POINT LT., 1941	1	(-6.0,	+5.2)
8	RASPBERRY STRAIT LT., 1941		+4.9.	-3.4)

Strip 3

Strip 4


Strip 5

Strip 6

Strip 7

90801 [.] 91801 92801 92802	(0.0, (+2.3, (0.0, (-1.1,	-0.9) 0.0)
Strip 8		

	(-2,2,	+0.6)
82802	(0.0,	0.0)
84801	(0.0,	0.0)
85801	(-10.7,	+4.6)
8 5802	(0.0,	



_	lur~	1	Τ					_										7					_	٠ - ا		1-9	ì
	OF COMMERCE	Mapping		REMARKS RD BACK	(76.1)	(895.5)	(1626.5)	(104.6)	(516.0)	(5580,2)	(765.9)	(777.9)	(526.7)	(181.1)	(1689.8)	(200.9)	(886.2)	(199.8)	(310.1)	(648.7)		,	i I	/72	:		
_	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	ORIGINATING ACTIVITY Coastal Division, Norfolk, Va.	t	REMA FORWARD	1780.4	7.77	230.0	868.1	1340.5	392.7	1090.6	194.6	1329.8	790.9	1.991	772.3	970•3	773.6	1546.4	325.5				DATE 6/6/72	DATE	DATE	
	U.S.	Division, Nor		E De	57.541	04.789	07.435	53.550	43.323	24.221	35.248	12.007	42.977	48.824	05,388	47.615	31.359	47.684	49.978	20.046							
	AATIONAL OCE	ORIGIN	ا أَنَّا	φ LATITUDE λ LONGITUDE	26	41	28	41	27	43	28	47	29	946	27	46	26	45	24	47						!	BSOLETE.
			S	_	58	152	58	152	58	152	58	152	58	152	58	152	58	152	58	152				Ker			8
	,																										
				_																	, i						
		_		•																							

COMPILATION REPORT

TP-00292

31. DELINEATION:

Delineation was by the Wild B-8 steroplotter. The photography was good, there was no field inspection prior to compilation.

32. CONTROL:

See Photogrammetric Plot Report, dated March 1972.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from officed interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high water line and alongshore details were delineated from office interpretation of the photographs.

36. OFFSHORE DETAILS:

None.

37. LANDMARKS AND AIDS:

An appropriate copy of form 76-40 for one non-floating aid has been forwarded to the Rockville, Md. office on July 10, 1974. Chart letter No. 85074 7/15/74.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. JUNCTIONS:

See form 76-36b, item #5, of the Descriptive Report.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with the following USGS quadrangle: Afognak (B-3), Alaska, scale 1:63,360 dated 1954.

47: COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with the following National Ocean Survey chart: 8533, scale 1:78,000, 4th edition, dated April 7, 1969.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

'None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Richard R. White

Cartographic Technician

June 6, 1972

Approved:

Albert C. Rauck, Jr.

albut C. Rauck &

Chief, Coastal Mapping Section, AMC

ADDENDUM TO COMPILATION REPORT

TP-00292

FIELD EDIT

Application of field edit was from matte ratio photographs 71 M 221 and 222 and the field edit paper ozalid.

FIELD EDIT REPORT

OPR-478-73

NOAA SHIP RAINIER

CDR. K.W. JEFFERS, Commanding

INTRODUCTION METHODS

Field edit was accomplished by personnel of the NOAA SHIP RAINIER, between 15 May and 19 August 1973. Work was done in a sixteen foot skiff, making landings where it was necessary to verify shoreline character.

Field edit work was begun in the area north of Black Cape, on Afognak Island, at the mouth of Devil Inlet, and extended southwestward to the landward end of the main part of Malina Bay. The shoreline from Cape Paramanof to Cape Tanaak was not inspected. See the reference sketch of field editing completed for precise delineation of work accomplished. Field editing was completed on manuscripts TP-00291, TP-00292, and TP-00296. Field editing was begun but not finished on manuscripts TP-00294 and TP-00295. No field edit was done on manuscript TP-00293.

All additions and corrections are noted in purple on the field edit discrepancy sheets and in red on the field edit film ozalids. Deletions are noted or accented in green. Photographs used in this field edit were from PH-7017. Values for distances to the mean high water line and rock heights were estimated. All time observations are referenced to 135° West longitude.

Following the text is an appendix comprised of:

- 1) Sketch of field edited shoreline
- 2) List of detached positions
- 3) Complete listing of photo-hydro signal tape
- Copies of triangulation recovery notes for stations used for photo-hydro control

ADEQUACY OF COMPILATION

The compilation of the mean high water line was generally good. Compilation of offshore and foreshore features was often incomplete: several rocks readily identifiable on the photographs were omitted. Time and height data for these items are have been included on the photographs.

DISCUSSTION AND RECOMMENDATIONS

TP-00286 (completed) No special recommendations are required.

TP-00291 (completed) No special recommendations are required.

77-777-00292 (completed) No special recommendations are required.

TP-00293, No field edit was done on this sheet.

TP-00294 (not completed) The shoreline of Paramanof Ray on this sheet was field edited as far west as Cape Paramanof. No field edit was done from Cape Paramanof to Tanaak Cape. The shoreline from Tanaak Cape eastward to 153° 00'00"W longitude was field edited, as well as the southern shore of Malina Bay between 153° 01'00" and 153° 02'00"W longitude. The rest of the

shoreline of Malina Bay was not inspected. No special recommendations are required.

TP-00295 (not completed) Only the shoreline of Paramanof Bay was field edited. None of the Malina Bay shoreline was field edited. No special recommendations are required.

TP-00296 (completed) No special recommendations are required.

respectfully submitted,

M.H. ALLEN Ens. NOAA

- Area - I			
:	E.	 	21
	OPR-478, 1973 - FIELD EDITED	SHORELINE-INDICATED IN BLACK	
		- Fa	58°30'00"
		Mary Mary	
	A P. Y		
	STRAIT		
	Suttitot	BAN I.	
	Svi	- Sparys	
		AFOGNAK ISLAND	
		AFOGNAK ISLAND	
		Las .	
			58°00'00"
		•	
	, o , o , o		
/53°30	00,00,00		

APPROVAL SHEET

The Field Edit Report is approved as submitted.

K. W. Jeffers K.W. Jeffers Commander, NOAA

Review Report TP-00292

61. General Statement

Refer to the summary bound with this Descriptive Report for an overview of the photogrammetric operations related to the production of this map and associated data.

62. Comparison with Registered Topographic Surveys

Comparison with registered topographic surveys was not a requirement for this project.

63. Comparison with Maps of Other Agencies

Refer to item 46 of the Compilation Report bound with this Descriptive Report for detailed information on this topic.

64. Comparison with Hydrographic Surveys

Comparison with hydrographic surveys was not a requirement for this project.

65. Comparison with Nautical Charts

Refer to item 47 of the Compilation Report bound with this Descriptive Report for information on this topic.

66. Adequacy of Results and Future Surveys

This map meets the National Standards of Map Accuracy and the requirements specified in the project instructions.

67. Delineation

Map detail was compiled on the Wild B-8 stereoplotter using the 1:60,000-scale "M" camera, panchromatic photography. This was supplemented by office interpretation and graphic compilation techniques of the 1:20,000-scale "E" camera, color photography, both of which are listed on NOAA Form 76-36B, Compilation Photography.

Submitted by,

D. Butler Office Reviewer

J Massey Final Reviewer

Approved by,

Acting Chief, Photogrammetric Production Section

Chief, Photogrammetry Branch

GEOGRAPHIC NAMES
FINAL NAME SHEET
PH-7017 (Alaska)

TP-00292

Esther Lagoon Jum Afognak Island Alligator Island Foul Bay Bear Island Som Grassy Island Jum Bluefox Bay Hidden Lake Chugach National Forest Hogg Island Devil Inlet Pinnacle Rock Rocky Island wm Devilpaw Mountain Shelikof Strait Dome Peak-9000 Teck Island AVM

Approved by:

A. Joseph Wraight Chief Geographer Prepared by:

Cartographic Technician

INDEX TO PROJECT DATA AND MATERIAL ON FILE

PH-7017

AFOGNAK AND KODIAK ISLANDS, ALASKA

NATIONAL ARCHIVES/FEDERAL RECORDS CENTER

BROWN JACKETS:* Denotes Field Edit Information

- - * 1 Paper & 2 Film Ozalids, TP-00286
 - * 1 Paper & 2 Film Ozalids, TP-00287
 - * 1 Paper & 2 Film Ozalids, TP-00288
 - * 1 Paper & 1 Film Ozalid, TP-00289
 - * 1 Paper & 1 Film Ozalid, TP-00290
 - * 1 Paper Ozalid, TP-00291
 - * 1 Paper Ozalid, TP-00292
 - * 1 Film Ozalid, TP-00293
 - * 1 Paper & 1 Film Ozalid, TP-00294
 - * 1 Paper & 1 Film Ozalid, TP-00295
 - * 1 Paper Ozalid, TP-00296
 - * 1 Film Ozalid, TP-00297
 - * 1 Paper & 1 Film Ozalid, TP-00301
 - * 1 Film Ozalid, TP-00303
 - * 1 Film Ozalid, TP-00310
 - * 1 Film Ozalid, TP-00311
- 2 of 3: Binder of Aerotriangulation Printouts
 - Binder Descriptive Report Control Records C&GS Form 164
 - Binder of Photographic Flight Report ESSA Form 76-15
 - Binder of Control Station Identification Cards, C&GS Form 152
 - * Binder of Computed Tide Curve Graphs & Stage of Tide Computations for Photographic and Field Edit Data
 - * Binder of Pacific Marine Center generated Computer Addendum to Horizontal Control Reports
 - * Binder Tide Data and Zoning Information
 - Bridging Photographs and Film Positives
- 3 of 3:* 1 Sounding Volume for TP-00303
 - * 1 Sounding Volume for TP-00310
 - * I Sounding Volume for TP-00311

PHOTOGRAPHS 9X9 FORMAT

- * NOS 3 Aug. 71 E (C) 7352 thru 7355
- * NOS 3 Aug. 71 E (C) 7269, 7270, 7272, 7294, 7295
- * NOS 10 Jul. 71 E (C) 6708 thru 6710, 6726 thru 6730, 6734, 6736, 6738, 6739, 6741 thru
- * NOS 10 Jul. 71 E (C) 6642, 6645, 6646, 6648, 6649, 6668
- * NOS 6 Jul. 71 E (C) 6362 thru 6370
- NOS 5 Jul. 71 E (C) 6217 thru 6226
- * NOS 4 Jul. 71 E (C) 6113
- * NOS 5 Jul. 71 E (C) 6141, 6151, 6152
- * NOS 4 Jul. 71 E (C) 6044 thru 6047, 6049, 6050, 6076 thru 6078, 6081, 6091 thru 6094
- * NOS 4 Jul. 71 E (C) 5995, 5996

PHOTOGRAPH SEGMENTS

- * NOS 4 Jul. 71 M (P) 220
- * NOS 4 Jul. 71 M (P) 221
- * NOS 4 Jul. 71 M (P) 222
- * NOS 4 Jul. 71 M (P) 225, Parts A,B,C
- * ~ NOS 3 AUG. 71 M (P) 319
- * NOS 3 Aug. 71 M (P) 320

- * NOS 3 Aug. 71 M (P) 322 * NOS 3 Aug. 71 M (P) 323 * NOS 3 Aug. 71 M (P) 324, Parts A,B
- * NOS 3 Aug. 71 M (P) 325
 - * NOS 3 Aug. 71 M (P) 326, Parts A,B
- * NOS 5 Jul. 71 E (C) 6246 * NOS 5 Jul. 71 E (C) 6247 * NOS 6 Jul. 71 E (C) 6282
- * NOS 6 Jul. 71 E (C) 6281
- * NOS 6 Jul. 71 E (C) 6283 * NOS 6 Jul. 71 E (C) 6284
- * NOS 6 Júl. 71 E (C) 6290
- * * NOS 6 Jul. 71 E (C) 6291
- * NOS 6 Jul. 71 E (C) 6318 * NOS 6 Jul. 71 E (C) 6321
- '* NOS 6 Jul. v71 E (C) 6323
- ** NOS 6 Jul. 71 E (C) 6333
- NOS 6 Jul. 71 E (C) 6334
- * NOS 6 Jul. 71 E (C) 6335

PROJECT COMPLETION REPORT

AGENCY ARCHIVES

Registration Copy of the Map Descriptive Report of the Map

PHOTOGRAMMETRIC ELECTRONIC DATA LIBRARY

There is no digital data for this project

REPRODUCTION BRANCH

8X Reduction Negative of Map

OFFICE OF THE STAFF GEOGRAPHER

Geographic Names Standard

HAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. TP-00292

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			,
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	<u>-</u>		
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.