

302

TP-00302

TP-9

NOAA FORM 76-35
(6-80)U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

This Map Will Not Be Field Edited

Map No. TP-00302	Edition No. One
Job No. PH-7017	
Map Classification Final Class III	
Type of Survey Shoreline	
LOCALITY	
State Alaska	
General Locality Afognak and Kodiak Islands	
Locality Afognak Bay	
19 ₇₁ TO 19	
REGISTERED IN ARCHIVES	
DATE	

DESCRIPTIVE REPORT

TP-00302

TABLE OF CONTENTS

NOAA FORM 76-36A, DESCRIPTIVE REPORT - DATA RECORD	 1
NOAA FORM 76-36B, COMPILATION SOURCES	 2
NOAA FORM 76-36C, HISTORY OF FIELD OPERATIONS	 3
NOAA FORM 76-36D, RECORD OF SURVEY USE	 4
PROJECT DIAGRAM	 5
SUMMARY	 6
FIELD INSPECTION NOTE	 8
PHOTOGRAMMETRIC PLOT REPORT (AEROTRIANGULATION REPORT)	 9
NOAA FORM 76-41, DESCRIPTIVE REPORT CONTROL RECORD	 12
COMPILATION REPORT	 13
ADDENDUM TO COMPILATION REPORT	 16
REVIEW REPORT	 17
GEOGRAPHIC NAMES, FINAL NAMES SHEET	 19
INDEX TO PROJECT DATA AND MATERIAL ON FILE	 20
CHARTED LANDMARKS AND NONFLOATING AIDS TO NAVIGATION	 23
FORM C&GS-8352, RECORD OF APPLICATION TO CHARTS	 25

NOAA FORM 76-36A
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.

DESCRIPTIVE REPORT - DATA RECORD

TYPE OF SURVEY

- ☒ ORIGINAL
- ☐ RESURVEY
- ☐ REVISED

SURVEY TP-00302

MAP EDITION NO. (1)
Final

MAP CLASS Class III

JOB PH. 7017

PHOTOGRAMMETRIC OFFICE

Atlantic Marine Center
Norfolk, Virginia

OFFICER-IN-CHARGE

Roy K. Matsushige, Cdr. NOAA

LAST PRECEDING MAP EDITION

TYPE OF SURVEY

- ☐ ORIGINAL
- ☐ RESURVEY
- ☐ REVISED

JOB PH. _____

MAP CLASS _____

SURVEY DATES:

19__ TO 19__

I. INSTRUCTIONS DATED

1. OFFICE

Aerotriangulation Instr. Nov. 19, 1971

Office Instr., Apr. 17, 1972

Office Instr., Supplement 1 May 11, 1973

Office Instr., Amendment 1 Not Dated

2. FIELD

Field Support Instr. May 03, 1971

II. DATUMS

1. HORIZONTAL:

☒ 1927 NORTH AMERICAN

OTHER (Specify)

2. VERTICAL:

☒ MEAN HIGH-WATER

☐ MEAN LOW-WATER

☐ MEAN LOWER LOW-WATER

☐ MEAN SEA LEVEL

OTHER (Specify)

3. MAP PROJECTION

Polyconic

4. GRID(S)

STATE Alaska

ZONE 5

5. SCALE

1:20,000

STATE

ZONE

III. HISTORY OF OFFICE OPERATIONS

OPERATIONS		NAME	DATE
1. AEROTRIANGULATION METHOD: Analytic	BY LANDMARKS AND AIDS BY	R. B. Kelly	May 1973
2. CONTROL AND BRIDGE POINTS METHOD: Coradomat	PLOTTED BY CHECKED BY	Allen	May 1973
3. STEREOSCOPIC INSTRUMENT COMPILATION	PLANIMETRY BY CHECKED BY	D. Butler	Sept. 1980
INSTRUMENT: Wild B-8 Stereoplotter	CONTOURS BY	L. O. Neterer	Sept. 1980
SCALE: 1:20,000	CHECKED BY	N/A	
4. MANUSCRIPT DELINEATION	PLANIMETRY BY	D. Butler	Sept. 1980
	CHECKED BY	F. Margiotta	Oct. 1980
METHOD: Smooth Drafted	CONTOURS BY	N/A	
	CHECKED BY	N/A	
SCALE: 1:20,000	HYDRO SUPPORT DATA BY	D. Butler	Sept. 1980
	CHECKED BY	F. Margiotta	Oct. 1980
5. OFFICE INSPECTION PRIOR TO FIELD EDIT	BY	F. Margiotta	Oct. 1980
6. APPLICATION OF FIELD EDIT DATA	BY	N/A	
	CHECKED BY	N/A	
7. COMPILATION SECTION REVIEW	BY	D. Butler	Feb. 1986
8. FINAL REVIEW	BY	J. Massey	Jan. 1987
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH	BY		
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH	BY	J. Massey	1/87
11. MAP REGISTERED - COASTAL SURVEY SECTION	BY	E. L. DAUGHERTY	JUN '87

NOAA FORM 76-36A

SUPERSEDES FORM C&GS 181 SERIES

* U.S. G.P.O. 1972-769382/582 REG.#6

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEYTP-00302
COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "E" (152.71mm FL) Wild RC-9 "M" (88.20mm FL)		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE	
☒ PREDICTED TIDES				Alaska	
☐ REFERENCE STATION RECORDS				MERIDIAN	
☐ TIDE CONTROLLED PHOTOGRAPHY				150th	
				☒ STANDARD ☐ DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
71 M (P) 199-201	07/04/71	11:08	1:60,000	6.6 ft. Above MLLW	
71 M (P) 161-162	07/04/71	10:34	1:60,000	6.0 ft. Above MLLW	
*71 E (C) 6355-6360	07/06/71	15:22	1:20,000	4.5 ft. Above MLLW	
*71 E (C) 6626-6630	07/10/71	08:55	1:20,000	2.2 ft. Below MLLW	

REMARKS

* denotes those photographs that were used to prepare hydro support data.
Mean High Water = 8.5 ft.

2. SOURCE OF MEAN HIGH-WATER LINE:

The Mean High Water Line was compiled from the above list of photographs.

3. SOURCE OF [REDACTED] MEAN LOWER LOW-WATER LINE:

No mean lower low water line was compiled.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
TP-00296	TP-00303	TP-00311	TP-00301

REMARKS

TP-00302

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. F. Lanier	June 1971
2. HORIZONTAL CONTROL	RECOVERED BY E.M.G.	June 1971
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY E.M.G.	June 1971
3. VERTICAL CONTROL	RECOVERED BY NA	
	ESTABLISHED BY NA	
	PRE-MARKED OR IDENTIFIED BY NA	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION	
	☐ COMPLETE BY	
	☐ SPECIFIC NAMES ONLY	
	☒ NO INVESTIGATION	Harrington
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY None	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY NA	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
71M - 200	Settle, 1971		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

One form 152

NOAA FORM 76-36D
(3-72)

TP-00302
RECORD OF SURVEY USE


U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation Complete Pending Field Edit	Sept.1980	Class III, Manuscript	Oct. 19,1980	Oct.21,1980

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH



JOB PH-7017

SUMMARY

Project PH-7017, Afognak and Kodiak Islands, Alaska, consists of 33 maps. Seven, TP-00284 through TP-00290, are at 1:10,000 scale and 26, TP-00291 through TP-00316, are at 1:20,000 scale. The project area is the northwestern coast line of Kodiak and Afognak Islands and their interface with Shelikof Strait. The project extends from Big Bay in the northeast to Cape Ugat in the southwest. The photogrammetric survey depicts the shoreline and



27
The aerotriangulation of the project was divided into two phases (Part I and II), in order to expedite the delivery of photogrammetric map data in support of hydrographic survey operations. Eighteen strips of photographs were bridged using analytic aerotriangulation methods. Horizontal control used was field identified (premarked). Vertical control was taken from U. S. Geological Survey quadrangles. Aerotriangulated control proved adequate and meets the requirements of the National Standards of Map Accuracy.

Compilation was performed in the Coastal Mapping Section, Atlantic Marine Center, Norfolk, Virginia. Delineation was accomplished using a Wild B-8 stereoplotter through application of standard shoreline mapping techniques. This was supplemented by graphic compilation techniques in selected areas. Delineation was based on an office interpretation of the 1:60,000 scale panchromatic, and 1:20,000- and 1:30,000-scale natural color, photographs. All line work on the base maps was smooth drafted. In areas where the stage of tide for individual photographs, based on predictions, was determined to be within the required 1 foot of the vertical datum mean lower low water, the approximate datum was delineated on the map using graphic compilation techniques.

Final review was performed in the Coastal Mapping Unit, Rockville Maryland, office. The base maps and associated data of this project meet the requirements of the National Standards of Map Accuracy. The base maps and reports comply with the project instructions.

The Descriptive Reports prepared for each map contain all the information pertaining to the completion of each map.

FIELD INSPECTION

TP-00302

Field inspection was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

PHOTOGRAMMETRIC PLOT REPORT
AFOGNAK ISLAND, ALASKA, PART II
Job PH-7017
May 1973

21. AREA COVERED

This report covers sheets TP-00296 thru TP-00316 on Afognak Island, Alaska, at 1:20,000 scale.

22. METHOD

Ten strips of photography were bridged by analytic aerotriangulation methods and adjusted to ground on the Alaska State Plane Coordinate System, Zone 5. The ten strips were also adjusted as a block. The attached sketch shows the placement of horizontal control. A list of closures to control is part of this report. Ties with Part I to the north was made by using five common control stations. Data for plotting manuscripts for compilation were assembled for ruling and plotting by the Coradomat. For the 1:20,000 scale maps, ratio prints of the bridging photography were ordered. (One each of cronapague and matte).

23. ADEQUACY OF CONTROL

All control was adequate and held well within the accuracy required by National Standards of Maps at 1:20,000 scale.

24. SUPPLEMENTAL DATA

US Geological Survey quadrangles were used to provide elevations for vertical adjustments of bridges.

25. PHOTOGRAPHY

RC-9 black and white film positives were adequate as to coverage, overlay, and definition.

Submitted by,

Robert B. Kelly
Robert B. Kelly

Approved and forwarded:

John D. Perrow, Jr.
John D. Perrow, Jr.
Chief, Aerotriangulation
Section

CLOSURES TO CONTROL (BLOCK ADJUSTMENT)

1	Kazakof, 1971 Sub. Sta.	(+ 0.1, + 0.3)
2	Ostro, 1971	(- 0.2, 0.0)
3	Slot, 1971	(+ 0.3, + 0.3)
4	Line, 1929	(- 0.2, + 0.3)
5	Settle, 1971 Sub. Sta.	(- 0.2 - 0.3)
6	Tie, 1941 Sub. Sta.	(- 0.7 + 0.3)
7	Dolphin Point Lt. 1941	(- 1.0 + 8.7)
8	Bay Cove Point 1907, 1908	(+0.5 - 0.4)
9	Pov, 1908	(+ 7.2 +7.8)
10	Cape Uganik, 1908	(+ 0.1 - 0.8)
11	Mesa, 1908	(+ 1.3, + 1.2)
12	Nun, 1941	(+ 0.8, + 0.7)
13	Raspberry Strait Lt.	(+ 2.1, + 3.5)
14	Bird Rock, 1908	(0.0, + 0.1)
15	1st, 1908, 1929	(0.0, - 0.3)
16	West Point, 1908	(+ 0.8, +0.3)
17	Cape Ugat, 1908	(+ 0.1, 0.0)


JOB PH-7017

AFOGNAK & KODIAK ISLANDS ALASKA

SHORELINE MAPPING
SCALE 1:10,000 & 1:20,000

Official Airspace for Coast Accounts

Sheet No.	Sq. Miles		
TP-03284	3	TP-03302	10
TP-03285	8	TP-03303	12
TP-03286	4	TP-03304	3
TP-03287	5	TP-03305	5
TP-03288	6	TP-03306	4
TP-03289	6	TP-03307	11
TP-03290	5	TP-03308	21
TP-03291	7	TP-03309	19
TP-03292	14	TP-03310	13
TP-03293	4	TP-03311	18
TP-03294	12	TP-03312	9
TP-03295	9	TP-03313	10
TP-03296	15	TP-03314	24
TP-03297	7	TP-03315	3
TP-03298	5	TP-03316	12
TP-03299	15		
TP-03300	15		
TP-03301	4		
		Total	319



DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETIC DATUM		COORDINATES IN FEET STATE Alaska ZONE 5	GEOGRAPHIC POSITION		ORIGINATING ACTIVITY Coastal Mapping Division, Norfolk, Va.	REMARKS	
					NA 1927			ϕ LATITUDE λ LONGITUDE	FORWARD		BACK	
TP-00302	CM-7017	SETTLE, 1971	Bridge form Pg. 1	200100	X=			ϕ 58 03 03.356			103.8	(1752.5)
					Y=			λ 152 43 31.626			518.8	(465.4)
LAMB, 1933		Quad 58152 Pg. 8			X=			ϕ 58 02 31.10			962.2	(894.1)
					Y=			λ 152 41 39.53			648.6	(335.8)
SHUYAK, 1907		Quad 58152 Pg. 16			X=			ϕ 58 00 08.333			257.8	(1598.5)
					Y=			λ 152 41 05.097			83.7	(901.8)
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
					X=			ϕ				
					Y=			λ				
COMPUTED BY	A. C. Rauck, Jr.			DATE	5/29/73			COMPUTATION CHECKED BY	C. Blood		DATE	5/30/73
LISTED BY				DATE				LISTING CHECKED BY			DATE	
HAND PLOTTING BY				DATE				HAND PLOTTING CHECKED BY			DATE	

COMPILATION REPORT

TP-00302

31. DELINEATION:

Delineation was by the Wild B-8 Stereoplotter, using 1:60,000-scale "M" photography dated 1971. The quality and coverage was adequate.

1:20,000-scale color photography was also processed as an aid in compilation and for hydrography.

32. CONTROL:

See the attached Photogrammetric Plot Report, dated May, 1973.

33. SUPPLEMENTAL DATA:

None

34. CONTOURS AND DRAINAGE:

Contours are not applicable to this project. Drainage was delineated by the Wild B-8 Stereoplotter and by office stereoscopic interpretation of the ratioed photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

Alongshore details were delineated by the Wild B-8 Stereoplotter and by office inspection of the ratioed photographs.

The mean high water line was office edited and refined from the ratioed photographs.

36. OFFSHORE DETAILS:

There exists offshore, numerous rocks and reefs that were not visible on the compilation photography. Many of these were positioned from the 1:20,000-scale color contacts. (processed for hydro)

37. LANDMARKS AND AIDS:

None

38. CONTROL FOR FUTURE SURVEYS:

None

39. Junctions:

See the Form 76-36 B, item #5 concerning junctions.

40. HORIZONTAL AND VERTICAL ACCURACY:

Refer to the Photogrammetric Plot Report dated May, 1973.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with U. S. Geological Survey
Quadrangle: Afognak (A-3), Alaska, scale 1:63,360, dated 1954.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with National Ocean Survey Chart:
16594, scale 1:78,900, 5th edition, dated Jan. 30, 1971.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None


ITEMS TO BE CARRIED FORWARD:

None

Submitted by:

/s/
David P. Butler
Cartographic Technician
Date: Sept. 10, 1980

Approved for forwarding:



ADDENDUM TO COMPILATION REPORT

TP-00302

FIELD EDIT

There was insufficient hydro support photographic coverage in the vicinity of Hog Island. Glare on the compilation photography made it difficult to determine the Mean High Water Line and offshore rocks. This area should be of special concern to the Field Editor and/or Hydrographer.

Review Report
TP-00302

61. General Statement

Refer to the summary bound with this Descriptive Report for an overview of the photogrammetric operations related to the production of this map and associated data.

62. Comparison with Registered Topographic Surveys

Comparison with registered topographic surveys was not a requirement for this project.

63. Comparison with Maps of Other Agencies

Refer to item 46 of the Compilation Report bound with this Descriptive Report for detailed information on this topic.

64. Comparison with Hydrographic Surveys

Comparison with hydrographic surveys was not a requirement




68. Delineation


Map detail was compiled on the Wild B-8 stereoplotter using the 1:60,000-scale "M" camera, panchromatic photography. This was supplemented by office interpretation and graphic compilation techniques of the 1:20,000-scale "E" camera, color photography, both of which are listed on NOAA Form 76-36 B, compilation photography.

Submitted by,

D. Butler
Office Reviewer


J. Massey
Final Reviewer

Approved by,


Lucy D. Roborn
Acting Chief, Photogrammetric Production Section

 A. J. Bryan CDR, NOAA
Chief, Photogrammetry Branch

Feb. 27, 1973

GEOGRAPHIC NAMES

FINAL NAMES SHEET

PH-7017 (Alaska)

TP-00302

Afognak (Abandoned)

Afognak Bay

Afognak Island

Afognak River

Aleut Village

Alexander Island

Arnkil Island

Back Bay

~~Chugach National Forest~~ gum

Danger Reef

Dot Island

Eastern Passage

Graveyard Point

~~Hatchery Peak~~ gum

Hog Island

~~Katenai Hill~~ gum

Lamb Island

Last Point

Lipsett Point

~~Litnik Mountain~~ gum

Marka Bay

~~Marmot Bay~~ gum~~National Forest Boundary (Approx.)~~ gum

Otrubistoi Point

Posliedni Point

Rivermouth Point


Settlement Point

Skipwith Reefs

Village Reefs

~~Litnik~~ gum~~Winter Island~~ gum


Approved by:



A. Joseph Wraight

Chief Geographer

Prepared by:



C. E. Harrington

Cartographer

INDEX TO PROJECT DATA AND MATERIAL ON FILE

PH-7017

AFOGNAK AND KODIAK ISLANDS, ALASKA

NATIONAL ARCHIVES/FEDERAL RECORDS CENTER

BROWN JACKETS:* Denotes Field Edit Information

1 of 3: - Project Map Diagram/Photogrammetric Flight
Line Layout

- * - 1 Paper & 2 Film Ozalids, TP-00286
- * - 1 Paper & 2 Film Ozalids, TP-00287
- * - 1 Paper & 2 Film Ozalids, TP-00288
- * - 1 Paper & 1 Film Ozalid, TP-00289
- * - 1 Paper & 1 Film Ozalid, TP-00290
- * - 1 Paper Ozalid, TP-00291
- * - 1 Paper Ozalid, TP-00292
- * - 1 Film Ozalid, TP-00293
- * - 1 Paper & 1 Film Ozalid, TP-00294
- * - 1 Paper & 1 Film Ozalid, TP-00295
- * - 1 Paper Ozalid, TP-00296
- * - 1 Film Ozalid, TP-00297
- * - 1 Paper & 1 Film Ozalid, TP-00301
- * - 1 Film Ozalid, TP-00303
- * - 1 Film Ozalid, TP-00310
- * - 1 Film Ozalid, TP-00311

- 2 of 3: - Binder of Aerotriangulation Printouts
- Binder Descriptive Report Control Records
C&GS Form 164
- Binder of Photographic Flight Report
ESSA Form 76-15
- Binder of Control Station Identification
Cards, C&GS Form 152
- * - Binder of Computed Tide Curve Graphs &
Stage of Tide Computations for Photographic
and Field Edit Data
- * - Binder of Pacific Marine Center generated
Computer Addendum to Horizontal Control
Reports
- * - Binder Tide Data and Zoning Information
- Bridging Photographs and Film Positives

- 3 of 3:* - 1 Sounding Volume for TP-00303
- * - 1 Sounding Volume for TP-00310
- * - 1 Sounding Volume for TP-00311

PHOTOGRAPHS 9X9 FORMAT

- * - NOS 3 Aug. 71 E (C) 7352 thru 7355
- * - NOS 3 Aug. 71 E (C) 7269, 7270, 7272, 7294, 7295
- * - NOS 10 Jul. 71 E (C) 6708 thru 6710, 6726 thru 6730, 6734, 6736, 6738, 6739, 6741 thru 6743
- * - NOS 10 Jul. 71 E (C) 6642, 6645, 6646, 6648, 6649, 6668
- * - NOS 6 Jul. 71 E (C) 6362 thru 6370
- * - NOS 5 Jul. 71 E (C) 6217 thru 6226
- * - NOS 4 Jul. 71 E (C) 6113
- * - NOS 5 Jul. 71 E (C) 6141, 6151, 6152
- * - NOS 4 Jul. 71 E (C) 6044 thru 6047, 6049, 6050, 6076 thru 6078, 6081, 6091 thru 6094
- * - NOS 4 Jul. 71 E (C) 5995, 5996

PHOTOGRAPH SEGMENTS

- * - NOS 4 Jul. 71 M (P) 220
- * - NOS 4 Jul. 71 M (P) 221
- * - NOS 4 Jul. 71 M (P) 222
- * - NOS 4 Jul. 71 M (P) 225, Parts A,B,C
- * - NOS 3 AUG. 71 M (P) 319
- * - NOS 3 Aug. 71 M (P) 320
- * - NOS 3 Aug. 71 M (P) 322
- * - NOS 3 Aug. 71 M (P) 323
- * - NOS 3 Aug. 71 M (P) 324, Parts A,B
- * - NOS 3 Aug. 71 M (P) 325
- * - NOS 3 Aug. 71 M (P) 326, Parts A,B
- * - NOS 5 Jul. 71 E (C) 6246
- * - NOS 5 Jul. 71 E (C) 6247
- * - NOS 6 Jul. 71 E (C) 6282
- * - NOS 6 Jul. 71 E (C) 6281
- * - NOS 6 Jul. 71 E (C) 6283
- * - NOS 6 Jul. 71 E (C) 6284
- * - NOS 6 Jul. 71 E (C) 6290
- * - NOS 6 Jul. 71 E (C) 6291
- * - NOS 6 Jul. 71 E (C) 6318
- * - NOS 6 Jul. 71 E (C) 6321
- * - NOS 6 Jul. 71 E (C) 6323
- * - NOS 6 Jul. 71 E (C) 6333
- * - NOS 6 Jul. 71 E (C) 6334
- * - NOS 6 Jul. 71 E (C) 6335

PROJECT COMPLETION REPORT

AGENCY ARCHIVES

Registration Copy of the Map
Descriptive Report of the Map

PHOTOGRAMMETRIC ELECTRONIC DATA LIBRARY

There is no digital data for this project

REPRODUCTION BRANCH

8X Reduction Negative of Map

OFFICE OF THE STAFF GEOGRAPHER

Geographic Names Standard

RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAME
OBJECTS INSPECTED FROM SEAWARD	
POSITIONS DETERMINED AND/OR VERIFIED	S.J. Konrad
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	
INSTRUCTIONS FOR ENTRIES UNDER METHOD AND DATE OF LOC.	
(Consult Photogrammetric Instructions No. 64.	
OFFICE	FIELD (Cont'd)
I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	II. TRIANGULATION When a landmark triangulation station is used, enter the date of field use. EXAMPLE: P-6 8-12-75
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field P - Photogrammetric L - Located Vis - Visually V - Verified 1 - Triangulation 5 - Field Identified 2 - Traverse 6 - Theodolite 3 - Intersection 7 - Planetable 4 - Resection 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75	III. POSITION VERIFIED Enter 'V-Vis.' EXAMPLE: V-Vis. 8-12-75
*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods. **PHOTOGAMMETRIC FIELD POSITIONS are determined by field observations based entirely, or in part, by photogrammetric methods.	

TYPE OF ACTION
OBJECTS INSPECTED FROM SEAWARD
POSITIONS DETERMINED AND/OR VERIFIED
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES
OFFICE 1. OFFICE IDENTIFIED Enter the number of day, and year) of identify and local EXAMPLE: 75E(C)6 8-12-75
FIELD 1. NEW POSITION DETERMINED Enter the applicable F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection A. Field position location and date EXAMPLE: F-2-1 8-12-75 *FIELD POSITIONS are based on entire

