

TP-00350

TP 00350

NOAA FORM 76-35 (3-76) U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
<h2>DESCRIPTIVE REPORT</h2>	
<b>Map No.</b> TP-00350	<b>Edition No.</b> 1st
<b>Job No.</b> CM-7701	
<b>Map Classification</b> Final Field Edited Map	
<b>Type of Survey</b> Shoreline	
<b>LOCALITY</b>	
<b>State</b> FLORIDA	
<b>General Locality</b> Overstreet	
<b>Locality</b> Wetappo to Ringjaw Camp	
<div style="border: 1px solid black; padding: 5px; display: inline-block;">           19 77 TO 19 78         </div>	
<b>REGISTRY IN ARCHIVES</b>	
<b>DATE</b>	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED		SURVEY TF. 00350 MAP EDITION NO. (1) MAP CLASS Final field edited JOB RMCM-7701	
DESCRIPTIVE REPORT - DATA RECORD				LAST PRECEDING MAP EDITION			
PHOTOGRAMMETRIC OFFICE Rockville, Md.				TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED		JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	
OFFICER-IN-CHARGE Cmdr. James Collins							
I. INSTRUCTIONS DATED							
1. OFFICE General Instructions-Office-NOS Cooperative Coastal Boundary Mapping - Job PH-7000 9 December 1975 Office - August 18, 1977 Amendment I - 3 January 1978				2. FIELD Field Instructions - 27 December 1976 Supplement I - 6 May 1977 Amendment - Field Edit Procedures 30 January 1978			
II. DATUMS							
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN				OTHER (Specify)			
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL				OTHER (Specify) Gulf Coast Low-Water			
3. MAP PROJECTION Lambert Conformal Conic				4. GRID(S)			
				STATE Florida		ZONE North	
5. SCALE 1:20,000				STATE		ZONE	
III. HISTORY OF OFFICE OPERATIONS							
OPERATIONS				NAME		DATE	
1. AEROTRIANGULATION METHOD: Analytic LANDMARKS AND AIDS BY				D. Norman		Sept 1977	
				N/A			
2. CONTROL AND BRIDGE POINTS METHOD: Coradomat PLOTTED BY				W. Maynard		Sept 1977	
				N/A			
3. STEREOSCOPIC INSTRUMENT COMPILATION PLANIMETRY BY				N/A			
				N/A			
INSTRUMENT:				N/A			
SCALE:				N/A			
4. MANUSCRIPT DELINEATION METHOD: Graphic SCALE: 1:20,000 HYDRO SUPPORT DATA BY				R. Travis		Dec 1977	
				J. Schad		Jan 1978	
				N/A			
				N/A			
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY				C. Lewis		Feb 1978	
				P. Dempsey		Mar 1978	
6. APPLICATION OF FIELD EDIT DATA CHECKED BY				C. Lewis		Mar 1978	
7. COMPILATION SECTION REVIEW BY				P. Dempsey		April 1978	
8. FINAL REVIEW BY				C. Lewis Oct 83/P. Dempsey		Dec 1984	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY				P. Dempsey		JAN 1985	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY				P. Dempsey		Dec 1984	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY				R.S. KORNSPAN		FEB 1985	

NOAA FORM 76-36B  
(3-72)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

## COMPILATION SOURCES

## 1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 and RC-10		TYPES OF PHOTOGRAPHY LEGEND (C) <u>COLOR</u> (P) <u>PANCHROMATIC</u> (I) <u>INFRARED</u>		TIME REFERENCE	
TIDE STAGE REFERENCE <input type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Central	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 90th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
77Z(C) 3359 thru 3360	24 April	1027	1:40,000	The stage of tide for color and panchromatic photography is inapplicable.	
77Z 1661 & 1662	19 Jan	1118	1:50,000		
77Z 1751 thru 1753	19 Jan	1330	1:50,000		
77E 454R thru 462R	24 April	1012	1:40,000	Refer to NOAA Form 76-36 B(1) for tide data.	
77E 8913R thru 8915R	29 Jan	1143	1:40,000		
77E 8958R thru 8963R	29 Jan	1227	1:40,000		
REMARKS					

## 2. SOURCE OF MEAN HIGH-WATER LINE:

The source of the MHW line is the tide-coordinated black & white infrared photography listed in Item 1. The color photography was used as an aid for interpreting cultural features and compiling the limit of vegetation, shoal, and shallow areas.

## 3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

The source of the GCLW line is the tide-coordinated black and white infrared photography listed under Item 1.

## 4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

## 5. FINAL JUNCTIONS

NORTH	No contemporary survey	EAST	No contemporary survey	SOUTH	TP-00351	WEST	TP-00348 TP-00349
REMARKS							

NOAA FORM 76-36B(1)  
(7-75)U. S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SURVEY

## TIDE - COORDINATED PHOTOGRAPHY

TP - 00350

LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
77E-454-462R	Wetappo Creek	Inside +0.18 MHW	
77E-8913-8915R	Wetappo Creek	Inside +0.22 GCLW	
77E-8958-8963R	Wetappo Creek	Inside +0.28 GCLW	

REMARKS:

## HISTORY OF FIELD OPERATIONSTP-00350

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATIONunder ltr. dtd. 1/30/78 fr  
Chief, Coastal Mapping

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R.R. Wagner	
2. HORIZONTAL CONTROL	RECOVERED BY N/A ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	
3. VERTICAL CONTROL	RECOVERED BY N/A ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY N/A LOCATED (Field Methods) BY IDENTIFIED BY	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY R.R. Wagner	March 1988
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N/A	

## II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

## 3. PHOTO NUMBERS (Clarification of details)

77Z1751, 1753; 77ER456, 458, 8914

## 4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

## 7. SUPPLEMENTAL MAPS AND PLANS

## 8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

## RECORD OF SURVEY USE

TP-00350

## I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Shoreline & Alongshore Detail	Nov 1977	Map Class III		
Final Copy	Nov 1978	Atlantic Marine Center CAM313 Bill Stephenson		

## II. LANDMARKS AND AIDS TO NAVIGATION

## 1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER pages	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
2		April 1979	Digitized form 76-40

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: \_\_\_\_\_3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: \_\_\_\_\_

## III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☐ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.  
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☒ FORM NOS 567 SUBMITTED BY FIELD PARTIES.  
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.  
 ACCOUNT FOR EXCEPTIONS:

4. ☒ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: \_\_\_\_\_

## IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	







## SUMMARY TO ACCOMPANY

## DESCRIPTIVE REPORT

Coastal Zone Map TP-00350, scale 1:20,000, is one of five 1:10,000 scale and fourteen 1:20,000 scale maps in project CM-7701. These nineteen maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7701 shows the location of the individual maps from Cape San Blas to Fort Walton Beach, Florida. A copy of the layout is included in this descriptive report.

Field operations consisted of premarking horizontal control, photographing the area, establishing tidal datums and performing field edit.

Compilation photography was taken with the Wild RC-10-Z camera which consisted of 1:40,000 scale color photographs taken in April, 1977, 1:30,000 scale color photographs taken in January, 1977 and 1:50,000 scale panchromatic photographs taken in January, 1977. This photography was used to set stereo models, to delineate cultural features and locate landmarks and aids to navigation. The shoreline was compiled using 1:40,000 scale, black and white, infrared, MEW and GCLW photography taken with the Wild RC-8-E camera in January and April, 1977.

The Aerotriangulation Unit in Rockville, Maryland, bridged ten strips of photography, using analytic aerotriangulation methods. The bridging was completed in two phases. Phase I consisted of TP-00340 through TP-00352, covering the area from Cape San Blas to Choctawatchee Bay and was completed in September, 1977. The Westernmost section, phase II, TP-00334 through TP-00339, covering Choctawatchee Bay to Fort Walton Beach, was completed in December, 1977.

Compilation was accomplished in the Coastal Mapping Unit, Rockville, Maryland, using graphic methods.

Field edit was completed in March, 1978. All known landmarks and aids to navigation were located or the compilation verified.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final review was performed in the Quality Control Unit, Rockville, Maryland, in October, 1983 and December, 1984. This map meets the requirements for National Standards for Map Accuracy.



(Part 1)  
TP-00340 thru TP-00352

Photogrammetric Plot Report  
Cape San Blas to Ft. Walton Beach, Florida  
Job CM-7701  
September 1977

Area Covered

The area covered by this report is the Cape San Blas to Ft. Walton Beach area in Florida, from the Apalachicola Bay to the Choctawatchee Bay area, 11, 1:20,000 sheets and 2, 1:10,000 sheets. Sheets 00334, 00335, 00336, 00337, 00338, and 00339 were omitted from the project.  
(See Part 2)

Method

Nine strips of bridging photography (5, 50,000, 3, 20,000, and 1,30,000 scale) were measured by analytic aerotriangulation methods. Strips 1 and 6 were marginal by regular strip adjustment methods, so a block adjustment was done with satisfactory results. All adjustments were made on the Florida North Zone State Plane Coordinate System. All the strips were controlled by field identified control. Office identified control points were used as checks.

Tie points were used on all strips to insure an adequate junction during strip adjustments.

Common points were located on the bridging photography and the tide-controlled IR photography for ratio purposes and also on two 1:30,000 compilation strips for that purpose.

Ratios have been ordered. The sheets will be plotted by the Compilation Section.

Adequacy of Control

The majority of the control points and targets were accurate within NOS standards.

The sub. pt. position for No. 56 (U.S.E.) 1934 would not fit into the adjustment by 312 feet in X and 328 feet in Y.

The target for Lynn, 1935 could not be positively identified. The photos were sent back to the field and three additional sub. pts. were determined and identified on the photos.


Supplemental Data

USGS Quadrangles were used to provide vertical control for the strip adjustments. Nautical charts, 11389, 11388, 11401, 11391, 11402, 11393, 11390, 11385 were used for Light locations.

Photography


The coverage, overlap, and quality of the photography were accurate for the job. There was not complete coverage with MHW photography.

Submitted by,



Donald O. Norman

Approved and forwarded;



John D. Perrow, Jr.


Chief, Aerotriangulation Section

ACCURACY OF CONTROL USED IN STRIP ADJUSTMENT

	<u>ERROR</u>	
<u>Strip 2</u>	<u>-x-</u>	<u>-y-</u>
671101	.431	.157
663101	-.888	-.704
677101	-.188	-1.325
678100	1.444	3.051
680101	-.986	-1.251
<u>Strip 3</u>		
690103	-.456	-.240
692101	.865	.357
741101	-.550	-.148
680101	.138	.031
<u>Strip 4</u>		
705101	-.299	-.166
708101	.805	.664
712100	-1.107	-1.293
714101	.587	.793
<u>Strip 7</u>		
871100	-.001	.002
876101	.000	.000
880101	.002	-.002
<u>Strip 8</u>		
839801	.000	.000
680101	.000	.000
880101	-.000	-.000
<u>Strip 9</u>		
871100	-.000	-.000
900101	-.000	-.000
903100	.000	.000
<u>Strip 10</u>		
642101	.000	-.000
719801	-.000	.000
919101	-.000	.000

ACCURACY OF CONTROL POINTS USED IN STRIP ADJUSTMENT

	<u>ERROR</u>	
	<u>-x-</u>	<u>-y-</u>
<u>Strips 1 and 6</u> (Block Adjustment)		
642101	-.005	.168
642140	4.262	-1.187
644140	2.680	-1.457
646101	.277	-.153
652101	-.011	-.235
655140	1.064	1.623
656140	-1.252	-4.679
658100	-.020	.128
663101	.080	.069
664101	-.246	.148
671101	-.218	-.030
705101	-.138	-.003
739101	.035	.037
741101	-.276	-.227



REVISED 2-4-77 RWW

OFFICIAL MILEAGE FOR COST ACCOUNTS


SHEET NO.	SQ. MILES
TP-00334	6
TP-00335	5
TP-00336	3
TP-00337	20
TP-00338	18
TP-00339	5
TP-00340	5
TP-00341	18
TP-00342	23
TP-00343	8
TP-00344	5
TP-00345	23
TP-00346	23
TP-00347	5
TP-00348	5
TP-00349	10
TP-00350	18
TP-00351	
TP-00352	
Total:	223

BRIDGING PHOTOGRAPHY

CM-7701  
CAPE SAN BLAS TO FT. WALTON BEACH  
FLORIDA  
SHORELINE MAPPING  
SCALE 1:10,000 & 1:20,000








OFFICIAL MILEAGE FOR COST ACCOUNTS

SHEET NO.	SQ. MILES
TP-00334	6
TP-00335	5
TP-00336	3
TP-00337	20
TP-00338	20
TP-00339	18
TP-00340	5
TP-00341	5
TP-00342	18
TP-00343	3
TP-00344	23
TP-00345	8
TP-00346	5
TP-00347	23
TP-00348	23
TP-00349	5
TP-00350	5
TP-00351	10
TP-00352	18
Total:	223

INFRARED PHOTOGRAPHY + MLW

REVISED 2-4-77 RWM



REVISED 3-77 RWW.

OFFICIAL MILEAGE FOR COST ACCOUNTS

SHEET NO.	SQ. MILES
TP-00334	6
TP-00335	5
TP-00336	3
TP-00337	20
TP-00338	20
TP-00339	18
TP-00340	5
TP-00341	5
TP-00342	18
TP-00343	3
TP-00344	23
TP-00345	8
TP-00346	5
TP-00347	23
TP-00348	23
TP-00349	5
TP-00350	5
TP-00351	10
TP-00352	10
Total:	223

223 COMPILATION PHOTOGRAPHY

CM-7701  
CAPE SAN BLAS TO FT. WALTON BEACH  
FLORIDA  
SHORELINE MAPPING  
SCALE 1:10,000 & 1:20,000

## DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI-ANGULATION POINT NUMBER	COORDINATES IN FEET		GEOGRAPHIC POSITION		ORIGINATING ACTIVITY
					STATE	ZONE	$\phi$	$\lambda$	
TP-00350	CM-7701				N A 1927	North			Rockville, Md.
		Chim, 1934	P C Pg 56	70	x= 1,707,539.42	y= 384,437.40	$\phi$		
		No 10 (USE), 1934	Pg 55	71	x= 1,710,187.45	y= 382,300.17	$\lambda$		
		Horse, 1934	Pg 56	72	x= 1,715,548.72	y= 382,979.89	$\phi$		
		No. 5 (USE), 1934	Pg 55	73	x= 1,714,039.11	y= 378,526.34	$\lambda$		
		Pole, 1935	Pg 56	74	x= 1,720,750.00	y= 373,111.00	$\phi$		
		Early, 1934	Pg 20	671100	x= 1,743,127.43	y= 377,738.27	$\lambda$		
					x=	y=	$\phi$		
					x=	y=	$\lambda$		
					x=	y=	$\phi$		
					x=	y=	$\lambda$		
					x=	y=	$\phi$		
					x=	y=	$\lambda$		
					x=	y=	$\phi$		
					x=	y=	$\lambda$		
COMPUTED BY				DATE	COMPUTATION CHECKED BY				
									DATE
LISTED BY		R. Travis		DATE	LISTING CHECKED BY C. Lewis				DATE
				Dec 1977					Feb 1978
HAND PLOTTING BY				DATE	HAND PLOTTING CHECKED BY				DATE

Compilation Report  
TP-00350  
December 1977

31. Delineation

TP-00350 was compiled by graphic methods. Rectified prints of the panchromatic 1:50,000 scale photography were used to delineate the planimetric detail, shallow, and shoal areas.

Holding to common pass points and common planimetric detail, tide-coordinated MHW and GCLW black-and-white infrared was used to compile the shoreline.

32. Horizontal Control

Control was adequate. (See the photogrammetric Plot Report).

33. Supplemental Data - None

34. Contours and Drainage

Contours - not applicable.

Drainage - all drainage is from office interpretation of photography listed on NOAA Form 76-36B.

35. Shoreline and Alongshore Details

The MHW line and GCLW line were compiled graphically from the tide-coordinated infrared photography listed on the data record 76-36 B(1).

36. Offshore Details

No unusual problems were encountered.

37. Landmarks and Aids

Three (3) lights were located during aerotriangulation and compilation.

38. Control for Future Surveys - None

39. Junctions

Refer to data record 76-36B.

40. Horizontal and Vertical Accuracy

This map complies with the accuracy requirement for the Florida Coastal Zone Mapping Program as outlined by project instruction, PH-7000.

41. thru 45. - Inapplicable

46. Comparison with Existing Maps

Comparison was made with the following 7.5 minutes USGS quadrangles:

Wetappo Creek, Fla., 1945, Allanton, Fla., 1956 Tenmile Swamp, Fla., 1945, North of Allanton, Fla., 1956 Beacon Hill, Fla., 1956, and Overstreet, Fla., 1943.

47. Comparison with Nautical Charts

11389 - 17th Ed., April 23, 1977, 1:80,000.


11393 (Formerly 867-SC) 8th Ed., June 4, 1977, 1:40,000.

Submitted by,



Ronald Travis  
Carto. Tech.

Approved and forwarded:



J. P. Battley  
Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-00350, JOB CM-7701

51. METHODS

Field edit was performed under instructions dated 1/30/78 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore.

Field edit notes will be found on the photographs and discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 3/14/78

  
Robert E. Wagner  
Chief, Photo Party 66



REVIEW REPORT  
TP-00350  
DECEMBER 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

62. Comparison With Registered Topographic Surveys - None

63. Comparison With Maps of Other Agencies

Refer to the Comilation Report, paragraph 46, bound with this Descriptive Report.

64. Comparison With Contemporary Hydrographic Surveys - None

65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys


This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:



Patrick J. Dempsey  
Final Reviewer

Approved and Forwarded:



Robert A. Roddy  
Chief, Photogrammetric Section



Ronald K. Brewer  
Chief, Photogrammetry Branch

August 16, 1978

GEOGRAPHIC NAMES


FINAL NAME SHEET

CM-7701 (Cape San Blas to Fort Walton Beach, Fla.)

TP-00350

Alligator Creek	Joe Lamb Branch
Bull Bayou	Lathrop Bayou
Bull Point	North Prong
Cypress Creek	Overstreet
Devils Elbow	Ringjaw Camp
Eagle Nest Bayou	Sandy Creek
East Bay	South Prong
Gude Branch	Wetappo Creek
Horseshoe Bayou	Wetappo
Horseshoe Creek	

Approved by:

  
Charles E. Harrington  
Staff Geographer - C51x2

DISSEMINATION OF PROJECT MATERIAL

CM-7701

CAPE SAN BLAS TO FORT WALTON BEACH

National Archives/Federal Records Center

Job Completion Report

Brown Jacket:

Field Photographs

Discrepancy Prints

Photogrammetric Plot Report

Tide Data

Control Station Identification Cards

Bureau Archives

--Registered Map

Descriptive Report

Reproduction Division

8x Reduction Negative of Map

Office of Staff Geographer

Geographic Names Standards

\* SVY TP-0350 \* RPT UNIT CMD, ROCKVILLE, MD. \* PAGE 1 OF 2 \*  
\* JOB CN-7701 \* STATE FLORIDA \*  
\* PRJ 833205 \* LOCALITY WETAPPO CREEK \* ORIGINATING ACTIVITY \*  
\* DTM NA 1927 \* DATE 03/27/78 \* COMPILATION \*  
\* \* \* \* \*

\* POSITIONS DETERMINED \*  
\* AND/OR VERIFIED BY \* ROBERT R. WAGNER \* FIELD REPRESENTATIVE \*  
\* FIELD AND OFFICE \* PATRICK J. DEMPSEY \* OFFICE COMPILER \*  
\* ACTIVITIES \* ALFRED BETHEA \* DIGITIZER \*  
\* \* JAMES H. TAYLOR \* DATA PROCESSER \*  
\* \* \* \* \*

\* KEY FOR ENTRIES UNDER METHOD AND DATE OF LOCATION \*  
\* \* FIELD(CONT,0) \*  
\* OFFICE \*  
\* 1.OFFICE IDENTIFIED AND LOCATED OBJECTS. \*  
\* THE NUMBER AND DATE (INCLUDING MONTH, DAY \*  
\* AND YEAR) OF THE PHOTOGRAPH USED TO \*  
\* IDENTIFY AND LOCATE THE OBJECT ARE SHOWN. \*  
\* EXAMPLE 75E(C)6042 \*  
\* 8-12-77 \*  
\* \* \* \* \*

\* FIELD \*  
\* 1.NEW POSITION DETERMINED OR VERIFIED \*  
\* KEY TO SYMBOLS \*  
\* F-FIELD P-PHOTOGRAMMETRIC \*  
\* L-LOCATED VIS-VISUALLY \*  
\* V-VERIFIED \*  
\* 1-TRIANGULATION 5-FIELD IDENTIFIED \*  
\* 2-TRAVERSE 6-THEODOLITE \*  
\* 3-INTERSECTION 7-PLANETABLE \*  
\* 4-RESECTION 8-SEXTANT \*  
\* \* \* \* \*

\* A.FIELD POSITIONS\* SHOW THE METHOD OF \*  
\* LOCATION AND DATE OF FIELD WORK. \*  
\* EXAMPLE F-2-6-L \*  
\* 8-12-76 \*  
\* \* \* \* \*

\* FIELD POSITIONS ARE DETERMINED BY FIELD \*  
\* OBSERVATIONS BASED ENTIRELY UPON GROUND \*  
\* SURVEY METHODS \*  
\* \* \* \* \*

\* NOTE: WHERE THE NAME OF AN AID INCLUDES THE IMMEDIATE GEOGRAPHIC HEADING UNDER WHICH IT IS LISTED, \*  
\* A DASH (-) IS USED TO INDICATE THE GEOGRAPHIC HEADING WHICH IS PART OF THE OFFICIAL NAME. \*  
\* \* \* \* \*

76-40  
LISTING  
PHOTOGRAMMETRIC BRANCH  
COASTAL MAPPING DIVISION

NATIONAL OCEAN SURVEY NOAA  
DEPARTMENT OF COMMERCE USA

DATATAB  
VERSION  
782707

* SVY	TP-00350	* NONFLOATING AIDS FOR CHARTS	* RPT UNIT	CMD, ROCKVILLE, MD.	* PAGE	2 OF 2	*
* JOB	CM-7701	* TO BE CHARTED	* STATE	FLORIDA	*		*
* PRJ	833205		* LOCALITY	WETAPPO CREEK	* ORIGINATING ACTIVITY*		*
* DTM	NA 1927		* DATE	03/27/78	* COMPILATION		*

\* THE FOLLOWING OBJECTS HAVE NOT BEEN INSPECTED FROM SEAWARD TO DETERMINE THEIR VALUE AS LANDMARKS \*

* * *	DESCRIPTION	* * *	POSITION	CMD *	METHOD AND DATE	* *
*CHARTING*	RECORD REASON FOR DELETION	* *	LATITUDE	ALTEK*	OF LOCATION	* CHARTS *
* NAME *	PUT TRIANGULATION NAMES IN ( )	* *	LONGITUDE	DGIZD*	OFFICE *	* AFFECTED *

ONLY THOSE NONFLOATING AIDS AND LANDMARKS TO NAVIGATION THAT WERE VISIBLE ON THE PHOTOGRAPHY AND LOCATED DURING

BRIDGING OR COMPILATION ARE SHOWN ON THIS MAP.

APALACHICOLA RIVER-EAST BAY

* -LIGHT *	WETAPPO CREEK	* 30 02 25.17	775.0	* 77Z1751	* V-VIS	* 13393
* 10 *		* 85 23 45.27	1212.8	* 01/18/77	* 03/13/78	

[illegible][illegible][illegible]

路 考  
考 考  
考 考  
考 考  
考 考  
考 考  
考 考  
考 考  
考 考

[illegible][illegible]

.....

### RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

## INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]