

TP-00544

TP-00544

NOAA FORM 76-35 (3-76) U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
<h2>DESCRIPTIVE REPORT</h2>	
Map No. TP-00544	Edition No. 1
Job No. CM-7719	
Map Classification Final (Field Edited)	
Type of Survey Shoreline	
LOCALITY	
State Florida	
General Locality Warrington	
Locality Pensacola to Beach Haven	
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 19 78 TO 19 79 </div>	
REGISTRY IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY		SURVEY TP. 00544	
DESCRIPTIVE REPORT - DATA RECORD				<input checked="" type="checkbox"/> ORIGINAL		MAP EDITION NO. (1)	
				<input type="checkbox"/> RESURVEY		MAP CLASS Final field edited	
				<input type="checkbox"/> REVISED		JOB PH-CM-7719	
PHOTOGRAMMETRIC OFFICE Rockville, Md.				LAST PRECEDING MAP EDITION			
OFFICER-IN-CHARGE Cmdr. J. Collins				TYPE OF SURVEY		JOB PH- _____	
				<input type="checkbox"/> ORIGINAL		MAP CLASS _____	
				<input type="checkbox"/> RESURVEY		SURVEY DATES:	
				<input type="checkbox"/> REVISED		19__ TO 19__	
I. INSTRUCTIONS DATED							
1. OFFICE				2. FIELD			
General Instructions-Office-NOS Cooperative Coastal Boundary Mapping - Job PH-7000 9 Dec 1975 Office - 18 Aug 1977 Amendment I - 3 Jan 1978 Amendment II - 7 Mar 1978				Field Instructions - 27 Dec 1976 11 Aug 1977 Amendment - Field Edit Procedures 30 Jan 1978			
II. DATUMS							
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN				OTHER (Specify)			
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL				OTHER (Specify) Gulf Coast Low Water			
3. MAP PROJECTION Lambert Conformal Conic				4. GRID(S)			
				STATE Florida		ZONE North	
5. SCALE 1:10,000				STATE		ZONE	
III. HISTORY OF OFFICE OPERATIONS							
OPERATIONS				NAME		DATE	
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY				K. Baker		Feb 1979	
				N/A			
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Cal Comp CHECKED BY				J. Taylor		Mar 1979	
				N/A			
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY				J. Schad		Mar 1979	
INSTRUMENT: Wild B-8				P. Dempsey		Mar 1979	
SCALE: 1:10,000				N/A			
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY				J. Schad		Mar 1979	
METHOD: Graphic				P. Dempsey		June 1979	
SCALE: 1:10,000				N/A			
HYDRO SUPPORT DATA BY				N/A			
CHECKED BY							
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY				D. Brant		July 1979	
				P. Dempsey		Sept 1979	
6. APPLICATION OF FIELD EDIT DATA BY				F. Wright		Sept 1979	
CHECKED BY							
7. COMPILATION SECTION REVIEW BY				F. Wright		Nov 1979	
8. FINAL REVIEW BY				P. Dempsey		Nov 1984	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY							
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY				P. Dempsey		Nov 1984	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY				R.S. KORNSPAN		FEB 1985	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

COMPILATION SOURCES

TP-00544

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8-E & K & RC-10-C		TYPES OF PHOTOGRAPHY LEGEND (C) <u>COLOR</u> (P) PANCHROMATIC (I) <u>INFRARED</u>		TIME REFERENCE	
TIDE STAGE REFERENCE <input type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Central	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 90th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
78 EC 6961 - 6964	15 Jan 78	1453	1:30,000	N/A	
78 KR 2935	29 Jan 78	1436	1:30,000	Refer to 76-36B(1) for tide information	
78 KR 2955 - 2956	4 Feb 78	1451	1:30,000		
78 CR 2644	9 Apr 78	1059	1:50,000		
REMARKS					

2. SOURCE OF MEAN HIGH-WATER LINE:

The source of the MHW line is the tide-coordinated infrared photography listed in item 1 above. Where the shoreline is obscured by vegetation, such as mangrove, the apparent shoreline was used.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

No GCLW line is shown on this map. The MHW line and the GCLW line coincide at map scale.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
N/A	TP-00539 & TP-00543	TP-00545	TP-00546 & TP-00547

REMARKS

Final junctions were made in the Coastal Mapping Section.

NOAA FORM 76-36B(1)
(7-75)

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TIDE - COORDINATED PHOTOGRAPHY

TP - 00544

LOCATION AND PHOTOGRAPHY	TIDE STATIONS <i>(In operation at time of photography)</i>	STAGE OF TIDE	MEAN RANGE
Pensacola			
78K 2935	Pensacola	-0.12 GCLW	
78K 2955-56	Pensacola	+0.33 GCLW	
78C(R) 2644	Pensacola	-0.42 HW	

REMARKS:

HISTORY OF FIELD OPERATIONS TP-00544

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATIONUnder ltr. dtd. 1/30/78 fr.
Chief, Coastal Mapping

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	J.D. Di Mare	
2. HORIZONTAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY		
3. VERTICAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY		
4. LANDMARKS AND AIDS TO NAVIGATION RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	J.D. Di Mare	August 1979
5. GEOGRAPHIC NAMES INVESTIGATION TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	J.D. Di Mare	August 1979
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	N/A	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

78-E-6961; 78-E-6963

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☐ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☐ NONE

7. SUPPLEMENTAL MAPS AND PLANS

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

TP-00544

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Class I		Cronaflex copy sent to AMC		4/21/82

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER pages	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
2		4/16/80	Digitized forms 76-40

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☐ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:
~~Tide data Discrepancy prints~~
 4. ☒ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT
TP-00544

Coastal Zone Map TP-00544 is one of four 1:10,000 scale shoreline maps in project CM-7719. The project also consists of eight 1:20,000 scale maps. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7719 shows the location of the individual maps from Fort Walton Beach to Perdido Pass and North to Escambia Bay and the Blackwater River. A copy of the layout is included in this Descriptive Report. Field operations consisted of premarking horizontal control and photographing the area; establishing tidal datums and performing the field edit.

Color compilation photography was taken with the Wild RC-8-E camera in January, 1978 and the Wild RC-10-Z camera in April, 1977 at 1:30,000 scale. This photography was used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:50,000 scale, black and white, infrared, MHW and GCLW photography taken with the Wild RC-10-C camera in February, March and April, 1978.

The Aerotriangulation Unit in Rockville, Maryland bridged six strips of 1:50,000 scale, black and white, panchromatic photography and one strip of 1:30,000 scale color photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland using graphic and instrument methods.

Field edit was completed in August, 1979. Recovery and location of landmarks, fixed aids to navigation, piling, etc. were omitted from the field edit procedures as per memo, dated January 30, 1978, from chief, Photogrammetric Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The edit was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland in November, 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile the final map.

PHOTOGRAMMETRIC PLOT REPORT
FORT WALTON BEACH TO PERDIDO PASS, FLORIDA

JOB CM-7719

February 1979

AREA COVERED

The area covered by this report is from Ft. Walton Beach west to Pensacola and Perdido Pass, Florida; and north to Escambia Bay and the Blackwater River. The area is covered by eight 1:20,000 sheets and four 1:10,000 sheets.

METHOD

Six strips of 1:50,000 bridging photography were measured by analytic aerotriangulation methods. These six strips were controlled by field and office identified points. The job was flown earlier (1977) using the "C" camera, and when it was discovered that there was something wrong with the camera, the job was reflown in April 1978 using the "E" camera. The control panels were transferred on the Wild PUG from the earlier photography.

One small strip (7) of photography - 77-Z(C)-3459/3463 (scale 1:30,000) was bridged between strips 1 and 5 along the western shore of Escambia Bay north of Pensacola, using points from the 1:50,000 photography as control to obtain adequate shoreline coverage for compilation.

Common points were located on four strips of 1:30,000 color compilation photography in the Pensacola, Perdido Key (eastern end), Santa Rosa Island (western end) area and the corresponding 1:50,000 bridging strips.

Tie points were used on all strips to ensure an adequate junction during strip adjustments.

Twelve manuscripts will be plotted on the Coradomat.

ADEQUACY OF CONTROL

There was only one panel intact from the earlier photography, BON, 1934, but it was discovered during strip adjustments that the panel was moved in a storm, and, at the time of the first and second photo missions, it was in line with the storm water line. A light, Pensacola Mobile Beacon 91, was used in the strip adjustments (strips 4, 5, and 6), which was near BON, 1934, and was found to be a good station. All others were transferred on the Wild PUG from the "C" photography.

SUPPLEMENTAL DATA

USGS quadrangles were used to provide vertical control for the strip adjustments. NOS nautical charts were used to aid in landmark and aids to navigation identification.

PHOTOGRAPHY

The coverage, overlap and quality of the photography were adequate for the job. The infrared photography was not ratioed. It will be rectified by the compilation section.

Approved and Forwarded by:

Don O. Norman
Chief, Aerotriangulation Section

Submitted by:

Karin H. Baker

ACCURACY OF CONTROL

STRIP #1

		<u>X</u>	<u>Y</u>
Contraves Two, 1956	230100	0.893	-1.186
Langley, 1950	235100	-3.234	1.908
Sub point 18	238101	1.819	1.554
Westhead 2, 1934			
Sub point	240101	1.136	-4.128
Cantonment Rm 5, 1938	245100	- .639	1.858

STRIP #2

		<u>X</u>	<u>Y</u>
ET-RLT, 1966			
Sub point	212101	-1.584	-1.927
Creek 3, 1934			
Sub point	214101	2.997	3.624
Williams 2, 1963			
Sub point	218101	-1.080	-1.294
Contraves Two, 1956	230100	-1.588	-1.649
Narr 2, 1973			
Sub point	224101	1.266	1.249

STRIP #3

		<u>X</u>	<u>Y</u>
Sub point 17	161101	0.000	0.000
Sub point 18	238101	0.000	0.000
Sub point 13	166101	0.000	0.000

STRIP #4

		<u>X</u>	<u>Y</u>
Pensacola Mobile Beacon			
#91, 1934	193152	0.850	-1.047
Clear, 1934	195100	-1.027	-2.286
Stamp RM 2, 1934			
Sub pt.	197103	-2.277	1.264
Kit, 1935	141100	1.826	-0.200
Pace, 1938			
Sub pt.	147101	-0.394	-0.013

2

STRIP #5

		<u>X</u>	<u>Y</u>
Sub pt. 13	166101	1.148	2.778
Pine Bluff 2, 1966			
Sub point	251101	0.287	-3.191
Hinrichs, 1934			
Sub pt.	256101	-1.745	-0.552
Stamp RM 2, 1934			
Sub pt.	197103	2.236	0.336
Clear, 1934	195100	-3.204	1.823
Pensacola Mobile Beacon			
#91, 1934	193152	1.262	-1.203

STRIP #6

		<u>X</u>	<u>Y</u>
Pensacola Mobile Beacon			
#91, 1934	193152	0.619	0.178
Clear, 1934	195100	0.550	-2.138
Stamp RM 2, 1934			
Sub pt.	197103	-2.629	2.737
Gulf Beach 1934	200100	1.445	-2.597
Worth, 1934	203100	4.422	-0.689
ET-7-RLT, 1966			
Sub pt.	212101	-2.951	-0.085

STRIP #7 (1:30,000)


		<u>X</u>	<u>Y</u>
251330	459103	.000	- .000
Westhead 2, 1934			
Sub pt.	240101	- .000	- .000
145330	463101	.000	.000

ANALYTICAL INVESTIGATION SKETCH FORT WALTON BEACH TO PENSACOLA PASS

FLORIDA

CN-7719

FEBRUARY, 1979




REPORTAGE ON STREET
TOWNS NOTIFICATION

FROM A FOOT LOCKER TO THE PAPER

RECORDED

011-7719

FEBRUARY, 1979




BRIDGING PHOTOGRAPHY

78 SEP 1:50,000

77720 1:30,000

AMERICAN NAVIGATION SERVICE
FORT WALTON BEACH TO PERDIDO PASS
FLORIDA
OM -- 7749
FEBRUARY, 1979



COMPIATION PHOTOGRAPHY
78 Ec 1:30,000

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETTIC DATUM		ORIGINATING ACTIVITY	
					COORDINATES IN FEET STATE <u>Florida</u> ZONE <u>North</u>	GEOGRAPHIC POSITION ϕ LATITUDE λ LONGITUDE	REMARKS	
TP-00544	CM-7719	Warrington WT, 1942	P C Pg 88 G P Pg 697	203124	X= 1,123,599.66 Y= 514,628.08	ϕ 30° 23' 08.714" λ 87° 16' 46.945"		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
					X=	ϕ		
					Y=	λ		
COMPUTED BY					COMPUTATION CHECKED BY		DATE	
LISTED BY	J. Schad				LISTING CHECKED BY	P. Dempsey	DATE June 1979	
HAND PLOTTING BY					HAND PLOTTING CHECKED BY		DATE	

Compilation Report

TP-00544
March 1979

31. Delineation

All alongshore, offshore, and interior planimetric features on this manuscript were delineated by B-8 compilation methods using 1:30,000 scale color photography. The photography was controlled by map points determined by aerotriangulation. The MHWL and apparent shoreline was compiled by stereoscopic instrument and verified by tide-coordinated black-and-white infrared photography. This photography was controlled by common detail from B-8 compilation.

The GCLW line was not shown as both the MHWL and the GCLW line coincided.

32. Horizontal Control

Horizontal control was adequate. (See Photogrammetric Plot Report)

33. Supplemental Control

Three tide station were plotted from sketches furnished by Tide and Water Level Section.

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from the B-8 compilation and the tide-coordinated black-and-white infrared photography.

35. Shoreline and Alongshore Details

Office interpretation of the B-8 compilation and the infrared photography was adequate for delineating the MHW line.

36. Offshore Details

All offshore details consist of wrecks, shallow, and shoal areas.

37. Landmarks and Aids

No aids to navigation were located. Four charted landmarks were located by aerotriangulation methods. Three tanks were located for possible landmark value. Two were located by aerotriangulation and one B-8 compilation.

38. Control for Future Survey - None

39. Junctions

Refer to NOAA Form 76-36B for junctions.

40. Horizontal and Vertical Accuracy

This map complies with accuracy requirement for the Florida Coastal Zone Mapping Program as outlined by Project Instruction PH-7000.

41. thru 45. Inapplicable

46. Comparison with Existing Maps

Comparison was made with the following USGS quadrangle maps:


West Pensacola, Fla., 1970 - 1:24,000 scale
Fort Barrancas, Fla., 1970 - 1:24,000 scale

47. Comparison with Existing Charts

Comparison was made with the following Nautical Charts:

11378 - 14th Edition, August 1978 - 1:40,000
11382 - 24th Edition, January 13, 1979 - 1:80,000
11383 - 36th Edition, November 25, 1979 - 1:30,000

Submitted by,



J.E. Schad

Approved and Forwarded:



For: Frank Wright
Acting Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-00544, JOB CM-7719

51. METHODS

Field edit was performed under instructions dated 1/30/78 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore.

Field edit notes will be found on the photographs and discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 8/30/79

Joseph D. Di Mare
Joseph D. Di Mare
Chief, Photo Party 66

REVIEW REPORT
TP-00544
NOVEMBER 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

62. Comparison With Registered Topographic Surveys - None

63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

64. Comparison With Contemporary Hydrographic Surveys - None


65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys


This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:



Patrick J. Dempsey
Final Reviewer

Approved and Forwarded:


Chief, Photogrammetric Section
Chief, Photogrammetry Branch

January 8, 1980

GEOGRAPHIC NAMES
FINAL NAME SHEET

CM-7719 (Ft. Walton Beach to Perdido Pass, Florida)
TP-00544

Bayou Chico

Bayou Grande

Beach Haven

Davenport Bayou

Jones Point

Jones Swamp

Magazine Point

Navy Point

Pensacola


Pensacola Bay

St. Louis-San Francisco (RY)

Star Lake

Warrington

Approved by:


Charles E. Harrington
Chief Geographer

DISSEMINATION OF PROJECT MATERIAL
CM-7719
FORT WALTON BEACH TO PERDIDO PASS

National Archives/Federal Records Center

Job Completion Report
Brown Jacket:
Field Photographs
Discrepancy Prints
Photogrammetric Plot Report
Tide Data

Bureau Archives

Computer Listing

Registered Map
Descriptive Report

Reproduction Division

8x Reduction Negative of Map

Office of Staff Geographer

Geographic Names Standards

PHOTOGRAMMETRY DECISION

DEPARTMENT OF COMMERCE USA

* SVY	TP-00544	*	RPT UNIT	CMD, ROCKVILLE, MD.	*	PAGE 1 OF 2	*
* JOB	CM7719	*	STATE	FLORIDA	*		*
* PRJ	933205	*	LOCALITY	WARRINGTON	*	ORIGINATING ACTIVITY	*
* DTN	NA1927	*	DATE	09/10/79	*	COMPIATION	*

* OBJECTS INSPECTED FROM SEAWARD *
J. D. MARE
* PHOTO FIFTH PARTY *

* * *
AND/OR VERIFIED BY
P- OFFICE COMPLIANCE REPRESENTATIVE

* * * * *

FILED UNDER THE
ACTIVITIES
IN THE
TAYLOR
DATA PROCESSING
* * * * *

* +	KEY FOR FAMILIES UNDER METHOD AND DATE OF LOCATION
1	1950
2	1951
3	1952
4	1953
5	1954
6	1955
7	1956
8	1957
9	1958
10	1959
11	1960
12	1961
13	1962
14	1963
15	1964
16	1965
17	1966
18	1967
19	1968
20	1969
21	1970
22	1971
23	1972
24	1973
25	1974
26	1975
27	1976
28	1977
29	1978
30	1979
31	1980
32	1981
33	1982
34	1983
35	1984
36	1985
37	1986
38	1987
39	1988
40	1989
41	1990
42	1991
43	1992
44	1993
45	1994
46	1995
47	1996
48	1997
49	1998
50	1999
51	2000
52	2001
53	2002
54	2003
55	2004
56	2005
57	2006
58	2007
59	2008
60	2009
61	2010
62	2011
63	2012
64	2013
65	2014
66	2015
67	2016
68	2017
69	2018
70	2019
71	2020
72	2021
73	2022
74	2023
75	2024
76	2025
77	2026
78	2027
79	2028
80	2029
81	2030
82	2031
83	2032
84	2033
85	2034
86	2035
87	2036
88	2037
89	2038
90	2039
91	2040
92	2041
93	2042
94	2043
95	2044
96	2045
97	2046
98	2047
99	2048
100	2049
101	2050
102	2051
103	2052
104	2053
105	2054
106	2055
107	2056
108	2057
109	2058
110	2059
111	2060
112	2061
113	2062
114	2063
115	2064
116	2065
117	2066
118	2067
119	2068
120	2069
121	2070
122	2071
123	2072
124	2073
125	2074
126	2075
127	2076
128	2077
129	2078
130	2079
131	2080
132	2081
133	2082
134	2083
135	2084
136	2085
137	2086
138	2087
139	2088
140	2089
141	2090
142	2091
143	2092
144	2093
145	2094
146	2095
147	2096
148	2097
149	2098
150	2099
151	2100
152	2101
153	2102
154	2103
155	2104
156	2105
157	2106
158	2107
159	2108
160	2109

[illegible][illegible]

EXAMPLES OF LOCATIONS IDENTIFIED AND LOCATED BY THE OBJECT ARE SHOWN. GRAPH USED TO LOCATE AND IDENTIFY THE

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

741 (C) 2992

```

1. NEW POSITION DETERMINED OR VERIFIED
2. TRIANGULATION STATION RECOVERED

```

*** F-FIELD P-PHOTODIODE METRIC ** ANGLATION STATION IS RECOVERED, A TRIANG. ***

* * * V-VERIFIED * * * EXAMPLE TRIANG. REC. *

* * 2-TRAVERSE 6-1 THEODOLITE *

* * 4-RESECTION 3-SEXTANT * * SHOWN BY V-VIS AND DATE.

* * * A. FIELD POSITIONS* SHOW THE METHOD OF 9-12-75 * *

* * OBSERVATIONS BASED ENTIRELY UPON GROUND *
* DEFENSE ENTIRELY ON IN PART, UPON CONFOI

[illegible]

* 4 PASS (C) 10 IN USE C INDICATE THE CLOSING HEADLINE UNDER WHICH THE OFFICIAL NAME OF THE OFFICIAL IS LISTED

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review

[illegible]