

TP-00583

TP-00583

NOAA FORM 76-35 (6-80)	
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
DESCRIPTIVE REPORT	
Map No. TP-00583	Edition No. 1
Job No. CM-7206	
Map Classification FINAL FIELD EDITED MAP	
Type of Survey SHORELINE	
LOCALITY	
State ALASKA	
General Locality ZAREMBO ISLAND	
Locality MOSMAN ISLAND	
19 72 TO 19 73	
REGISTERED IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	
DESCRIPTIVE REPORT - DATA RECORD		TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Norfolk, VA OFFICER-IN-CHARGE Jeffrey G. Carlen		SURVEY TP. <u>00583</u> MAP EDITION NO. <u>(1)</u> MAP CLASS <u>Final Field Edited</u> JOB <u>RH-CM-7206</u>	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Norfolk, VA OFFICER-IN-CHARGE Jeffrey G. Carlen		LAST PRECEDING MAP EDITION TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED JOB <u>PH-</u> MAP CLASS <u></u> SURVEY DATES: 19 <u></u> TO 19 <u></u>	
I. INSTRUCTIONS DATED			
1. OFFICE		2. FIELD	
Aerotriangulation Sept. 19, 1972 Compilation Feb. 22, 1973		Field Jan. 26, 1972	
II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Polyconic		4. GRID(S) STATE <u>Alaska</u> ZONE <u>1</u> STATE <u></u> ZONE <u></u>	
5. SCALE 1:10,000		STATE <u></u> ZONE <u></u>	
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS		NAME	DATE
1. AEROTRIANGULATION BY METHOD: <u>Analytic-Block</u> LANDMARKS AND AIDS BY		D. Norman	Feb. 1973
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: <u>Coradomat</u> CHECKED BY		R. Robertson R. Robertson	Feb. 1974 Feb. 1974
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: <u>Wild B-8</u> CONTOURS BY SCALE: <u>1:15,000</u> CHECKED BY		L. Neterer R. White N.A.	Aug. 1973 Aug. 1973
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: <u>Smooth Draft and Graphic</u> CONTOURS BY CHECKED BY SCALE: <u>1:10,000</u> HYDRO SUPPORT DATA BY CHECKED BY		C. Parker A. Shands N.A. N.A. C. Parker A. Shands	Aug. 1973 Aug. 1973 Aug. 1973 Aug. 1973
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY		A. Shands	Aug. 1973
6. APPLICATION OF FIELD EDIT DATA BY CHECKED BY		C. Blood R. Kravitz	Mar. 1975 Aug. 1979
7. COMPILATION SECTION REVIEW BY		R. Kravitz	Aug. 1979
8. FINAL REVIEW BY		C. Blood	Nov. 1987
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		J. Byrd	July 1988
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY		P. Dempsey	Dec. 1988
11. MAP REGISTERED - COASTAL SURVEY SECTION BY			

COMPILATION SOURCES

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC-8 "E" FL = 152.71mm		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) INFRARED		TIME REFERENCE	
TIDE STAGE REFERENCE <input checked="" type="checkbox"/> PREDICTED TIDES <input type="checkbox"/> REFERENCE STATION RECORDS <input type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Pacific	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 120th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
72 E(C) 4171-4172	6-23-72	12:16	1:30,000	11.6 ft. above MLLW	
*72 E(C) 4207-4209	6-23-72	12:37	1:30,000	11.5 ft. above MLLW	
72 E(C) 4224	6-23-72	12:45	1:30,000	11.4 ft. above MLLW	
*72 E(C) 4184, 4185	6-23-72	12:23	1:30,000	11.6 ft. above MLLW	
*72 E(C) 4162, 4163	6-23-72	12:08	1:30,000	11.6 ft. above MLLW	

REMARKS

Photographs 72 E(C) 4171 and 4207 were used for graphic compilation.
*Compilation photographs

2. SOURCE OF MEAN HIGH-WATER LINE:

The mean high-water line was delineated from the photographs listed above.

3. SOURCE OF ~~MEAN LOW-WATER LINE~~ MEAN LOWER LOW-WATER LINE:

None delineated, there were no mean lower low-water photographs.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
TP-00580	TP-00584	No Survey	TP-00582

REMARKS

NOAA FORM 76-36C
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TP-00583

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	K. Jeffers	Oct. 1973
2. HORIZONTAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
3. VERTICAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY K. Jeffers	Oct. 1973
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
None		None	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

72 E(C) 4163, 4172, 4207 & 4208

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

Field edit film ozalid, Report, List of detached positions and signal tape listing.

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00583

RECORD OF SURVEY USE

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Compilation complete pending field edit	Aug. 27, 1973	Class III Map	Sept. 6, 1973	Sept. 6, 1973
Field edit applied, compilation complete	Mar. 1979	Class I Map	Oct. 25, 1979	
Final Review	Nov. 1987	Final Map	DCC. 1988	

II. LANDMARKS AND AIDS TO NAVIGATION None

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: None3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA


1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☒ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 562 SUBMITTED BY FIELD PARTIES.
 3. ☐ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

JOINS CM-7309



REVISED 5/18/72 R.W.W.
REVISED 4/23/73 R.W.W.

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-00583

This final Class I shoreline map is one of thirty-six 1:10,000 scale maps designated as CM-7206, Zarembo Island, Alaska.

The purpose of this map was to provide contemporary shoreline in support of hydrographic operations and to aid in chart revision.

Field work prior to compilation during the 1972 field season consisted of recovery and premarking of horizontal control for aerotriangulation.

This map area was photographed in June 1972 with the RC-9 "M" camera at 1:60,000 scale using panchromatic film. The map area was also photographed in June 1972 with the RC-8 "E" camera at 1:30,000 scale using color film.

Aerotriangulation was completed at the Washington Office in February 1973 and revised in January 1974.

This map was compiled at the Norfolk Office in March 1973.

Field edit was acquired for TP-00583 during the 1973 field season. Field edit was applied at AMC in August 1979.

Final review was accomplished at the Atlantic Marine Center in November 1987. A Chart Maintenance Print was prepared and forwarded to the Marine Charts Branch.

This Descriptive Report contains all pertinent information used to compile this Final Field Edited Map. The original base manuscript and all related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00583

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and premarking of the horizontal control necessary for the aerotriangulation of the project.

8

Photogrammetric Plot Report
Zarembo Island, Alaska
CM-7206
February 1973

21. Area Covered

This report pertains to 34 sheets in the vicinity of Zarembo Island, Alaska. The sheets covered are TP-00551 through TP-00584. All are 1:10,000 scale.

22. Method

Six strips of RC-9 photography at 1:60,000 scale and three strips of RC-8 photography at 1:30,000 scale were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment program. Points were established for determining ratios of 1:30,000 scale support photography. Sufficient points were also established for setting 1:30,000 scale compilation photography. These points were plotted by the Coradomat.

23. Adequacy of Control

The control was adequate. Ten horizontal control stations were used in the block adjustment. Shoreline points with approximately 0 elevation were used as vertical control.

The horizontal positions of several light structures were determined in the block adjustment. The positions of these structures are to be verified by field methods as a check on the block adjustment.

24. Supplemental Data

USGS topographic quadrangles were used in determining elevations for strip adjustments.

25. Photography

The photography was adequate, however, on sheet TP-00565, there is no coverage with 1:30,000 scale photography of Rookery and Tide Islands.

On sheet TP-00559 it was impossible to establish points for the compilation of Five Mile Island. It is recommended that a field party establish points for the graphic compilation. A ratio photograph was ordered and sent to the compilation office.


submitted by,


Don O. Norman


Don O. Norman

Approved by

John D. Perrow
John D. Perrow, Chief, Aerotriangulation Section







ADDENDUM
ZAREMBO ISLAND, ALASKA
CM-7206

January 1974

In the compilation office at the Atlantic Marine Center, it was noticed that when a model in the vicinity of Wrangell Narrows (TP-00551) was set by holding the compilation points, the navigation lights would not plot in their proper positions. In this vicinity the horizontal control station LUNG, 1929, was weighted in the block and would not hold within 7 feet.

It was decided to remeasure several models to determine refined coordinates for MIDWAY ROCK LIGHT, 1929, and PORT ALEXANDER LIGHT, 1929. Plate 72E(C)4004 was also remeasured for another refined coordinate for LUNG, 1929. At this time it was noticed that the refined coordinate for point 004320 was not correct. Corrections were made and all these refined coordinates were placed in their proper place in the block.

Another block adjustment was run just as before, except MIDWAY ROCK LIGHT and PORT ALEXANDER LIGHT were also weighted. This produced satisfactory results. LUNG fit within 0.8 feet, MIDWAY ROCK LIGHT within 2.2 feet and PORT ALEXANDER LIGHT within 3.1 feet. In this same vicinity compilation points changed by as much as 16.7 feet.

It is believed that this block is now properly adjusted and will meet national map accuracy standards. New T-sheets will be ruled and forwarded to AMC for compilation.

Submitted by,

Don O. Norman

Don O. Norman

Approved by:

John D. Perrow, Jr.

John D. Perrow, Jr.

Chief, Aerotriangulation Section

Note: After thorough research it was determined that the name PORT ALEXANDER LIGHT was used incorrectly in this report for POINT ALEXANDER LIGHT 1929. POINT ALEXANDER LIGHT 1929 is adjacent to LUNG 1929 and MIDWAY ROCK LIGHT 1929. PORT ALEXANDER LIGHT is located approximately 2° west of the project area.

DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	STATION NAME	JOB NO.	GEODETIC DATUM		AEROTRI- ANGULATION POINT NUMBER	SOURCE OF INFORMATION (Index)	COORDINATES IN FEET		GEOGRAPHIC POSITION		ORIGINATING ACTIVITY	REMARKS
			CM-7206	N.A. 1927			STATE	ZONE	ϕ LATITUDE	λ LONGITUDE		
TP-00583	BIG, 1916	Vol. 1 P. 149	139				X=	ϕ 56° 04' 22.81"				
							Y=	λ 132° 31' 52.69"				
	COON, 1916	Vol. 1 P. 151	142				X=	ϕ 56° 04' 12.82"				
							Y=	λ 132° 34' 21.19"				
	GUT, 1916	Vol. 1 P. 151	141				X=	ϕ 56° 03' 45.40"				
							Y=	λ 132° 33' 38.70"				
	FIM, 1916	Vol. 1 P. 149	143				X=	ϕ 56° 03' 15.936"				
							Y=	λ 132° 35' 34.531"				
	COB, 1916	Vol. 1 P. 148	144				X=	ϕ 56° 01' 56.390"				
							Y=	λ 132° 35' 31.906"				
	STANHOPE, 1915	Vol. 3 P. 985	145				X=	ϕ 56° 00' 42.292"				
							Y=	λ 132° 36' 21.671"				
	POINT, 1916	Vol. 1 P. 148	140				X=	ϕ 56° 03' 16.457"				
							Y=	λ 132° 32' 08.635"				
	MAY, 1913	Vol. 1 P. 149	138				X=	ϕ 56° 03' 09.866"				
							Y=	λ 132° 30' 00.591"				
							X=	ϕ				
							Y=	λ				
							X=	ϕ				
							Y=	λ				
COMPUTED BY A. C. Rauck, Jr.			DATE 3/16/73				COMPUTATION CHECKED BY F. Margiotta				DATE 3/21/73	
LISTED BY			DATE				LISTING CHECKED BY				DATE	
HAND PLOTTING BY			DATE				HAND PLOTTING CHECKED BY				DATE	

COMPILATION REPORT

TP-00583

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:30,000 scale color photographs. The stage of tide was above mean lower low-water at the time of photography, therefore, detail which covers by tide is only partially compiled.

Point Stanhope and Mosman Point were graphically delineated.

The quality of the photography is adequate for shoreline compilation.

32. CONTROL:

Refer to the Photogrammetric Plot Report, dated February 1973.

33. SUPPLEMENTAL DATA:

None.

34. CONTOURS AND DRAINAGE:

Contours are inapplicable. Drainage was delineated from the compiler's interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

The mean high-water line and alongshore details were delineated from the compiler's interpretation of the photographs.

36. OFFSHORE DETAILS:

Offshore detail was delineated from the compiler's interpretation of the photographs. Details which were covered by the tide at the time of photography, were not compiled.

37. LANDMARKS AND AIDS:

There were no charted nonfloating aids or landmarks and none were noted during stereoscopic instrument compilation.

38. CONTROL FOR FUTURE SURVEY:

None.

TP-00583

39. JUNCTIONS:

A satisfactory junction was made with the adjoining contemporary maps.

Refer to the Data Record Form 76-36B, item 5.

40. HORIZONTAL AND VERTICAL ACCURACY:

No Statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison was made with the U.S. Geological Survey quadrangle PETERSBURG (A-2), Alaska, 1:63,360 scale, dated 1953.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with the U.S. Coast and Geodetic Survey chart 8160, 1:80,000 scale, dated July 4, 1970.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Charles E. Blood
for

Charles Parker
Cartographic Aid
August 28, 1973

Approved and forwarded:

J. C. Rauck, Jr.
Albert C. Rauck, Jr.
Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7206 (Clarence and Sumner Straits, Alaska)

TP-00583

Clarence Strait

Cooney Cove

Etolin Island

Fawn Island

Marble Point

Mosman Inlet

Mosman Island

Mosman Point


Rocky Bay

Stanhope Island

Stanhope, Point

Three Way Passage

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division
Charting and Geodetic Services

FIELD EDIT REPORT

OPR-465, 1973

TP-12364, TP-00580 through TP-00584

Clarence Strait, Alaska

Etolin Island

NOAA ship RAINIER

Cdr. K. William Jeffers, Commanding

INTRODUCTION - METHODS

Field edit was done by personnel of NOAA ship RAINIER during September and October 1973. Work was performed in a sixteen foot skiff and twenty-six foot Boston Whaler, making landings where necessary to verify shoreline character.

The field edit started at Kelp Point, Etolin Island, and extended northwestward to Cape Stanhope. Field edit was completed as far west as the mouth of Three Way Passage entering the Clarence Strait. Field edit was completed on TP-00580, TP-00581, TP-00584, and partially completed on TP-00582, TP-00583, TP-12364.

Photography in the Rocky Bay area was extremely poor, due mainly to a low sun angle at the time of photography. This meant that the southern one-third of the picture was useless, and the same for the northern third, because of the developer's efforts to counteract the overexposures. The photos were also fuzzy, and the prints were covered with evidence of dirty negatives, such as dirt, lint, etc.. It was in some instances hard to distinguish the dirt from rocks low in the water.

All additions and corrections are noted in purple on the field edit ozalids. Deletions are noted in green. Photos used were from PH-6303 and CM-7206. Values given for distances from MHWL and heights of rocks were estimated. Time references prior to 29 October 1973 are 105 W and 120 W after this date.

ADEQUACY OF COMPILATION

The compilation of the MHWL was generally good. Compilation of offshore features was less than good. Several rocks, easily identifiable on the photos were omitted from the manuscripts. Time and height data are included on the photos.

DISCUSSION AND RECOMMENDATIONS

The project area's shoreline was composed generally of rocky outcrops with occasional sand -pebble beaches. There was little or no kelp, due probably to the abundance of sea urchins, which feed on kelp holdfasts.

The rocky shoreline was composed primarily of fissile metamorphic rocks ranging from slates to schists to phyllites. There were occasional outcrops of intrusive granitic rocks, but with little contact mineralization. The metamorphic rocks were highly fractured and thus subject to extensive erosion.

TP-12364, TP-00580 -TP-00584:

No special recommendations are made.

REVIEW REPORT
SHORELINE

TP-00583

61. GENERAL STATEMENT:

See summary included with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

A comparison was made with the following Hydrographic Surveys:

H-9402, 1:10,000 scale, date of survey October 3, 1973

H-9403, 1:10,000 scale, date of survey October 4, 1973.

The survey H-9401, for the area south of the above listed surveys was not available for comparison at the time of Final Review.

There were no conflicts.

65. COMPARISON WITH NAUTICAL CHARTS:

A comparison was made with NOS chart 17382, 1:80,000 scale, dated July 25, 1981.

The chart compared well with this manuscript.

TP-00583

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by:



James L. Byrd, Jr.
Final Reviewer

Approved for forwarding:



Billy H. Barnes
Chief, Quality Assurance Group, AMC

Approved:

Chief, Photogrammetric Productions Sec. Chief, Photogrammetry Branch



RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

[illegible]