NOAA FORM 76-35 (6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

THIS MAP EDITION WILL NOT BE FIEL	LD EDITED
Map No.	Edition No.
TP-00632	1
Job No.	
CM-7209	
Map Classification	
CLASS III (FINAL)	· · · · · · · · · · · · · · · · · · ·
Type of Survey	
SHORELINE	معاور فعمل معرور جروي موروان مي الأخمر الانتج الاناك والانتجا
LOCALITY	
State	·
CALIFORNIA	
General Locality SAN NICOLAS AND	
SANTA BARBARA I	SLANDS
Locality	
SANTA BARBARA ISLAND	
1972 TO 19	
REGISTERED IN AR	CHIVES
1,2513121,25111 711	
DATE	

		
NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERC (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMI	E TYPE OF SURVEY SU	RVEY TP. 00632
	15	PEDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY MA	APCLASS III (Final)
	REVISED JO	в жи - <u>СМ-7209</u>
PHOTOGRAMMETRIC OFFICE		
Coastal Mapping Division, Atlantic Marine	LAST PRECEEDING A	
Center, Norfolk, Virginia	TYPE OF SURVEY JO	
OFFICER-IN-CHARGE	¬ =	RVEY DATES:
	1 = ' ' '	TO 19
R. Matsushige, CDR	L Kernezs	1019
I. INSTRUCTIONS DATED		
1. OFFICE	2. FIEL	D
Aerotriangulation August 7, 1972 Compilation February 22, 1973 Cancel field edit (memo) July 10, 1980 /	Horizontal control	February 18, 1972
II. DATUMS	·	
	OTHER (Specify)	
I. HORIZONTAL:		
XXMEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL:		
XXMEAN LOWER LOW-WATER		
MEAN SEA LEVEL 3. MAP PROJECTION		
J. WAR PRODESTOR	STATE ZOI	
Polyconic	California	6
5. SCALE	STATE ZOI	NE
1::5,000 III. HISTORY OF OFFICE OPERATIONS	colladon, ac	
	T	
OPERATIONS 1. AEROTRIANGULATION BY	J. Keating	Nov.1972.
I. AEROTRIANGULATION METHOD: Analytic Landmarks and aids by		MOVIESIZE
2. CONTROL AND BRIDGE POINTS PLOTTED BY	1 '7 '	Nov 1972
METHOD: Coradomat CHECKED BY		Nov 1972
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	F. Margiotta	Feb 1973
COMPILATION CHECKED BY		Feb 1973
INSTRUMENT: Wild B-8 CONTOURS BY	N.A.	
scale: 1:5,000 checked by		
4. MANUSCRIPT DELINEATION PLANIMETRY BY	<u>-</u>	Feb 1973
CHECKED BY		Mar 1973
метнор: Smooth draft сомтоить ву		
CHECKED BY	1 , , , .	Feb 1973
SCALE: 1:5,000 HYDRO SUPPORT DATA BY	2 01 7	Mar 1973
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	3 C1	Mar 1973
Ву	******	
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	**	
7. COMPILATION SECTION REVIEW BY	3 01 - 1-	Mar 1973
8. FINAL REVIEW (Class III) BY		Jun 1986
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	J. Hancock	Aug. 1986
10 OATA EVANNED IN DUOTOCRAMMETRIC BRANCH		Det. 1986
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	P. Demosey	00 FE

(3-72)			WD 00/03/	NATIONAL OCEAN	IC AND ATMOS	PHERIC AD	
		CON	TP-0063. PILATION SO		, N	ATIONAL	CEAN SURVEY
1. COMPILATION PH	OTOGRAPHY						
CAMERA(S)			TYPES OF I	PHOTOGRAPHY			
		L = 152.21 mm	LE	GEND		1E REFERE	ENCE
TIDE STAGE REFERE			(C) COLOR		ZONE		
REFERENCE STA		DS.	(P) PANCHRO	DMATIC	8th		XX STANDARD
TIDE CONTROLL			(1) INFRARE	D	120t	h	DAYLIGHT
NUMBER AND	TYPE	DATE	TIME	SCALE		AGE OF T	IDE
72 L(C) 2294-2	296* -	Mar.23,1972	09:14	1:15,000	0.8 ft.	aborro	MT T M
72 L(C) 2290-2		Mar.23,1972	09:09	1:15,000	0.8 ft.		
72 L(C) 2299-2	2301**	Mar.23,1972	09:17	1:15,000	0.7 ft.		
					1		
72 L(I) 2357-2	-	Mar.23,1972	10:39	1:15,000	0.2 ft.		
72 L(I) 2351-2	2353***	Mar.23,1972	10:36	1:15,000	0.2 ft.	below	MLLW
					Mean ra	nge 3.5	ft.
REMARKS *Bride	ing/comp	ilation photog	ranhe ** I	ludro-support	.1		
		photographs.	rapus, i	rydro-supporc	. photogra	ons,	
2. SOURCE OF MEAN	N HIGH-WATE	R LINE:					
		er line was co			isted phot	tograph	s.using
stereo instr	ument an	d graphic meth	ods.	· ·			•
·							
				•			
3. SOURCE OF MESON	WIXOWK W AT REF	KOR MEAN LOWER LO	W-WATER LINE:	· · ·			·····
1			•				
None comp	oiled, ra	tio photograph	s were not	avallable at	time of a	compila	LION.
/		•					
		•					
4. CONTEMPORARY	HYDROGRAP	HIC SURVEYS (List o	nly those surveys	that are sources for p	photogrammetric	survey info	ormation.)
SURVEY NUMBER	DATE(S)	SURVEY COF	Y USED SURV	YEY NUMBER D	ATE(S)	SURVEY	COPY USED
				.	•		
	<u></u>					<u> </u>	
5. FINAL JUNCTION NORTH	<u>\$</u>	EAST	sour	Н	WEST		
No Survey		No Survey		No Survey		No Su	rvev
REMARKS	L						4
Single map	of Santa	Barbara Islan	d.				·
_							

NOAA FORM 76-36C 3-72)		TP-00632 HISTORY OF FIELD		NIC AND ATMOSPH	TMENT OF COMMERCI ERIC ADMINISTRATION IONAL OCEAN SURVEY
I. XX FIELD WARE	STHON OPER	ATION FIEL	D EDIT OPERATION	·	
	190	Premarking ERATION	T N		DATE
1. CHIEF OF FIELD	DARTY				
	-		R. Melby		Mar 1972
2. HORIZONTAL CO	NTROL	RECOVERED BY	R. Melby		Mar 1972
A HORIZONTAL CO	NIKOL	ESTABLISHED BY	L. Riggers		Mar 1972
		RECOVERED BY	N.A.		<u>Feb 1972</u>
. VERTICAL CONT	POI	ESTABLISHED BY	N.A.		-
VERTICAL CONT	NOL	PRE-MARKED OR IDENTIFIED BY	N.A.		
			None		
LANDMARKS AND		COVERED (Triangulation Stations) BY	None		
AIDS TO NAVIGA		LOCATED (Field Methods) BY	None		
		TYPE OF INVESTIGATION	NONE		
CEOCRADUIC NA	455	COMPLETE			
 GEOGRAPHIC NA INVESTIGATION 	MES	SPECIFIC NAMES ONLY			
		XX NO INVESTIGATION			
PHOTO INSPECT			None		
BOUNDARIES AN		SURVEYED OR IDENTIFIED BY	None		
I. SOURCE DATA	D EIMITS	SORVETED OR IDENTIFIED BY	Inone		
HORIZONTAL CO	NTROL IDEI	NTIFIED	2. VERTICAL CON	TROL IDENTIFIED	
Paneled	•		N.A.		
PHOTO NUMBER		STATION: NAME	PHOTO NUMBER	674.71011	DESIGNATION
i i), 1972 (direct) S, 1972 (direct)			
3. PHOTO NUMBERS	(Clarification	on of details)			
4. LANDMARKS AND	AIDS TO N	AVIGATION IDENTIFIED			
None			· · · · · · · · · · · · · · · · · · ·		<u> </u>
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER	OBJE	CT NAME
5. GEOGRAPHIC NA	MES:	REPORT XX NONE	6. BOUNDARY AND	LIMITS: TRE	EPORT XXNONE
7. SUPPLEMENTAL			1	<u> </u>	· ····
None		•			
	CORDS (Ske	tch books, etc. DO NOT list data submi	tted to the Geodesy Di	vision)	
2 - forms					

NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE TP-00632 NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION


RECORD OF SURVEY USE


I. MANUSCE	RIPT COPIES			<u> </u>				·
		MPILATION S	TAGES				DATE MANUSCR	IPT FORWARDED
0	ATA COMPILED	DATE		RE	MARKS		MARINE CHARTS	HYDRO SUPPORT
Compila	tion complete			Class III	Manuscr	ipt		
	field edit	Mar. 19	973	(Field ed			Jun. 1973	Jun. 1974
	<u>, </u>	 					L	
Final Re	eview	Jun. 19	986	Final Cla	ss III M	lap	51pt.3,1986	Sept. 3, 1986
			t				· · · · · · · · · · · · · · · · · · ·	
			-				Ì	!
		<u></u>						<u> </u>
II. LANDMA	RKS AND AIDS TO NAVIGA	TION					<u> </u>	
1. REPO	RTS TO MARINE CHART D	IVISION, NAU	TICAL	DATA BRANCH				<u> </u>
NUMBER	CHART LETTER	DATE				REM	ARK5	
	NUMBER ASSIGNED	FORWARD	PED					
1		5. pt. 3, 19	786	Aid for C	harts (P	hoto	position - C	lass III)
		 					F	
1								
			- 					
			1					
-						· <u></u>		
		1	-					
L						·		
-	EPORT TO MARINE CHART							
	EPORT TO AERONAUTICA AL RECORDS CENTER DAT		ISION,	AERONAUTICAL	DATA SEC	IION. D	ATE FORWARDED:	
III PEDER	AL RECORDS CENTER DA				•			
1. VV 8	RIDGING PHOTOGRAPHS:	रूपी Duei ii	CATER	RIDGING REPO	RT∙ F∏.c	OMPUTE	R READOUTS.	
	CONTROL STATION IDENT							
	OURCE DATA (except for G							
A	CCOUNT FOR EXCEPTION	IS:						
4 🗔 🛚	DATA TO FEDERAL RECO	ROS CENTER.	DATE	FORWARDED:				-
IV. SURVEY	FEDITIONS (This section s				edition is re		·	
	SURVEY NUMBER		UMBER				TYPE OF SURVEY	
SECOND	TP -			LD EDIT		×€		SURVEY
EDITION	DATE OF PHOTOGRAPI	DATE	OF FIE	LD EDI:	l □	□m.	MAP CLASS □ IV. □ V.	FINAL
	SURVEY NUMBER	10.8 N	UMBER				TYPE OF SURVEY	FINAL
THIRD					1	_	VISED RE	SHEVE V
	TP - DATE OF PHOTOGRAPH		OF FIE	LD EDIT			MAP CLASS	JORTE
EDITION			J. 1121		<u>□</u> 11.	□m.		FINAL
	SURVEY NUMBER	JOB N	UMBER				TYPE OF SURVEY	
FOURTH	тр -		·				VISED RES	
EDITION	DATE OF PHOTOGRAPH			LDEDIT			MAP CLASS	
-51110R					□n.	□ m.	\Box iv. \Box v.	FINAL

SAN NICOLAS & SANTA BARBARA ISLANDS, CALIFORNIA

SHORELINE MAPPING SCALE 15,000 & 110,000

SHEET NO.	SQ MILES
TP-00630	7
TP-00631	6
TP-00632	_3_
TOTAL	76





SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT TP-00632

This final Class III shoreline map is one of three maps that comprise CM-7209, San Nicolas and Santa Barbara Islands, California. This 1:5,000 scale map covers Santa Barbara Island. Two maps at 1:10,000 scale (TP-00630 and TP-00631) covers the island of San Nicolas.

The purpose of this map is to provide charting information for nautical chart maintenance and to furnish support data for hydrographic operations.

This Class III map portrays the shoreline encompassing Santa Barbara Island.

Field work prior to compilation consisted of the recovery, establishment and identification, by premarking methods, of horizontal control necessary for aerotriangulation. Panels were constructed and the photo mission was performed in March 1972. There was no field inspection.

Photo coverage was adequately provided by 1:15,000 scale photographs for Santa Barbara Island and 1:30,000 scale photographs for San Nicolas Island. All photographs were taken in March 1972 with the Wild RC-8 "L" camera. Natural color film was used for the bridging, compilation and hydro-support photographs.

Black-and-white infrared photographs were taken at near MLLW for low water delineation and to assist in shoreline interpretation.

Analytic aerotriangulation was adequately provided by the Washington Science Center in November 1972. The "Photogrammetric Plot Report" dated November 1972 stated that three strips of 1:30,000 scale photographs were bridged. However, it should be noted that two strips of 1:30,000 scale photographs were bridged for San Nicolas Island and one strip of 1:15,000 scale photographs was bridged for Santa Barbara Island. Aerotriangulation included ruling the base manuscripts and providing ratio values for the photographs at map scale.

Compilation for this map was based upon office interpretation of the 1:15,000 scale color photographs. Two strips of supplemental hydro-support color photographs and two strips of MLLW infrared black-and-white contact photographs were used to assist in interpretation. Ratio photographs of the MLLW infrared photography were not made available at the time of compilation. Consequently, the MLLW line was not compiled. Class III compilation was completed March 1973 at the Atlantic Marine Center. Appropriate hydro-support and field edit data were forwarded to the hydrographer.

Final review for this final Class III map was performed at the Alantic Marine Center. Neither field edit nor a contemporary hydrographic survey were conducted in conjunction with this map. During compilation, various kelp limits were delineated beyond the assigned map projection limits. since this is a single map portrayal of Santa Barbara Island, the delineated features were retained in order to best serve marine charts and potential hydrographic activity.

The original base manuscript and related data including a final Chart Maintenance Print and a Notes to Hydrographer Print were forwarded to the Washington Science Center for registration and distribution.

FIELD INSPECTION TP-00632

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification by premarking methods of the horizontal control necessary for the aerotriangulation of the project.

Project CM-7209 Santa Barbara Island - San Nicolas Island, California 31 March 1972

Santa Barbara Island

Horizontal Control: It was necessary to establish three (3) horizontal control stations to meet the requirements for the aerial photo-paneling. As an azimuth check was not readily available due to weather conditions, polaris was observed at station SANTA BARBARA ISLAND 2, 1940, to check the azimuth to station MER SLOPE, 1871. The polaris azimuth should be computed before the field computations can be considered complete. Second order triangulation and traverse methods were employed but due to severe heat waves, other climatic conditions and triangle closures, the control is considered to be of third order accuracy.

San Nicolas Island

No horizontal control was established; existing control was paneled.

Respectfully,

R. B. Melby Chief, PMC Field Party

PHOTOGRAMMETRIC PLOT REPORT Job CM-7209 San Nicolas and Santa Barbara Islands, California November, 1972

21. Area Covered

This report covers sheets, TP-00630 and TP-00631 of San Nicolas Island, California, at 1:10,000 scale; TP-00632 of Santa Barbara Island, California, at 1:5,000 scale.

22. Method

Three strips of 1:30,000 scale photography were bridged by the analytic aerotriangulation method to provide horizontal control and ratio points for 1:15,000 scale photography. The attached sketch of the strips bridged shows the location of the triangulation points used in the strip adjustments. A list of closures to control is part of this report. Positions of all pass points, control stations, and ratio points have been plotted on the manuscripts by the Coradi referenced to the California Zone 6 Plane Coordinate System. Seven of the control stations; STA 1. STA 2, STA 4, STA 5, STA 6, SNI South Side Navigation Light, and PIER, all second order, had field geographic positions that were listed as being UNADJUSTED as the last adjustment in 1967, was prior to their establishment in 1968.

23. Adequacy of Control

The horizontal control provided was adequate and held well within the accuracy required by National Standards of Map Accuracy at 1:10,000 and 1:5,000 scales.

24. Supplemental Data

USGS quadrangle was used to provide elevations for vertical adjustment of bridges.

25. Photography

RC-9 photograph was adequate for coverage, overlap, and definition.

Approved and Forwarded:

John D. Perrow, Jr.


Chief, Aerotriangulation Section


Respectively submitted:

Joe/Keating Cartographer

LEGEND

Control used in Adjustment A , 🚱 Closures of Bridges to Control Shown in Parenthesis Control used as Checks STRIP #1 (-0.2, -1.1)Black 1960 R142 STA 3, 1968 (-0.1, +1.3)· A RT EPS (16) SNI Sup Pt. 1, (0.1, 3.2)BM Y273 Sub Pt 1, 1965 (-0.3, -3.8)STRIP #2 (-0.4, -0.6)Tie pt., 78802 (-0.2, -0.2)Tie pt., 78804 (+7.7, -0.8)Black, 1960 RM2 STRIP #3 (0.0, 0.0)ROCK (USN), 1972 (0.0, 0.0)FENANDEZ, 1972





(6-75)		DESCRIPTIV	PTIVE REPORT CONTROL RECORD		U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
MAP NO.	JOB NO.		GEODETIC DATUM	ORIGINATING ACTIVITY	MITY Coastal Mapping
TP-00632	CM-7209		N.A. 1927	AMC,	
		AEROTRI-	COORDINATES IN FEET	GEOGRAPHIC POSITION	
STATION NAME	INFORMATION (Index)	ANGULATION POINT NUMBER	state California zone 6	φ LATITUDE λ LONGITUDE	REMARKS
	, padineted		χ=	φ 33 28 57.1104	
ROCK (USN), 1972	11102		=fi	λ 119 02 44.7891	
	เทลสำเทธรคศ		×	<pre>\$ 33 28 07.7512 -</pre>	
FERNANDES, 1972	11101		ĥ=	λ 119 01 57.6156	
	ນກadiinsted		±χ=	4 33 28 53,6799	
EAST MOUND 2, 1972	11101		fi.	λ 119 02 08.7212	
CANTA RADEADA TETAMD 2	Out 331192		<i>-</i> χ	\$\phi\$ 33 28 19.578	
40	Sta 1021		ĥ=	λ 119 02 25.575	
SANTA RAPRARA TSTAND	Ounad 331192		<i>-</i> %	<pre>ф 33 28 14.75</pre>	
BASE, 18	Sta 1023		=ħ	λ 119 02 03.27	
	Onad 331192		=χ	ф 33 28 25.1964 ~	
MER SLOPE, 1871	Pg. 1015		ĥ=	λ 119 02 16.9083	
SANTA RAPRAPA TSLAND	Ouad 331192		#χ	\$\phi\$ 33 28 19.348	
01			y=	λ 119 02 25.183 ′	
	Ouad.331192		=χ	φ 33 28 19 769 ΄	
MONUMENT (NNW), 1951	sta 1021		y=	02	
			=χ	ф	
			= <i>f</i> i	γ	
			-χ	ф	
			<i>y</i> =	Υ	
COMPUTED BY A. C. Rauck, Jr.		DATE 12/11/72	COMPUTATION CHECKED BY R. R.	White	DATE 12/29/71
LISTED BY		DATE	LISTING CHECKED BY		DATE
HAND PLOTTING BY		DATE	HAND PLOTTING CHECKED BY		DATE
		SUPERSEDES	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	ICH IS OBSOLETE.	

COMPILATION REPORT

TP-00632

31 - DELINEATION

Delineation was accomplished using stereo instrument and graphic compilation methods. Instrument compilation was used to delineate shoreline, alongshore, and interior detail based upon office interpretation of the 1:15,000 scale bridging/compilation photographs. Tide coordinated MLLW infrared photographs at 1:15,000 scale were provided to assist in interpretation. Ratio photographs of the MLLW photography were not available at the time of compilation. Consequently, the MLLW line was not compiled.

All photographs used to compile this map are listed on NOAA Form 76-36B. The photography was adequate.

32 - CONTROL

See Photogrammetric Plot Report, dated November 1972.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

Contours are inapplicable. Drainage was delineated from office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The mean high water line and alongshore details were delineated from office interpretation of the photographs. Contact photographs enlarged at 2.96 times provided ratio coverage of the hydro support photography.

36 - OFFSHORE DETAILS

Offshore detail was compiled from office interpretation of the photographs. The foul with kelp limits were delineated beyond the map projection since there are no adjoining sheets.

37 - LANDMARKS AND AIDS

One charted fixed navigational aid was located photogram-metrically.

38 - CONTROL FOR FUTURE SURVEYS

None.

39 - JUNCTIONS

See Form 76-36B, item #5, of the Descriptive Report.

40 - HORIZONTAL AND VERTICAL ACCURACY

See item #32.

46 - COMPARISON WITH EXISTING MAPS

A comparison has been made with the following U.S. Dept. of Interior Geological Survey quadrangle: Santa Barbara Island, Chan. Islands National Monument, California 1973, scale 1:24,000.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison has been made with the following National Ocean Survey Chart: C & GS 5110, dated July 31, 1971, 4th edition, scale 1:20,000.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

Submitted by

Georg L. Harcock

Frank P. Margiotta Cartographic Technician March 2, 1973

Approved

Geny L. Hancock

Albert C. Rauck, Jr.

Chief, Coastal Mapping Section

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7209 (San Nicolas and Santa Barbara Islands, California) TP-00632

Arch Point

Pacífic Ocean

Santa Barbara Island

Shag Rock

Sutil Island

Approved:

Charles E. Harrington Chief Geographer

Nautical Charting Division

Charting and Geodetic Services

REVIEW REPORT TP-00632

SHORELINE

61 - GENERAL STATEMENT

Final review for this final Class III map was accomplished at the Atlantic Marine Center in June 1986. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

62 - COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63 - COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with a Dept. of the Interior Geological Survey quadrangle: Santa Barbara Island, dated 1973, 1:24,000 scale.

64 - COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

There was no contemporary hydrographic survey common to this map.

65 - COMPARISON WITH NAUTICAL CHARTS

A comparison was made with NOS Chart 18756, 6th edition, 1:20,000 scale, dated May 25, 1985.

66 - ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

.Submitted by

Jerry L. Hancock Final Reviewer

Percy J. Harcock

Approved for forwarding

Billy H. Barnes

Chief, Photogrammetric Section, AMC

Approved :

Řockville

Chief, Photogrammetric Operations, Chief, Photogrammetry Branch,

Rockville

CEODETIC PARTY
PHOTO FIELD PARTY

COMPLATION ACTIVITY
FINAL REVIEWER
OUALITY CONTROL & REVIEW GRP. (See reverse for responsible personnel) AFFECTED 5110 CHARTS ORIGINATING ACTIVITY HYDROGRAPHIC PARTY Not verified GEODETIC PARTY METHOD AND DATE OF LOCATION (See instructions on reverse side) FIELD Mar 23,1972_ U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION 2/28/73 72L(C)2295~ DATE OFFICE HAVE NOT X been inspected from seaward to determine their value as landmarks. D.P. Meters San Nicolas Islands 45.20 Locality Santa Barbara and LONGITUDE 1927 119 01 FOR CHARTS 0 POSITION N.A. // D.M. Meters 1785 (1 14.67 LATITUDE 29 California_ DATUM 33° ٥ DESCRIPTION (Record reason for deletion of landmark or aid to navigation. Show triangulation station names, where applicable, in parentheses) TP-00632 SURVEY NUMBER NONFLOATING AIDS 1 SANTA BARBARA ISLAND LIGHT / Photo positon is CLASS III REPORTING UNIT (Field Perry, Ship or Office) Coastal Mapping Div. AMC Norfolk, VA Position and existance is Field edit cancelled not field verified. CM-7209 JOB NUMBER The following objects HAVE OPR PROJECT NO. Replaces C&GS Form 567 X TO BE CHARTED TO BE DELETED TO BE REVISED NOAA FORM 76-40 CHARTING \ ***** / LIGHT

	RESPONSIBLE PERSONNEL	
TYPE OF ACTION	NAMM	ORIGINATOR
		PHOTO FIELD PARTY HYDROGRAPHIC PARTY
OBJECTS INSPECTED FROM SEAWARD		GEODETIC PARTY OTHER (Specify)
FUSULIONS DETERMINED AND/OR VERIFIED		FIELD ACTIVITY REPRESENTATIVE
	F. Margiotta	OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL		REVIEWER
AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES		QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE
INST	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64,	
OFFICE IDENTIFIED AND LOCATED OBJECTS	FIELD (Cont'd) B. Photogran	Cont'd) Photogrammetric field positions** require
Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject. EXAMPLE: 75E(C)6042 8-12-75	entry of date of t graph use EXAMPLE:	method of location or verification, field work and number of the photo- ed to locate or identify the object. P-8-V 8-12-75 74L(C)2982
I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as F - Field C - Photogrammetric L - Located Vis ~ Visually V - Verified	s as follows: When a land tric angulation Rec.' with EXAMPLE: T	ON STATION RECOVERED mark or aid which is also a tri-station is recovered, enter 'Triang.date of recovery.
ation 5 - tion 7 -	_	8-12-75 VERIFIED VISUALLY ON PHOTOGRAPH
sitions*	require entry of method of EXAMPLE: V-Vis. 8-12-75	
8-12-75	**PHOTOGRAMMETRIC FIELD POS	RIC FIELD POSITIONS are dependent in part, upon control established
*FIELD POSITIONS are determined by field obser-vations based entirely upon ground survey methods.	by photogrammetrods.	ν •

NOAA FORM 76-40 (8-74)

SUPERSEDES NOAA FORM 75-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. $\underline{\text{CM-}7209}$, $\underline{\text{TP-}00632}$

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
	·		Drawing No.
			Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	,		Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
		<u> </u>	Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
<i>,</i>			Full Part Before After Verification Review Inspection Signed Vis
			Drawing No.
		I	I