TP-00734 ORIGINAL

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Type of Survey Shoreline
Job No. CM-7311 Map No. TP-00734.
Classification No. Final Edition No1
Field Edited Map
LOCALITY
State Washington
General Locality Tacoma Harbor
Locality City Waterway
1973 TO 1974
REGISTRY IN ARCHIVES
DATE

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974-762-901

Res 1845-3-930-81RL Res 18445-50-9-30-81-RL Res 18448 - 9-50-81RL

		
NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN	TYPE OF SURVEY	SURVEY TP. 00734
,	ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	Map class Final
	REVISED	лов Ри. <u>СМ-7311</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
Coastal Mapping Division	TYPE OF SURVEY	JOB PH
Atlantic Marine Center, Norfolk, Virginia	ORIGINAL	MAP CLASS
OFFICER-IN-CHARGE	RESURVEY	SURVEY DATES:
	REVISED	19TO 19
Jeffrey G. Carlen, Cdr., NOAA	1	
I. INSTRUCTIONS DATED		
1. OFFICE	2.	FIELD
Aerotriangulation Aug 30, 1973 Compilation Jan 22, 1974	May 17, 19	7 3
II. DATUMS		
1. HORIZONTAL: X 1927 NORTH AMERICAN	OTHER (Specify)	
MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	OTHER (Specify)	
3. MAP PROJECTION	<u> </u>	GR(D(S)
	STATE	ZONE
Polyconic	Washington	South
1:5,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	NAME	DATE
i. AEROTRIANGULATION BY METHOD: Analytic Landmarks and aids by	I. O. Raborn	1/74
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Calcomp CHECKED BY	R. Robertson	1/74
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	R. R. White	2/74
COMPILATION CHECKED BY	L. O. Neterer	
INSTRUMENT: Wild B-8 CONTOURS BY	NA	
scale: 1:7,500 CHECKED BY	NA	
4. MANUSCRIPT DELINEATION PLANIMETRY BY	Charles Parke	
CHECKED BY	A. L. Shands	2/74
METHOD: Smooth Drafted contours by	NA NA	
CHECKED BY	NA Chamles Panks	2/2/
SCALE: 1:5,000 HYDRO SUPPORT DATA BY	Charles Parke A. L. Shands	r 2/74 2/74
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	A. L. Shands	2/74
ВУ	J. Desch	4/75
6. APPLICATION OF FIELD EDIT DATA		
CHECKED BY	A. L. Shands	5/75
7. COMPILATION SECTION REVIEW BY	A. L. Shands A. C. Rauck,	Jr. <u>5/77</u>
7. COMPILATION SECTION REVIEW BY 8. FINAL REVIEW BY	A. L. Shands A. C. Rauck, A. L. Shands	Jr. 5/77 Jan. 1978
7. COMPILATION SECTION REVIEW BY	A. L. Shands A. C. Rauck,	Jr. 5/77 Jan. 1978 Mar. 1978

NOAA FORM 76-36B (3-72)			TP-00	0734	•	ANIC AND A	AT MOSP	HERIC A	OF COMMERCE DMINISTRATION OCEAN SURVEY
			MPILATIO	N SOUR	CES ———				_ <u></u>
1. COMPILATION PHOTOGRAPI	4Y								
CAMERA(S) Wild RC-8 "I	5u		TYPE	S OF PHO	TOGRAPHY ND		TIME	EREFER	ENCE
TIDE STAGE REFERENCE			∏(c) coi	ΔΒ.		ZONE			
X PREDICTED TIDES			1			Pa	acifi	e	STANDARD
REFERENCE STATION RECO	ORDS			NCHROMA	TIC	MERID			1
TIDE CONTROLLED PHOTO	GRAPHY		(I) INF	RARED		1.2	20th_		DAYLIGHT
NUMBER AND TYPE		DATE	TIME		SCALE			AGE OF T	IDE
73E(C) 9129 thru 913 73E(C) 9104 thru 910 73E(C) 9112	06 6	/22/73 /22/73 /22/73	10:3 09:5 10:1	13	1:15,000 1:15,000 1:15,000	o 7	7.1 f 7.7 f	t. abo t. abo	ve MLLW ve MLLW ve MLLW
REMARKS 2. SOURCE OF MEAN HIGH-WA	TER LINE	:							
				•					
3. SOURCE OF MEAN LOW-WAT	ER OR ME	AN LOWER L	OW-WATER 1	LINE:		<u> </u>			
None compiled, but	MILW	line in r	iiddle w	otervo	y waa ada	led by	he f	ield e	ditor.
Field identified by	field	editor						AILio	5.
4. CONTEMPORARY HYDROGR	APHIC SU	RVEYS (List	only those s	urveys the	ate sources (or photogran	nmetric :	survey inf	ormation.)
SURVEY NUMBER DATE(\$)		SURVEY CO	PY USED	SURVEY	NUMBER	DATE(S)		SURVEY	COPY USED
5. FINAL JUNCTIONS				<u>. </u>	·- <u>-</u> -	<u> </u>			
NORTH	EAST			SOUTH	 -		WEST		
TP-00732		mp oogo	•	(Ma Classes	_	1	M	
		TP-00735)	<u> </u>	<u>No Survey</u>		<u> </u>	No Su	rvey
REMARKS								<u> </u>	·

NOAA FORM 76-36C (3-72)	•	NATIONAL OCEA	NIC AND ATMOSPHERIC	
	TP-007	34 OPERATIONS	NATIONA	L OCEAN SURVEY
I. X FIELD INSPECTION OPER	ATION FIEL	D EDIT OPERATION		
OPE	ERATION		NAME	DATE
1. CHIEF OF FIELD PARTY	,	D D	W. 73	(/72
	RECOVERED BY		Melby Melby	6/73
2. HORIZONTAL CONTROL	ESTABLISHED BY	None	110101	
	PRE-MARKED OR IDENTIFIED BY	None		
	RECOVERED BY	NA NA		
3. VERTICAL CONTROL	ESTABLISHED BY	NA_		
	PRE-MARKED OR IDENTIFIED BY	NA	,	
RE	COVERED (Triangulation Stations) BY	None		
4. LANDMARKS AND AIDS TO NAVIGATION	LOCATED (Field Methods) BY	None		
AIDS TO NAVIGATION	IDENTIFIED BY	None		
	TYPE OF INVESTIGATION			
5. GEOGRAPHIC NAMES INVESTIGATION	COMPLETE			
	SPECIFIC NAMES ONLY X NO INVESTIGATION			
C SUSTA WESTERION		Mana		
7. BOUNDARIES AND LIMITS	CLARIFICATION OF DETAILS BY	None NA		
II. SOURCE DATA	SURVEYED OR IDENTIFIED BY	IVA	-	<u> </u>
1. HORIZONTAL CONTROL IDE	NTIFIED	2. VERTICAL CO	NTROL IDENTIFIED	
None		NA		
· · · · · · · · · · · · · · · · · · ·	STATION NAME	PHOTO NUMBER	STATION DESI	GNATION
				-
			1	
		}]	
3. PHOTO NUMBERS (Clarification	on of details)	<u> </u>	<u> </u>	·· ···
J. PHO. O NOMBERS (Clarification	on of details,			
None	•			
4. LANDMARKS AND AIDS TO NA	AVIGATION IDENTIFIED	<u></u>		 _
	•			
None				
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	IAME
			,	
1				
1		1	1	
	·	1		
5 GEOGRAPHIC NAMES	Terport Museum	4 POUNDABY :::	ID LIMITS: [7]	
7. SUPPLEMENTAL MAPS AND I	REPORT A NONE	6. BOUNDARY AN	ID LIMITS: REPOR	T NONE
None				
8. OTHER FIELD RECORDS (Ske	tch books, etc. DO NOT list data submi	tted to the Geodesy D	livision)	
News				
None	,			
	-			

	TP-0073	OPERATIONS	. NATI	ONAL OCEAN SURVE
FIELD INSPECTION O	PERATION X FIEL	D EDIT OPERATION		
	OPERATION	N	AME	DATE
. CHIEF OF FIELD PARTY				2/01/1/10
	RECOVERED BY	M. Fle None	mrug	3/74 - 4/7
. HORIZONTAL CONTROL	ESTABLISHED BY	None	· · · · · · · · · · · · · · · · · · ·	
HOMEON AL CONTROL	PRE-MARKED OR IDENTIFIED BY	None		
	RECOVERED BY	NA		
VERTICAL CONTROL	ESTABLISHED BY	NA		
	PRE-MARKED OR IDENTIFIED BY	NA	· · · · · · · · · · · · · · · · · · ·	
	RECOVERED (Triangulation Stations) BY	None		<u> </u>
. LANDMARKS AND	LOCATED (Field Methods) BY	None		
AIDS TO NAVIGATION	IDENTIFIED BY	None		
	TYPE OF INVESTIGATION		,	
GEOGRAPHIC NAMES	COMPLETE			
INVESTIGATION	SPECIFIC NAMES ONLY			
	X NO INVESTIGATION			
. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None		
BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA		
SOURCE DATA			· · · · · · · · · · · · · · · · · · ·	
. HORIZONTAL CONTROL	DENTIFIED	2. VERTICAL CON	TROL IDENTIFIED	
None	· · · · · · · · · · · · · · · · · · ·	NA		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	5TATION	DESIGNATION
	,			
PHOTO NUMBERS (Clarifi	cation of details)	<u> </u>		
None				
. LANDMARKS AND AIDS T	O NAVIGATION IDENTIFIED			
None				
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJE	CTNAME
,				
		,		
J	•	}		
,		1		
. GEOGRAPHIC NAMES:	REPORT NONE	6. BOUNDARY AND	LIMITS: RE	PORT X NONE
. SUPPLEMENTAL MAPS A		·····		
N				
None				
OTHER FIELD RECORDS	(Sketch books, etc. DO NOT list data submit	ted to the Geodesy Di	vision)	 -
l Original Field	Edit Ozalid and Field Edit	Report		•


NOAA FORM 76-36C (3-72)	RP-0073 HISTORY OF FIELD	34.	NIC AND ATMOSPHERIC	ENT OF COMMERCE CADMINISTRATION AL OCEAN SURVEY
I. TIELD INSPECTION OPERA	TION X FIEL	D EDIT OPERATION	1	
OPE	RATION		NAME	DATE
1. CHIEF OF FIELD PARTY				2 - (2) - 2 (2)
		M. Fl		12/74 - 1/75
2. HORIZONTAL CONTROL	RECOVERED BY ESTABLISHED BY	L. Riggers None	- D. Ellers	12/14
Z. HONIZON / AL CONTINOL	PRE-MARKED OR IDENTIFIED BY	None		
	RECOVERED BY	NA NA		
3. VERTICAL CONTROL	ESTABLISHED BY	NA	····	<u> </u>
	PRE-MARKED OR IDENTIFIED BY	NA NA		<u> </u>
BF(OVERED (Triangulation Stations) BY	D. Ei	lers	12/74
4. LANDMARKS AND	LOCATED (Field Methods) BY	None		
AIDS TO NAVIGATION	IDENTIFIED BY	None		
	TYPE OF INVESTIGATION			
5. GEOGRAPHIC NAMES	COMPLETE BY	} .		}
INVESTIGATION	SPECIFIC NAMES ONLY			
	X NO INVESTIGATION			
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None		
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	NA		<u> </u>
II. SOURCE DATA				
1. HORIZONTAL CONTROL IDEN	TIFIED	_	NTROL IDENTIFIED	
None		NA	,	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DES	IGNATION
3. PHOTO NUMBERS (Clarification	of details)			
None		,	,	
4. LANDMARKS AND AIDS TO NA	/IGATION IDENTIFIED			
None			· 	
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME
5. GEOGRAPHIC NAMES:	REPORT X NONE	6. BOUNDARY AN	D LIMITS: REPOR	T NONE
7. SUPPLEMENTAL MAPS AND PL	·			
1 Site Plan - Bulk E	xport Terminal Export Facility h books, etc. DO NOT list data submit t Ozalid	ted to the Geodesy D	ivision)	

NOAA FORM 76-36D (3-72)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

TP-00734 RECORD OF SURVEY USE

1. MANUSC	RIPT COPIES						
	CO	MPILATION STAGE	s			DATE MANUSCR	IPT FORWARDED
	DATA COMPILED	DATE	RE	MARKS		MARINE CHARTS	HYDRO SUPPORT
_	ation complete,	2/74	Class III Supers		pt	3/74	3/74
	edit applied. ation complete.	4/75	Class I Ma	muscript		5/77	
Final P	Review	Feb. 1978	Final			Fgb. 1978	3
	ARKS AND AIDS TO NAVIGA						
I. REP	ORTS TO MARINE CHART DI		DATA BRANCH				
NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED			REM	ARKS	
1		6/16/77	Landmark	to be de	leted		
1	· 	6/16/77	Aid				
2_		6/16/77	Landmarks	}			
					·		
_ =	REPORT TO MARINE CHART						
	RAL RECORDS CENTER DAT						
1. [X]	BRIDGING PHOTOGRAPHS;	X DUPLICATE	BRIDGING REPO	ят: ГХісс	MPUTE	R READOUTS.	,
	CONTROL STATION IDENTI						
3. X	SOURCE DATA (except for GACCOUNT FOR EXCEPTION	eographic Names Re					
4. 🗆	DATA TO FEDERAL RECOR	DS CENTED DAT	F FORWARDED.	-			
	Y EDITIONS (This section si				nieto-o-		-
JURYE	SURVEY NUMBER	JOB NUMBE		eardon is re		TYPE OF SURVEY	
SECOND	тр	(2) PH			RE	VISED RE	SURVEY
EDITION	DATE OF PHOTOGRAPH	DATE OF FI	ELD EDIT		□m.	MAP CLASS □ IV. □ V.	FINAL
	SURVEY NUMBER	JOB NUMBER	₹			TYPE OF SURVEY	
THIRD	TP	(3) PH			RE	/ISED RES	BURVEY
EDITION	DATE OF PHOTOGRAPH	Y DATE OF FI	ELD EDIT] □	□ m.	MAP CLASS □IV. □V.	FINAL
	SURVEY NUMBER	JOB NUMBER	₹	- -		TYPE OF SURVEY	
FOURTH	TP				_	/ISED RES	ÜRVĒY
EDITION	DATE OF PHOTOGRAPH					MAP CLASS	ł
	•			l ⊟u.	[] III		□ -



SUMMARY TO ACCOMPANY

DESCRIPTIVE REPORTS TP-00728 thru-TP-00736

The maps covered in this summary comprise all of Project CM-7311. They are all standard shoreline maps covering Commencement Bay and including the Hylebos, Blair, Sitcum, Milwaukee, Puyallup, St. Paul, Middle and City Waterways. The purpose of the project is to provide up-to-date shoreline and alongshore delineation in support of contemporary hydrographic surveys and for nautical chart construction. All maps are 1: 5,000 scale.

Photography of the area was flown at 1:15,000 scale in June, 1973. Both onshore and offshore flights were flown. Ratios of the offshore flights were processed by the compilation office for photo-hydro support.

Field work prior to compilation was limited to the recovery and identification of horizontal control used in bridging. There was no clearification of details.

Bridging was done at the Washington Science Center in January, 1974, using the onshore flights. Analytic triangulation methods were used. Points common to the offshore flights were established to determine ratio scales.

The maps were compiled at the Atlantic Marine Center during February and March, 1974, by Wild B-8 instrument method.

Many buildings currently charted are not shown on the maps. In most cases, buildings are shown on the chart as they appear on the photographs. However, in a few instances buildings shown on the chart are not visible on the photographs. Where this is so, that fact is stated in the review report of the affected map.

Field edit was partially done in April, 1974 and completed in December, 1974. It was applied to the maps at the Atlantic Marine Center in May, 1975.

Final review was performed at the Atlantic Marine Center in January, 1978. The original base maps and all pertinent data was forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00734

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification of the horizontal control necessary for the aerotriangulation of the project.

PHOTOGRAMMETRIC PLOT REPORT

Tacoma Harbor Washington Job CM-7311 January 1974

21. Area Covered

The area covered by this report pertains to the shoreline of Commencement Bay, Tacoma, Washington. This area is covered by nine 1:5,000 scale sheets, TP-00728 thru TP-00736.

22. Method

Three strips of 1:15,000 scale color photography were bridged by analytic aerotriangulation methods. Strip No. 1 was measured on the David W. Mann Company mono comparator Model 422 and strips 2 and 3 were measured on the Wild stereo comparator. Sketch number 1 shows the flight lines of the photography and the placement of the control used in the adjustment. three strips were controlled by field identified control paneled in 1973. Old control, which was office identified, was floated for checks. Ties were made between all bridging strips. Common points were located between the bridging photography and the offshore flights to determine the ratio scale. One cronapaque and one matte each were ordered of the offshore flights. Sketch number 2 shows the flight lines of the offshore photography. Data for ruling projections were furnished to the Coradomat to be plotted on the Washington South Plane Coordinate System.

23. Adequacy of Control

The control was adequate.

24. Supplemental Data

USGS quadrangles were used to provide vertical control for the adjustment.

25. Photography

The photography was adequate.


Respectfully submitted,


Ivey O. Raborn

Approved and Forwarded:

John D. Perrow, Jr.

Chief, Aerotriangulation Section





MAP NO. TP-00734 OB NO. OM-7311 OEODETIC DATUM OFODINATES IN I CORPUNATE IN I CORPUNATE IN I CORPUNATE IN I CORPUNATION NAME SOURCE OF POINT OF CORPUNATE IN I CORPUTED OF CORPUNATE IN I CORPUS OF CORPUNATE IN I CORPUS OF	COORDINATES IN FEET COORDINATES IN FEET
TP-00734 TP-00734 TP-00734 TP-00734 SOURCE OF AEROTRI- INFORMATION NAME SOURCE OF ANGULATION STATE P. C. VOI 2 P. 246 G.P. VOI 1 P. 246 G.P. VOI 1 P. 245 STACK, 1935 F. 245 STACK, 1935 F. 245 STACK, 1935 F. 245 STACK, 1935 F. 245 G.P. VOI 1 F. 244 G.P. VOI 1 F.	A 1927 ington by LATITUDE A LONGITUDE A LONGITUDE A LONGITUDE A LATITUDE FORWARD 845.70 CO.24 A 122 25 32.520 CO.24 A 122 25 26.296 CO.24 A 122 25 26.296 CO.29 A 122 25 17.038 CO.29 A 122 25 17.871 CO.29 A 122 25 17.871 CO.29 A 122 25 15.871 CO.20 C
SOURCE OF ANGULATION ANGULATION INFORMATION ANGULATION STATE (INFORMATION POINT SONE STATE NUMBER STATE STACK) 1935 F. C. Vol 2 F. C. Vol 2 F. C. Vol 2 F. C. Vol 1 F. C. Vol 2 F. C. Vol 2 F. C. Vol 2 F. C. Vol 1 F. C. Vol 2 F. C. Vol 2 F. C. Vol 3 F. C. Vol 1 F. C. Vol 3 F. C. Vol 1 F. C. Vol 3 F. C. Vol 1 F. C. Vol 2 F. C. Vol 1 F. C. Vol 2 F. C. Vol 1 F. C. Vol 2 F. C. Vol 1 F. C. Vol 2 F. C. Vol 2 F. C. Vol 3 F. C. Vol 3 F. C. Vol 3 F. C. Vol 4 F. C. Vol 4 F. C. Vol 4 F. C. Vol 4 F. C. Vol 5 F. C. Vol 5 F. C. Vol 6 F. C. Vol 6 F. C. Vol 6 F. C. Vol 7 F. C. Vol 8 F. C.	geographic Position Remandary γton φ Latitude FORWARD 70 φ 160.24 24 λ 15 59.402 1834.5 φ 47 15 59.402 1834.5 λ 122 25 32.520 683.6 φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 φ 47 15 17.038 526.2 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 γ ψ 47 15 17.038 526.2 γ 47 15 17.038 526.2 γ 47 15 17.038 526.2 γ 47 15 17.038 526.2
STATE INFORMATION STATE INFORMATION STATE STACK	Washington
5 UYALLUP WATERWAY, G.P. Vol 1 F. 246 F. 246 F. 246 F. 246 F. 246 F. 243 F. 245 F. 244 F. 2	708,845.70
5 P.C. Vol 2 P. 37 G.P. Vol 1 STACK, 1935 F. 246 G.P. Vol 1 F. 243 G.P. Vol 1 F. 245 G.P. Vol 1 F. 244	708,845.70 φ 47 15 59.402 1834.5 518,160.24 φ 47 15 59.402 1834.5 λ 122 25 32.520 683.6 φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 705,798.52 φ 17.98.52 17.98.52
P. 37 y= 1,	\$18,160.24 λ 15 59.402 1834.5 λ 122 25 32.520 683.6 φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 705,798.52 φ 17.98.52 17.98.52
STACK, 1935 P. 246 P. 246 G.P. Vol 1 RBOR, PUYALLUP BRIDGE, CONTROL 35 STACKS, 1935 P. 245 P. 245 G.P. Vol 1 P. 245 9= IGHEST OF THREE STACKS, 1935 P. C. Vol 2 P. C. Vol 2 P. C. Vol 2 P. C. Vol 1 P. C. Vol 1 P. 244 9= IY HALL, 1905 R. Vol 1 P. 244 P. 24	φ 47 15 59.402 1834.5 λ 122 25 32.520 683.6 φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 1798.52
STACK, 1935 P. 246 g.P. Vol 1 P. 243 g.P. Vol 1 BRIDGE, CONTROL 35 IGHEST OF THREE STACKS, 1935 P.C. Vol 2 P.C. Vol 1 F. 245 G.P. Vol 1 F. 245 G.P. Vol 1 F. 244 F. 24	λ 122 25 32.520 683.6 φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 1798.52
G.P. Vol 1 RBOR, PUYALLUP G.P. Vol 1 P. 245 35 IGHEST OF THREE STACKS, 1935 1927 CCO, RED TANK, TY HALL, 1905 ADIO STATION KTOY G.P. Vol 1 P. 244	φ 47 14 45.778 1413.7 λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 1798.52
P. 243 y=	λ 122 25 26.296 553.0 φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 1798.52
RBOR, PUYALLUP BRIDGE, CONTROL P. 245 G.P. Vol 1 STACKS, 1935 1927 COO, RED TANK, F. 244 COO, RED TANK, F. 244 ADIO STATION KTOY BRIDGE CONTROL	φ 47 15 36.976 1141.9 λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 . 25 15.871 333.7 φ 1798.52
1927 1927 1927 1927 1927 1927 1927 1927	λ 122 25 03.135 65.9 φ 47 15 17.038 526.2 λ 122 25 15.871 333.7 φ 1798.52
CHEST OF THREE G.P. Vol 1 X= Y=	φ 47 15 17.038 526.2 λ 122.25 15.871 333.7 φ 1798.52
STACKS, 1935 P. 245 y= 1927 P. C. Vol 2 P. 37 y= 1, 0CO, RED TANK, G.P. Vol 1 P. 244 y= TY HALL, 1905 P. 21 ADIO STATION KTOY P. 1568	λ 122 . 25 15.871 Φ
EGW, 1927 P.C. Vol 2 x= MA, WOCO, RED TANK, G.P. Vol 1 x= MA CITY HALL, 1905 G.P. Vol 1 x= MA, RADIO STATION KTOY G.P. Vol 1 y= MAST, 1954 P. 1568 x=	φ
MA, WOCO, RED TANK, G.P. Vol 1 MA CITY HALL, 1905 MA, RADIO STATION KTOY MAST. 1954 MAST. 1954 MAST. 1954	
MA, WOCO, RED TANK, G.P. Vol 1 P. 244 MA CITY HALL, 1905 G.P. Vol 1 MA, RADIO STATION KTOY G.P. Vol 1 MAST, 1954 P. 1568	1,523,185.24
MA CITY HALL, 1905 4A, RADIO STATION KTOY G.P. Vol 1 P. 244 P. 21	φ 47 15 11.012 340.1 (1512.8)
CITY HALL, 1905 P. 21 RADIO STATION KTOY G.P. Vol 1 T. 1954	λ 122 25 32.015 673.2
RADIO STATION KTOY G.P. Vol 1 T. 1954.	φ 47 15 27.377 845.5 (1007.4)
RADIO STATION KTOY G.P. Vol 1 T. 1954	λ 122 26 18,968 398.8
1954 P. 1568	φ 47 15 08.538 263.7 (1589.2)
	122 26 44.905 944.3
CT HEATING COMPANY, G.P.	φ 47 15 07.536 232.7 (1620.2)
ж, 1927 Р. 90	λ 122 26 00.508 10.7 (1250.9)
COMPUTED BY A. C. RAUCK, Jr. 2/01/74	COMPUTATION CHECKED BY F. R. Gustafson DATE 2/01/74
DATE	DATE
HAND PLOTTING BY HAND PLOTT	HAND PLOTTING CHECKED BY

NOAA FORM 76-41					II OFPAPTMENT	OF COMMEDCE
(6–75)		DESCRIPTIV	DESCRIPTIVE REPORT CONTROL RECORD	NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION	IND ATMOSPHERIC AL	OMINISTRATION
MAP NO.	JOB NO.		GEODETIC DATUM	ORIGINATING ACTIVITY	ACTIVITY COSSTON	
TP-00734	CM-7311	1.1	NA 1927	Division	AMC. Norfolk.	Virginia
	SOURCE OF	AEROTRI-	COORDINATES IN FEET	Ü		ľ
STATION NAME	INFORMATION (Index)	POINT	STATE		REM	REMARKS
		NUMBER	ZONE	A LONGITUDE	FORWARD	BACK
DISTRICT HEATING COMPANY,	G.P. Vol 1		χ=	φ 47 15 06.877	212.4	(1640.5)
			y=	λ 122 25 59.882	1259.2	(2.5)
FIRST PRESBYTERIAN CHURCH			**	\$ 47 15 49.413	1526.0	(326.9)
SPIRE, 1927	P. 88		β=	λ 122 26 45.562	957.8	(303.6)
TACOMA, ST. JOSEPH HOSPITAL			-χ=	14	1265.7	(587.2)
DOME, 1927	P. 1568		y=	λ 122 26 46.647	981.0	(280.8)
TACOMA, J STREET STANDFIFE,			χæ	φ 47 14 35.952	1110.3	(742.6)
1919-1921	P. 85		<i>y</i> =	λ 122 26 47.585	1000.8	(261.1)
TACOMA, PUGET SOUND PLYWOOD	Field Edit		=χ	\$ 47 15 43.637	1347.6	(505.3)
BLACK STACK, 1973	Position		y=	λ 122 25 59.294	1246.6	(14.9)
	124		<i>-</i> χ=	φ 47 15 42.610	1315.9	(537.0)
LIGHT, 1973	Position		y=,	λ 122 26 06.913	145.3	(1116.2)
סנסר ששווי			<i>-</i> χ	\$ 47 15 54.268	1675.9	(177.0)
OLIFF, 1919	P. 85		ys	λ 122 26 40.616	853.9	(407.5)
TACOMA, HOLY ROSARY CHURCH,			= %		21.9	(1831.0)
	P. 1569		<i>y=</i>	λ 122 26 19.793	416.3	(845.8)
			-χ	•		
			<i>y</i> =	γ		
			±χ.	ф		-
			y=	У	, , , , , , , , , , , , , , , , , , ,	,
COMPUTED BY A. C. Rauck, Jr.	r.	2/61/74	COMPUTATION CHECKED BY F.	R. Gustafson	DATE 2/0	2/01/74
LISTED BY		DATE	LISTING CHECKED BY		DATE	
HAND PLOTTING BY		DATÉ	HAND PLOTTING CHECKED BY		DATE	
		SUPERSEDES NO	RSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE	CH IS OBSOLETE.	Page 2 of	79½

COMPILATION REPORT

TP-00734

31. DELINEATION:

Delineation was by the Wild B-8 stereoplotter, using 1:15,000 scale color photography.

The southern part of City Waterway was extremely difficult to interpret because of the presence of numerous floating logs and debris in the area.

32. CONTROL:

See the attached Photogrammetric Plot Report dated January 1974.

33. <u>SUPPLEMENTAL DATA</u>:

None.

34. CONTOURS AND DRAINAGE:

Contours are not applicable to the project. Drainage was delineated by the Wild B-8 stereoplotter and by office interpretation of the photographs.

35. SHORELINE AND ALONGSHORE DETAILS:

Alongshore details were delineated by the Wild B-8 stereoplotter and by office interpretation of the photographs.

The mean high water line was delineated from the photographs.

36. OFFSHORE DETAILS:

None.

37. LANDMARKS AND AIDS:

Compilation office prepared work copies of Forms 76-40 were forwarded to the field editor for verification, location and/or deletion.

38. CONTROL FOR FUTURE SURVEYS:

None.

39. <u>JUNCTIONS</u>:

See the attached Form 76-36B, Item #5 of the Descriptive Report concerning junctions.

40. HORIZONTAL AND VERTICAL ACCURACY:

No statement.

46. COMPARISON WITH EXISTING MAPS:

A comparison has been made with the following USGS Quadrangles: TACOMA NORTH, WASHINGTON, AND TACOMA SOUTH, WASHINGTON, each scaled 1:24,000, dated 1961 revised 1968.

47. COMPARISON WITH NAUTICAL CHARTS:

A comparison has been made with the following USC&GS Chart: No. 6407, 12th edition, dated January 27, 1973, scaled 1:15,000.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY:

None.

ITEMS TO BE CARRIED FORWARD:

None.

Submitted by:

Albert C Ranch J. For Charles Parker Cartographic Aid February 14, 1974

Approved for forwarding:

Albert C. Rauck, Jr.

Chief, Coastal Mapping Section, AMC

January 11, 1978

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7311 (Tacoma Harbor, Washington)

TP-00734

Burlington Northern (RR)

Chicago Milwaukee St. Paul & Pacific (RR)

City Waterway

Commencement Bay

Middle Waterway

Milwaukee Waterway

Puyallup Waterway

St. Paul Waterway

Tacoma

Approved by:

Charles E. Harrington Staff Geographer - C51x2

NOAA FORM 75-74 (7-75)				U.S. DEPARTMENT OF COMMERC
	PHO		RIC OFFICE REVIEW	NATIONAL OCEAN SURVE
		Ti	- 00734	
1. PROJECTION AND GRIDS	2. TITLE		3. MANUSCRIPT NUMBERS	4. MANUSCRIPT SIZE
ALS	AL	న	ALS	ALS
CONTROL STATIONS	<u> </u>	····································		-,
5. HORIZONTAL CONTROL STATEMENT OF THIRD-ORDER OR HIGHER	ATIONS OF	6. RECOVERA OF LESS TH (Topograph)	BLE HORIZONTAL STATIONS IAN THIRD-ORDER ACCURAC c stations)	7. PHOTO HYDRO STATIONS
ALS			NA	NA
8. BENCH MARKS	9. PLOTTING O	FSEXTANT	10. PHOTOGRAMMETRIC PLOT REPORT	11. DETAIL POINTS
ALS	AL	S	ALS	ALS
ALONGSHORE AREAS (Nautical	Chert Date)			
12. SHORELINE	13. LOW-WATER	LINE	14. ROCKS, SHOALS, ETC.	15. BRIDGES
ALS	AL	.S	ALS	ALS
16. AIDS TO NAVIGATION	17. LANDMARK	S	18. OTHER ALONGSHORE PHYSICAL FEATURES	19. OTHER ALONGSHORE CULTURAL FEATURES
ALS	AL	S	ALS	ALS
PHYSICAL FEATURES				
20. WATER FEATURES	,	21. NATURAL	GROUND COVER	22. PLANETABLE CONTOU
ALS			NA	NA
3. STEREOSCOPIC INSTRUMENT CONTOURS	24. CONTOURS	IN GENERAL	25. SPOT ELEVATIONS	26. OTHER PHYSICAL FEATURES
NA	NA		NA	ALS
CULTURAL FEATURES				
27. ROADS	28. BUILDINGS		29. RAILROADS	30. OTHER CULTURAL FEATURES
ALS	AL	s	ALS	ALS
BOUNDARIES			32. PUBLIC LAND LINES	
N	A	•	•	NA
AISCELLANEOUS				
3. GEOGRAPHIC NAMES		34. JUNCTION	5	35. LEGIBILITY OF THE MANUSCRIPT
ALS			ALS	ALS
6. DISCREPANCY OVERLAY	37. DESCRIPTIV	VE REPORT	38. FIELD INSPECTION PHOTOGRAPHS	39. FORMS
ALS	AL	S	ALS	ALS
9. L. Shand			SUPERVISOR, REVIEW SEC	TION OR UNIT
A. L. Shands		2/25/74	Albert C. Rauck,	auch y
II. REMARKS (See attached she	ot)			
TELD COMPLETION ADDITION				
script is now complete exc	cept as noted und	ler item 43.		d to the manuscript. The manu-
J. Desch	oanne Deis	4/75	SUPERVISOR	Ranch. J.
Reviewer A. L. Sha	nds	5/75	Albert C. Rauck,	Jr.
G. REMARKS				
See Form 76-	360ģ., Item	s 7 and 8.	•	

FIELD EDIT REPORT

MAP TP-00734

TACOMA, WASHINGTON

MARCH-APRIL, 1974

Field edit of map TP-00734 was done by Ens. John L. Oswald and Ens. Roger W. Mercer during the months of March and April, 1974. Inspection was done from a launch and skiff with some shore inspection on foot where required.

METHOD

A copy of the Field Edit Ozalid was examined in the field and compared with actual shore features. Sextant fixes were taken on many dolphins, piles and moored floats; but, unfortunately, records of these fixes weren't kept. By the time it was learned that fix data were required, the Field Edit was almost completed. Fixes were plotted as taken and plotted location was visually compared with nearby features.

A search was made for Tacoma City Waterway West Entrance Green Light, 1935, but no structure of any kind existed in that immediate vicinity. This light has apparently been completely removed. A Recovery Note (Form 526) has been submitted for this station.

No geodetic positions were obtained using field methods for two towers southwest of City Waterway. Discrepancies on Puyallup Waterway could not be investigated from a skiff due to very shallow water there. These portions of the Puyallup River are too shallow for navigation by even the shallowest draft skiffs and, consequently, of no interest to commercial shipping.

ADEQUACY OF COMPILATION

Compilation of this map is adequate. Photogrammetric locations of features agree well with sextant locations based on established triangulation stations.

RECOMMENDATIONS

It is recommended that this manuscript be revised as per Field Edit Notes on the Discrepancy Ozalid and, except for the un-investigated features in Puyallup Waterway and the southeast portion of Middle Waterway, then be accepted as an advanced manuscript. Submitted by,

Roger W. Mercer

Roger W Mercer ENS, NOAA

Approved by,

M.H. Fleming CDR, NOAA Commanding Officer NOAA SHIP DAVIDSON

ADDENDA FIELD EDIT REPORT

Commencement Bay, Washington Dec 1974 - Jan 1975 OPR-412 Project CM-7311

This report is a follow-up and completion of the original field edit accomplished in this area in March and April of 1974. Certain deficiencies were noted in the original field edit; and this report is being submitted to correct, clarify, or alleviate any errors or misconceptions that may have been conveyed in the original report.

Although this report was not intended to be a complete re-field edit of the area, certain items from the previous report were checked to verify positions and resolve suspect features. It is suspected the original field editors did not use the photographs to their full advantage as the majority of items in question could be located by photogrammetric methods.

The majority of the landmarks were verified by computing the inverse for intersection stations and occupying marked triangulation stations and observing theodolite cuts.

The field edit copies of the manuscripts were used for the field corrections (in blue and dated) and the photographs were cross-referenced to the field edit copies.

Adequacy: The extent and accuracy of this field edit with amended items of the original field edit and completed forms 76-40 now appears complete.

Pertinent information for each individual discrepancy sheet is listed under that specific sheet.

TP-00728

Re-field edited 12/11/74. Agreed with the original field edit except the bluff in question is considered of landmark value. It is of significant height, and distinct boundaries are clear as plotted.

For verification of Pt. Defiance Light see attached NOAA Form 76-40.

TP-00729

Re-field edited 12/11/74. Original field edit complete. Brown Point Lighthouse recovered. See attached form 76-40.

TP-00730

Re-field edited on 12/12/74, 12/13/74, and 1/10/75. All landmarks were recovered. Lighted aids to navigation were located by photogrammetric methods on photograph 73E9100. The triangulation station TARGET, 1952, in question was reported destroyed in 1965 by H.J.S. (page 41 of book 392) and no attempt was made to recover it.

The position of the Commencement Bay Measured Nautical Mile northwest range front marker was determined by an angle distance from reference mark of the triangulation station TARGET. The position of the northwest range rear marker was determined by an angle and distance from the reference mark of triangulation station BLUFF, 1935. Both positions are less than third order. See the enclosed computations and form 76-40.

TP-00731

Re-field edited on 12/12/74. The positions of the Commencement Bay Measured Nautical Mile southeast markers, both front and rear, were determined by an angle and distance from RUSTON, RM NO2. Both positions are less than third order. See the enclosed computations and form 76-40.

TP-00732

Re-field edited on 12/10/74. Nonfloating aids to navigation were triangulation stations that were recovered. The new stack considered of landmark value was located photogrammetrically.

The Grain Export Facility under construction in April, 1974, is nearing completion. The pier faces are complete with work on the tower continuing. Port authorities expect to have the facility in operation in June, 1975. The plans for this facility were obtained and are enclosed.

TP-00733

This sheet was re-field edited on 12/10/74, 1/6/75, and 1/10/75. Two charted tanks are gone and should be deleted from the charts. See enclosed form 76-40.

Three landmarks (triangulation stations) were recovered and recovery notes submitted. The twin chimneys were located photogrammetrically on photograph 73E9091. The charted stack mentioned in the April, 1974, field edit as being of no landmark value is considered of landmark value in this report. Although poorly visible from Commencement Bay, it is quite distinguishable in the Hylebos Waterway. See photograph 73E9091.

Two large dome-shaped storage elevators depicted on the charts, but not compiled on the ozalid, should be left on the charts, as they are salient features and visible from offshore in Commencement Bay. See photograph

73E9]13. Two navigation lights were recovered, and the fog signals were located photogrammetrically on photograph 73E9114.

TP-00734

The three items not previously investigated were field edited 12/12/74 and noted on the ozalid. One nonfloating aid to navigation was recovered. One tank, as noted on form 76-40, should be deleted from the chart, as it no longer exists.

Fourteen landmarks were located. Twelve were triangulation and were recovered. Two were located photogrammetrically on photograph 73E9104.

TP-00736

Re-field edited 12/12/74. The new boat was located on photograph 73E9090 by planetable methods. It is a private boat ramp and not maintained by the port authorities. The two stacks considered of landmark value by this field edit were located photogrammetrically on photograph 73E9089 and 73E9088.

There is new construction of a barge-loading facility in the Blair Water-way turning basin. The plans for this facility were obtained from the Port authorities and are enclosed.

Respectfully submitted.

D.S. Eilers LTJG. NOAA Approved by,

Michael H. Fleming

CDR, NOAA

Commanding Officer

				1	ا					
NOAA FORM 76-40	40	-		ž	NATIONAL OC	OCE ANIC A	U.S. DEPARTM ND ATMOSPHER	U.S. DEPARTMENT OF COMMERCE AND ATMOSPHERIC ADMINISTRATION	ORIGINATING ACTIVITY	ARTY
Replaces C&GS Form 567.	m 567.	NONTENDOMINACEMENT OR LA		MARK		ARTS			GEODETIC PARTY	1 1 1
	TINIT SNITBORDE	r	STATE		LOCALITY	 -		DATE	COMPILATION ACTIVITY	TIVITY
XTO BE CHARTED TO BE REVISED	reb (Figld Perry Sup or Office) Div.		shi	ngton		Тасощ	Tacoma Harbor	4/21/75	FINAL REVIEWER QUALITY CONTROL & REVIEW GRP.	L & REVIEW GRP.
The following		OT been inspe		ward to	Jetermine th	eir value	seaward to determine their value as landmarks.		(See reverse for responsible personnel)	sible personnel)
OPR PROJECT NO.		SURVEY NUMBER		DATUM						
715	CM-7311	TP-00734	734	:	NA	1927		. METHOD AND DATE OF LOCATION	TE OF LOCATION	
					POS	POSITION		(See instructions	(See instructions on reverse side)	CHARTS
	DESC	DESCRIPTION	•	LAT	LATITUDE	۲٥	LONGITUDE	1	1	AFFECTED
CHARTING	(Record reason for deletion of landmark or aid to nevigation. Show triangulation station names, where applicable, in parenthes	landmark or aid to na es, where applicable,	vigation. in perentheses)	,	D.M. Meters	• •	D.P. Meters	OFFICE	FIELD	
CHURCH TOWER	(FIRST PRESBYTERIAN CHURCH	AN CHURCH SPIRE,	RE, 1927)47		15 49.413	122	26 45.562	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-80
CITY HALL TOWER	(TACOMA CITY HALL,	, 1905)		7.7	15 27.377	7122	26 18.968	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
RADIO TOWER	(TACOMA, RADIO STAT 1954)	RADIO STATION KTOY FM MAST,		τ 27	15 08.538	3,122	26 44.905	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
DOME	(TACOMA, ST. JOSEPH	ST. JOSEPH HOSPITAL DOME,	ME, 1927)47		14 40.984 1265.7	122	26 46.647	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
STANDPIPE	(TACOMA, J STREET	STANDPIPE, 1	1919–1921)47		14 35.952 1110.3	122 .	26 47.585	73E(c)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
TWIN STACKS	(DISTRICT HEATING 1927)	COMPANY NORTH	STACK,	τ 47	15 07.536 232.7	7,122	26 00.508	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
TWIN	(DISTRICT HEATING COMPANY 1927)	COMPANY SOUTH	STACK,	[47	15 06.877 212.4	122	25 59.882 1259.2	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 64 <i>0</i> 7 185-SC
TANK	(TACOMA, WOCO, RED	RED TANK; 1935)		7. 1	15 11.012 340.1	221-2	25 32.015 673.2	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
TANK	(SHALLOW, 1927)			T 27	15 10.187 314.6	7,122	25 12.408 260.9	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	6460 6401, 6407 185-SC
STACK	(TACOMA, HIGHEST O STACKS, 1935)	OF THREE CONCRETE		7,7	15 17.038 526.2	3122	25 15.871 333.7	73E(C)9105 6/22/73	Triang. Rec. 12/10/74	999
		-			 	٤				Page 1 of

Enter the applicable data by symbol F - Field P - Photogramme L - Located Vis - Visually V - Verified 1 - Triangulation 5 - Field ident 2 - Traverse 6 - Theodolite 3 - Intersection 7 - Planetable 4 - Resection 8 - Sextant A. Field positions* require entry o location and date of field work. EXAMPLE: F-2-6-L EXAMPLE: F-2-6-L vations based entirely upon ground sur	OFFICE OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject. EXAMPLE: 75E(C)6042 8-12-75 FIELD	FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	POSITIONS DETERMINED AND/OR VERIFIED	OBJECTS INSPECTED FROM SEAWARD	TYPE OF ACTION	
tric tric ified ified if method of d obser- vey methods.	Photogrammetric Inst		L. L. Rigger, PMC; D. S. Eilers, J. Desch		NAME	RESPONSIBLE PERSONNEL
When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V+Vis.' and date. EXAMPLE: V-Vis. 8-12-75 8-12-75 **PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.	D AND DATE OF LOCATION' D (Cont'd) B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982	REVIEWER OUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE	Lt. (jg), NOAA FIELD ACTIVITY REPRESENTATIVE	☐ PHOTO FIELD PARTY ☐ GEODETIC PARTY ☐ OTHER (Specify)		VNEL

NOAA FORM 78-40 (8-74)

1.5b 2 HYDROGRAPHIC PARTY
CEODETIC PARTY
PHOTO FIELD PARTY
COMPILATION ACTIVITY
FINAL REVIEWER
OUALITY CONTROL & REVIEW GRP.
COAST PILOT BRANCH 6401, 6407 185-SC 6401, 6407 185-SC 6401, 6407 6401, 6407 f (See reverse for responsible personnel) 185-SC AFFECTED 185-SC 0979 0979 0979 0979 CHARTS Page 2 ORIGINATING ACTIVITY Triang. Rec. 12/10/74 Triang. Rec. 12/10/74 12/11/74 73E(C)9104 P-5-V 12/11/74 73E(C)9104 METHOD AND DATE OF LOCATION (See instructions on reverse side) FIELD U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION 4/21/75 73E(C)9105 6/22/73 73E(C)9105 6/22/73 73E(C)9105 6/22/73 73E(C)9105 6/22/73 DATE OFFICE 25 32.520 been inspected from seaward to determine their value as landmarks D.P. Meters 683.6 1246.6 26 39.48 26/40-10 59.294 Tacoma Harbor 830 843 LONGITUDE 25 1927 MONTH CONTROL OF LANDING FOR CHARTS 122 122 122 15 59-402 122 o POSITION 15 22,34 J.M. Meters 1834.5 43.637 1347.6 13.86 758 069 NA LATITUDE 151 15 DATUM Washington o 7.3 47 7.7 5 DESCRIPTION (Record resson for deletion of landmark or aid to navigation. Show triangulation station names, where applicable, in parentheses) 50' MAST TOP OF COUNTY CITY BUILDING (TACOMA, PUYALLUP WATERWAY CONCRETE SURVEY NUMBER (TACOMA, PUGET SOUND PLYWOOD BLACK TP-00734 STACK, 1973) Ht. = 108 (125) REPORTING UNIT If ind Parr, Ship or Office) Coastal Mapping Div. AMC, Norfolk, The following objects HAVE X HAVE NOT CM-7311 JOB NUMBER STACK, 1935) Replaces C&GS Form 567 TO BE CHARTED TO BE REVISED TO BE DELETED NOAA FORM 76-40 OPR PROJECT NO. 412 CHARTING SQUARE TOWER NAME TOWER STACK STACK THIN

	3		
	RESPONSIBLE PERSONNEL	PERSONNEL	
TYPE OF ACTION	NAME	F	ORIGINATOR
			T HYDROGRAPHIC PARTY
DBJECTS INSPECTED FROM SEAWARD			GEODETIC PARTY
			OTHER (Specify)
	L. L. Riggers, PMC; D. S. E	Eilers, Lt. (jg), NOAA	FIELD ACTIVITY REPRESENTATIVE
CONTRACT CAMENAGE CAME/CA VERTILES	J. Desch		OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL			REVIEWER
ACTIVITIES			REPRESENTATIVE
	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE O	OR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64)	•
OFFICE IDENTIFIED AND LOCATED OF IECTS	ATED OR IECTS	FIELD (Cont'd)	Cont'd)
Enter the number and date (including month, day, and year) of the photograph used to	tograph used to	entry of date of f	method of location or verification, field work and number of the photo-
EXAMPLE: 75E(C)6042	the object.	graph used to locate EXAMPLE: P-8-V 8-12-75 741 (C)2982	focate or identity the object. -V 2-75 (C)2982
FIELD 1. NEW POSITION DETERMINED OR VERIFIED	OR VERIFIED	II. TRIANGULATION STATION RECOVERED	RECOVERED
Enter the applicable data by symbols F - Field P - Photogrammet	<pre>- Photogrammetric</pre>	When a landmark or aid which is angulation station is recovered	is recovered, enter 'Triang.
L - Located Vis - V - Verified	- Visually		overy.
1 - Triangulation 5 - F 2 - Traverse 6 - 1	Field identifiéd Theodolite		
tion 7 -	Planetable Planetable	III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH	UALLY ON PHOTOGRAPH
4 - Resection 8 - S	Sextant	σ.	date.
sitions* requ	ire entry of method of field work.		
EXAMPLE: F-2-6-L 8-12-75	•	**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control establishe	FIELD POSITIONS are dependent part, upon control established
*FIELD POSITIONS are determined by field obser-	ed by field obser-	netr	ds.
vations based entirely upon ground survey methods	ground survey methods.		



NOAA FORM 76-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND.
EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.

& U.S. GOVERNMENT PRINTING OFFICE: 1974-1

15c 6460 6401, 6407 185-SC QUALITY CONTROL & REVIEW GRP. (See reverse for responsible personnel) AFFECTED CHARTS ORIGINATING ACTIVIT HOTO FIELD PARTY
COMPILATION ACTIVITY
FINAL REVIEWER HYDROGRAPHIC PARTY
GEODETIC PARTY Triang. Rec. 12/12/74 METHOD AND DATE OF LOCATION (See instructions on reverse side) FIELD U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION 4/21/75 DATE OFFICE 26,06,913 been inspected from seaward to determine their value as landmarks. D.P. Meters 145.3 Tacoma Harbor LONGITUDE 1927 15 42.610 122 0 POSITION D.M. Meters 1315.9 NA LATITUDE DATUM Washington 0 7.7 Show triangulation stationnames, where applicable, in parentheses (TACOMA HARBOR, CITY WATERWAY LIGHT, DESCRIPTION (Record reason for deletion of landmark or aid to navigation. SURVEY NUMBER TP-00734 REPORTING UNIT IF ield Pary, Ship or Office) Coastal Mapping Div. AMC, Norfolk, VA HAVE X HAVE NOT CM-7311 JOB NUMBER 1973) Replaces C&GS Form 567. The following objects ATO BE CHARTED TO BE DELETED TO BE REVISED NOAA FORM 76-40 (8-74) OPR PROJECT NO. 412 CHARTING LIGHT

	RESPONSIBLE PERSONNEL	PERSONNEL	
TYPE OF ACTION	NAME		ORIGINATOR
			N HYDROGRAPHIC PARTY
OBJECTS INSPECTED FROM SEAWARD			GEODETIC PARTY OTHER (Specify)
	L. L. Riggers, PMC; D. S. E	Eilers, Lt. (jg), NOAA	FIELD ACTIVITY REPRESENTATIVE
CONTRACT CON	J. Desch		OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW			QUALITY CONTROL AND REVIEW GROUP
ACTIVITIES			REPRESENTATIVE
	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE O (Consult Photogrammetric Instructions No. 64,	OR ENTRIES UNDER METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64,	
OFFICE 1. OFFICE IDENTIFIED AND LOCATED OBJECTS	CATED OBJECTS	FIELD (Cont'd) B. Photogrammetric fie	Cont'd) Photogrammetric field positions** require
Enter the number and date (including month, day, and year) of the photograph used to identify and locate the bject. EXAMPLE: 75E(C)6042 8-12-75	number and date (including month, year) of the photograph used to and locate the ∪bject. 75E(C)6042 8-12-75	entry of date of f graph use EXAMPLE:	method of location or verification, field work and number of the photoed to locate or identify the object. P-8-V 8-12-75
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbol	data by symbols as follows:	II. TRIANGULATION STATION RECOVERED When a landmark or aid which is	d which is also a tri-
	ric	rion Lion	, enter
ation 5 - 6 -	Field identified Theodolite	8-12-75	
1 •	Planetable Sextant	2 =	SUALLY ON PHOTOGRAPH
sitions*	require entry of method of of field work.	EXAMPLE: V-Vis, 8-12-75	
EXAMPLE: +-2-6-L 8-12-75	- ,	**PHOTOGRAMMETRIC FIELD PO entirely, or in part, up	IC FIELD POSITIONS are dependent in part, upon control established
*FIELD POSITIONS are determined by field observations based entirely upon ground survey meti	OSITIONS are determined by field obser- based entirely upon ground survey methods.	by photogrammetric methods.	ods.

NOAA FORM 75-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.



. ...

GEODETIC PARTY
PHOTO FIELD PARTY
COMPILATION ACTIVITY
FINAL REVIEWER
QUALITY CONTROL & REVIEW GRP.
COAST PILOT BRANCH 6401, 6407 185-SC 154 (See reverse for responsible personnel) AFFECTED CHARTS ORIGINATING ACTIVIT HYDROGRAPHIC PARTY F-V-Vis 12/12/74 METHOD AND DATE OF LOCATION (See instructions on reverse side) FIELD U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION 4/18/75 DATE OFFICE been inspected from seaward to determine their value as landmarks.

| SURVEY NUMBER | DATUM D.P. Meters 25 28.514 599.4 Tacoma Harbor LONGITUDE 1927 MICHIGATION TO THE THE PROPERTY OF THE PARTY 122 0 POSITION 53.667 LOCALITY 1657.3 D.M. Meters NA LATITUDE 15 Washington ۰ 7.7 Show triangulation station names, where applicable, in parentheses) (TACOMA, CITY WATERWAY HIGHEST BLACK Record reason for deletion of landmark or aid to navigation. STATE TP-00734 AMC, Norfolk, Virginia REPORTING UNIT If ield Perty, Ship or Office) Coastal Mapping Div. TANK, 1933); tank removed. DESCRIPTION HAVE X HAVE NOT CM-7311 JOB NUMBER Replaces C&GS Form 567. The following objects OPR PROJECT NO. Дто ве ресетер TO BE CHARTED TTO BE REVISED NOAA FORM 76-40 CHARTING 777 TANK



	RESPONSIBLE PERSONNEL	PERSONNEL	
TYPE OF ACTION	ZAKE	E	ORIGINATOR
			HYDROGRAPHIC PARTY
DBJECTS INSPECTED FROM SEAWARD	•		GEODETIC PARTY
			OTHER (Specify)
POSITIONS DETERMINED AND/OR VERIFIED	L. L. Riggers, PMC; D. S. E	Eilers, Lt. (jg), NOAA	FIELD ACTIVITY REPRESENTATIVE
-	J. Desch		OFFICE ACTIVITY REPRESENTATIVE
FORMS ORIGINATED BY QUALITY CONTROL			
ACTIVITIES			REPRESENTATIVE
	INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF (Consult Photogrammetric Instructions No. 64,	METHOD AND DATE OF LOCATION'	
OFFICE IDENTIFIED AND LOCATED OBJECTS	ATED OBJECTS	FIELD (Cont'd)	- 4
	(including month, tograph used to bject.	entry of date of f	method of location or verification, field work and number of the photo- ed to locate or identify the object.
8-12-75		8-12-75 74L(c)2982	
FIELD NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols 	R VERIFIED by symbols as follows:	 TRIANGULATION STATION RECOVERED When a landmark or aid which is 	RECOVERED d which is also a tri-
F - Field P - Pl L - Located Vis - V - Verified	Photogrammetric - Visually	⋝ 0 `` _	is recovered, enter 'Triang. recovery. ec.
1 1	Field identified Theodolite	8-12-75	
3 - Intersection 7 - P 4 - Resection 8 - S	Planetable Sextant	III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V+Vis.' and date.	ISUALLY ON PHOTOGRAPH
ield positions*	require entry of method of of field work.	EXAMPLE: V-Vis. 8-12-75	
8-12-75		**PHOTOGRAMMETRIC FIELD PO entirely, or in part, up	IC FIELD POSITIONS are dependent
*FIELD POSITIONS are determined by field obser- vations based entirely upon ground survey meth	ed by field obser- ground survey methods.	=	ds.

NOAA FORM 78-40 (8-74)

SUPERSEDES NOAA FORM 76-40 (2-71) WHICH IS OBSOLETE, AND EXISTING STOCK SHOULD BE DESTROYED UPON RECEIPT OF REVISION.



REVIEW REPORT TP-00734

SHOREL I NE

February 1, 1978

61. GENERAL STATEMENT:

See Summary, page 6 of this Descriptive Report.

Many water features, dolphins, piles, floats, etc. are labeled "(PA)" for position approximate. These features are not visible on the photographs. Their positions were approximated on the Paper Field Edit Ozalid by the field editor and transferred to the map.

The field editor indicated on the Field Edit Ozalid the existance of a drydock on the southeast shore of Middle Waterway. His leader points to the southside of a building shown on the map. There is no photogrammetric evidence that a drydock exist at that location. Evidence suggest that the drydock is located immediately south of the position indicated. The facility is mapped at the position identified on the photographs.

A new grain elevator and pier complex located at latitude 47°15.8', long 122°26.5' was delineated using engineering drawings supplied by the field editor. These drawings are not tied to the N.A. 1927 datum. The position of the facility therefore, is considered approximate.

Two dolphins located at the mouth of Middle Waterway, marking the ends of a "barge morage", were spotted on the field edit ozalid by the editor. It was determined during final review that these features are visible on the photography in slightly different positions than indicated on the field edit ozalid. The positions were changed during final review to agree with the photography.

62. COMPARI SON WITH REGISTERED TOPOGRAPHIC SURVEYS:

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES:

Not applicable.

COMPARI SON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS:

Comparison was made with a copy of Final Verified Smoothsheet H-9412 (DA-5-3-74). There are no significant differences.

65. COMPARISON WITH NAUTICAL CHARTS:

Comparison was made with Chart 18453, 1:15,000 scale, 1 14th edition dated May 29, 1976. Many minor differences were noticed in the shoreline and alongshore details. These were indicated on the chart maintenance print.

Two buildings charted at latitude 47°14.7', longitude 122°25.8; six buildings charted at the southwest tip of Middle Waterway and the floating drydock shown near the mouth of Middle Waterway are not visible on the photographs. The landmark tank charted at latitude '47 15.8', longitude 122 25.5' was reported destroyed by the field editor.

ADEQUACY OF RESULTS AND FUTURE SURVEYS:

This map complies with the Project Instructions and meets the requirements for Bureau Standards and the National Standards of Map accuracy.

Submitted by:

Q. L. Shands

A. L. Shands Final Reviewer

Approved for forwarding:

albut C. Rauck, M. FOR

Jeffrey G. Carlen

Chief, Coastal Mapping Division, AMC

Approved:

Chief, Photogrammetric Branch Chief, Coastal Mapping Divi-

sion

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. TP-00734

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
18453	9-9-81	R.a. Lillis	Full Part Defore After Verification Review Inspection Signed Via
		9-30-BI-RCX	Drawing No. 24
	al. de	00 1111-	Full Part Before After Verification Review Inspection Signed Via
18448	9/15/81	9-30-81 ROS	Drawing No. 3/
		7 30 81 74 3	
18445	9/10/81	RQ Lillis	Full Part Defore After Verification Review Inspection Signed Via
C+B		9-30-BI ROK	Drawing No. 18
			
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
		,	Drawing No.
	jaj konsenti (kome ngalaspa)		
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			A
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			
····			· ·