

NOAA FORM 76-35
(6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

<i>Map No.</i> TP-00764	<i>Edition No.</i> 1	
<i>Job No.</i> CM-7407		
<i>Map Classification</i> FINAL, FIELD EDITED MAP		
<i>Type of Survey</i> SHORELINE		
LOCALITY		
<i>State</i> MASSACHUSETTS		
<i>General Locality</i> BUZZARDS BAY		
<i>Locality</i> SIPPICAN HARBOR		
<table border="1"><tr><td>19 74 TO 19 80</td></tr></table>		19 74 TO 19 80
19 74 TO 19 80		
REGISTERED IN ARCHIVES		
DATE		

NOAA FORM 76-36A (3-72)	U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	SURVEY TP. 000764 MAP EDITION NO. (1) MAP CLASS Final JOB PH CM-7407
DESCRIPTIVE REPORT - DATA RECORD		LAST PRECEDING MAP EDITION	
PHOTOGRAMMETRIC OFFICE Coastal Mapping Division, Norfolk, VA Atlantic Marine Center		TYPE OF SURVEY <input type="checkbox"/> ORIGINAL <input type="checkbox"/> RESURVEY <input type="checkbox"/> REVISED	
OFFICER-IN-CHARGE Jeffrey G. Carlen, CDR		JOB PH. _____ MAP CLASS _____ SURVEY DATES: 19__ TO 19__	

I. INSTRUCTIONS DATED			
I. OFFICE	2. FIELD		
Aerotriangulation March 20, 1975 Compilation April 17, 1975 Memo November 12, 1975 Amendment PH-6311 November 14, 1975 Supplement I December 04, 1975 Supplement II July 19, 1976	Horizontal Control January 30, 1974 (Premarking) Amendment I March 08, 1974		

II. DATUMS			
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN		OTHER (Specify)	
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input checked="" type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL		OTHER (Specify)	
3. MAP PROJECTION Lambert Conformal		4. GRID(S) STATE ZONE Massachusetts Mainland	
5. SCALE 1:10,000		STATE	ZONE

III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS	NAME	DATE	
1. AEROTRIANGULATION BY METHOD: Analytic LANDMARKS AND AIDS BY	M. McGinley	April 1975	
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Calcomp CHECKED BY	R. Robertson R. Robertson	April 1975 April 1975	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: Wild B-8 CONTOURS BY SCALE: 1:10,000 CHECKED BY	J. Roderick L. O. Neterer, Jr. N.A. N.A.	March 1976 March 1976	
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY METHOD: Smooth drafted CONTOURS BY CHECKED BY SCALE: 1:10,000 HYDRO SUPPORT DATA BY CHECKED BY	I. K. Perkinson L. O. Neterer, Jr. N.A. N.A. I. K. Perkinson L. O. Neterer, Jr.	May 1976 June 1976	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	L. O. Neterer, Jr.	June 1976	
6. APPLICATION OF FIELD EDIT DATA BY CHECKED BY	F. Marziotta/D. Butler J. Roderick/J. Roderick	Jan 80/Feb 81 Feb 80/81	
7. COMPILATION SECTION REVIEW BY	J. Roderick	Feb 1981	
8. FINAL REVIEW BY	J. Hancock	Nov 1984	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY	J. Hancock	Feb 1985	
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	J. Schud	March 1985	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY	R. Kohnspan	April 1985	

1. COMPILATION PHOTOGRAPHY

CAMERA(S) E=152.7mm, C=88.47mm; Z=153.14mm Wild RC-8 "E", RC-10 "C", RC-10 "Z"		TYPES OF PHOTOGRAPHY LEGEND		TIME REFERENCE	
TIDE STAGE REFERENCE <input type="checkbox"/> PREDICTED TIDES <input checked="" type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY		(C) COLOR (P) PANCHROMATIC (I) INFRARED		ZONE Eastern MERIDIAN 75th <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> DAYLIGHT	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
74E(C) 4760-4761	Apr. 18, 1974	11:21	1:30,000	0.5 ft. above MLW*	
74E(C) 4754-4755	Apr. 18, 1974	11:11	1:30,000	0.4 ft. above MLW*	
74Z(I) 9544-9545	Apr. 20, 1974	12:24	1:30,000	0.2 ft. below MLW**	
74C(C) 9471	Apr. 18, 1974	10:15	1:60,000	0.2 ft. above MLW***	
74E(C) 4821-4822	Apr. 20, 1974	12:30	1:30,000	0.2 ft. below MLW*	
74Z(I) 9550-9552	Apr. 20, 1974	12:30	1:30,000	0.2 ft. below MLW**	

REMARKS
*Compilation/Bridging photographs.
Tide coordinated photographs at MLW. *Bridging Photographs.

2. SOURCE OF MEAN HIGH-WATER LINE:

*The mean high water line was compiled from the above listed compilation photographs by stereo instrument methods.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

**The mean low water line was compiled graphically from the tide coordinated MLW infrared photographs.

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED
H-9724	Field Surveyed Nov. 1977	unregistered copy			

5. FINAL JUNCTIONS

NORTH	EAST	SOUTH	WEST
No survey	TP-00765	TP-00769	No survey

REMARKS

TP-00764

HISTORY OF FIELD OPERATIONS

I. FIELD INSPECTION OPERATION (Premarking) FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Tibbetts	April 1974
2. HORIZONTAL CONTROL	RECOVERED BY R. Tibbetts	April 1974
	ESTABLISHED BY R. Tibbetts	April 1974
	PRE-MARKED OR IDENTIFIED BY L. Davis	April 1974
3. VERTICAL CONTROL	RECOVERED BY None	
	ESTABLISHED BY None	
	PRE-MARKED OR IDENTIFIED BY None	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY None	
	LOCATED (Field Methods) BY None	
	IDENTIFIED BY None	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE BY <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	None
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N.A.

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
Paneled		None	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
74C(C)9472	ACADEMY, 1887 (Sub Pt. paneled)		

3. PHOTO NUMBERS (Clarification of details)

None

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: REPORT NONE

6. BOUNDARY AND LIMITS: REPORT NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 Form 76-53 (CSI), 1 Form 266
1 Form 76-77 (Tide level observations), 1 Form 269C

TP-00764

HISTORY OF FIELD OPERATIONS

I. FIELD INSPECTION OPERATION FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Tibbetts	Oct. 1979
2. HORIZONTAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None	
3. VERTICAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None	
4. LANDMARKS AND AIDS TO NAVIGATION RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	R. Tibbetts None R. Tibbetts	Oct. 1979 Sept. 1979
5. GEOGRAPHIC NAMES INVESTIGATION TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	R. Tibbetts	Oct. 1979
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	N.A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED None	2. VERTICAL CONTROL IDENTIFIED None		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
74E(C) 4820	Marion, North Wireless Tower, 1932		

3. PHOTO NUMBERS (Clarification of details)
74E(C) 4818, 4820 (Bridging contact photos)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
74E(C) 4820	Tower		

5. GEOGRAPHIC NAMES: REPORT NONE 6. BOUNDARY AND LIMITS: REPORT NONE

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1-Field Edit Report, 1-Paper field edit print, 2-Forms 76-40

TP-00764
HISTORY OF FIELD OPERATIONS

I. FIELD INSPECTION OPERATION FIELD EDIT OPERATION (Supplemental Edit)

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	R. Tibbetts	Oct. 1980
2. HORIZONTAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None	
3. VERTICAL CONTROL RECOVERED BY ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY	None None None	
4. LANDMARKS AND AIDS TO NAVIGATION RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY	None None None	
5. GEOGRAPHIC NAMES INVESTIGATION TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY BY <input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION CLARIFICATION OF DETAILS BY	G. DaSilva	Oct. 1980
7. BOUNDARIES AND LIMITS SURVEYED OR IDENTIFIED BY	N/A.	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED None	2. VERTICAL CONTROL IDENTIFIED None		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)
74Z(I)9551, 9598 (Black/white ratios); 74E(C)4754 (Color ratio)

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED
None

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: REPORT NONE
6. BOUNDARY AND LIMITS: REPORT NONE

7. SUPPLEMENTAL MAPS AND PLANS
None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)
1-Film field edit print, 1-Form 76-52 (Hor. Obser. Bk.)
1-Field edit report

I. MANUSCRIPT COPIES			DATE MANUSCRIPT FORWARDED	
COMPILATION STAGES			MARINE CHARTS	HYDRO SUPPORT
DATA COMPILED	DATE	REMARKS		
Compilation complete, pending field edit.	June 1976	Class III manuscript SUPERSEDED	July 1976	June 1976
Partial Field edit.	Feb. 1980	Class III manuscript SUPERSEDED	None	None
Field edit applied, compilation complete.	Feb. 1981	Class I manuscript SUPERSEDED	None	March 1981
Final Review	Nov. 1984	Final Map	March 1985	March 1985

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH			
NUMBER (pages)	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1		May 1980	Landmarks to be charted
1		May 1980	Aids to be deleted

2. REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____
 3. REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA


1. BRIDGING PHOTOGRAPHS; DUPLICATE BRIDGING REPORT; COMPUTER READOUTS.
 2. CONTROL STATION IDENTIFICATION CARDS; FORM NOS. 76-40 SUBMITTED BY FIELD PARTIES.
 3. SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C. ACCOUNT FOR EXCEPTIONS:
 4. DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY	
	TP - _____ (2)	PH - _____	<input type="checkbox"/> REVISED	<input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS	
			<input type="checkbox"/> II.	<input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
THIRD EDITION	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY	
	TP - _____ (3)	PH - _____	<input type="checkbox"/> REVISED	<input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS	
			<input type="checkbox"/> II.	<input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
FOURTH EDITION	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY	
	TP - _____ (4)	PH - _____	<input type="checkbox"/> REVISED	<input type="checkbox"/> RESURVEY
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS	
			<input type="checkbox"/> II.	<input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL

Official Mileage for Cost Account

Sheet No.	Sq. Miles
TP-00695	2
TP-00761	1
TP-00762	2
TP-00763	1
Berkie TP-00764	3
TP-00765	6
TP-00766	9
TP-00767	3
TP-00768	5
TP-00769	5
TP-00770	4
TP-00771	5
TP-00772	2
TP-00773	5
TP-00774	5
TP-00775	4
TP-00776	1
TOTAL	63



JOB CM-7407
 BUZZARDS BAY and ELIZABETH ISLANDS
 MASSACHUSETTS
 SHORELINE MAPPING
 Scale 1:50,000

SOUND
 Revised 5-27-75 7-13-76 R.W.
 BMB

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT

TP-00764

This 1:10,000 scale final shoreline map is one of seventeen maps that comprise project CM-7407, Buzzards Bay, Massachusetts. The project consists of sixteen 1:10,000 scale maps (TP-00761 thru TP-00776) and one 1:5,000 scale inset map (TP-00695).

The purpose of this map was to furnish support for hydrographic activity scheduled in the spring of 1976 and to provide current shoreline data for nautical charts.

This map portrays a portion of shoreline in the northwest region Buzzards Bay featuring Sippican Harbor and Aucoot Cove.

Photo coverage for the project was adequately provided in 1974 with 1:60,000 scale, 1:30,000 scale and 1:15,000 scale color photographs. The 1:60,000 scale photographs were taken with the RC-10 "C" camera for aerotriangulation. The 1:30,000 scale photographs were taken with the RC-8 "E" camera for aerotriangulation and compilation. The 1:15,000 scale photographs were taken with the RC-10 "Z" camera and were used to bridge and compile inset map TP-00695. Supplemental tide coordinated infrared photographs at 1:30,000 scale were taken on black-and-white film at mean low water with the RC-10 "Z" camera. Photo coverage used to produce this map included the 1:30,000 scale compilation photos and the 1:30,000 MLW infrared photos, both taken April 1974.

Field work prior to compilation consisted of the recovery, establishment and identification, by premarking methods, of horizontal control necessary for aerotriangulation. Also, the field party was responsible for assisting in obtaining the tide coordinated aerial photography. This activity was performed April 1974.

Analytic aerotriangulation was adequately provided by the Washington Science Center April 1975. This activity also included ruling the base manuscripts and providing ratio photographs for compilation.

Compilation by office interpretation of the 1:30,000 scale color photographs was performed at the Coastal Mapping Section, Atlantic Marine Center in June 1976. The MLW tide coordinated infrared photographs were ratioed to map scale and were used to graphically delineate the MLW line. Copies of the Class III manuscript and applicable source data were forwarded to the field for edit.

A Class III map print was forwarded to the hydrographer in support of contemporary hydrographic operations. The hydro survey common to this map, H-9724, has been processed but is currently unregistered. A comparison with an unregistered copy was made during final review.

TP-00764

Field edit was conducted October 1979 by coastal mapping field personnel. Application of this data was accomplished February 1980 at the original compilation office. The manuscript classification was not advanced because of incomplete field verification. A supplemental field edit was performed October 1980 and final compilation in February 1981 advanced the manuscript to Class I. A Class I copy was submitted to the Hydrographic Surveys Branch.

Final review was performed at the Atlantic Marine Center in November 1984. A final Chart Maintenance Print and a Hydrographic Print were prepared and forwarded to the Marine Charts Branch and the Hydrographic Surveys Branch.

The Descriptive Report for this final field edited map contains all pertinent information used to produce this map. The original base manuscript and related data were forwarded to the Washington Science Center for final registration.

FIELD INSPECTION

TP-00764

There was no field inspection prior to compilation. Field work accomplished was limited to the recovery and identification by premarking methods of the horizontal control necessary for the aerotriangulation of the project.

PHOTOGRAMMETRIC PLOT REPORT
JOB CM-7407
Buzzards Bay, Massachusetts
April 1975

21. Area Covered

This project covers the shoreline of Buzzards Bay and the Elizabeth Islands. Included are seventeen T-sheets. Sheets TP-00761 thru TP-00776 are 1:10,000 scale and TP-00695 is 1:5,000 scale.

All sheets have the Massachusetts State Grid (Mainland Zone) intersections plotted.

22. Method

Four strips of color photography were bridged on the Wild STK-1 in order to obtain compilation and pass-point positions and exact scale ratios to be used during compilation.

Strip 1 (1:60,000-scale) was adjusted on five field-identified triangulation stations with twenty-two additional triangulation stations and tie points as checks. Strip 2 (1:60,000-scale) was adjusted on three field-identified triangulation stations and one tie point with fourteen additional triangulation stations and tie points as checks. Strip 3 (1:30,000-scale) was adjusted on five field identified triangulation stations with sixteen additional triangulation stations and tie points as checks. Strip 4 (1:15,000-scale) was adjusted on four office identified triangulation stations with six additional triangulation stations and tie points as checks. All adjustments were performed on the IBM 6600. All sheets were ruled and plotted on the Calcomp.

1:10,000-scale ratios were ordered for the entire project.
1:5,000-scale ratios were also ordered for the area covered by T-sheet TP-00695.

The panel for Nobska Point Lighthouse 1904 could not be held in the adjustments. A distance was not recorded on the Control Station Identification form at the time of the field work, but was furnished by the Norfolk Office at a later date. It is believed an error in this distance is the cause for the point not holding in the strip adjustments.

The center panel of the target for Goosberry Neck 2 (USE) 1934 was not in place at the time of photography. Only the three legs were visible.

Neither one of the two field-identified substitute points for USE 6 1934 could be found on the 1:15,000-scale bridging photography (Strip 4).

All other horizontal control utilized in the adjustments held within National Map Accuracy.

24. Supplemental Data

Vertical control for bridging only was obtained from local USGS quadrangles.

25. Photography

Photography was adequate as to overlap and coverage.


Submitted by:


Michael L. McGinley
Michael L. McGinley


Approved by:

John D. Perrow, Jr.
John D. Perrow, Jr.
Chief, Aerotriangulation Section

JOB CM-7407
 BUZZARDS BAY
 MASS.
 MARCH 1975







DESCRIPTIVE REPORT CONTROL RECORD

MAP NO.	JOB NO.	STATION NAME	SOURCE OF INFORMATION (Index)	AEROTRI- ANGULATION POINT NUMBER	GEODETIC DATUM		GEOGRAPHIC POSITION		ORIGINATING ACTIVITY	
					STATE	ZONE	ϕ LATITUDE	λ LONGITUDE	Coastal Mapping	BACK
TP-00764	CM-7407				N.A. 1927			Unit, Atlantic Marine Center		
		ACADEMY, 1887	G.P. Vol. 1 Pg. 817		X=		ϕ 41° 42' 08.63"		266.3	1584.8
		MARION, CONGREGATIONAL- CHURCH, 1844	G.P. Vol. 1 Pg. 318		Y=		λ 70° 46' 03.06"		70.8	1316.5
		MARION STANDPIPE, 1912	G.P. Vol. 1 Pg. 321		X=		ϕ 41° 42' 09.355"		288.6	1562.5
		MATTAPoisETT, WATER TOWER, 1913	G.P. Vol. 1 Pg. 321		Y=		λ 70° 45' 47.981"		1109.4	277.9
		MARION, NORTH WIRELESS TOWER, 1932	G.P. Vol. 1 Pg. 340		X=		ϕ 41° 42' 00.946"		29.2	1821.9
					Y=		λ 70° 46' 14.401"		333.0	1054.3
					X=		ϕ 41° 40' 05.656"		174.5	1676.6
					Y=		λ 70° 48' 56.214"		1300.4	87.8
					X=		ϕ 41° 42' 54.379"		1677.7	173.4
					Y=		λ 70° 46' 22.250"		514.4	872.6
					X=		ϕ			
					Y=		λ			
					X=		ϕ			
					Y=		λ			
					X=		ϕ			
					Y=		λ			
					X=		ϕ			
					Y=		λ			
					X=		ϕ			
					Y=		λ			
COMPUTED BY		A. C. Rauck, Jr.		DATE				COMPUTATION CHECKED BY	DATE	4/29/75
LISTED BY				DATE				Listing CHECKED BY	DATE	
HAND PLOTTING BY				DATE				HAND PLOTTING CHECKED BY	DATE	

COMPILATION REPORT

TP-00764

31 - DELINEATION

Delineation was accomplished using stereo instrument and graphic compilation methods. The Wild B-8 plotter was used to delineate shoreline, alongshore and interior detail based upon office interpretation of the 1:30,000 scale bridging/compilation color photographs.

Mean low water tide coordinated infrared photographs at 1:30,000 scale were ratioed to map scale in order to graphically compile the low water features.

All photographs used to compile this map are listed on NOAA Form 76-36B. The photography was adequate.

32 - CONTROL

Refer to the Photogrammetric Plot Report dated April 1975.

33 - SUPPLEMENTAL DATA

None.

34 - CONTOURS AND DRAINAGE

• Contours are not applicable to this project. Drainage was compiled by office interpretation of the photographs.

35 - SHORELINE AND ALONGSHORE DETAILS

The MHW line and alongshore detail were compiled from office interpretation of the 1:30,000 scale compilation photographs as described in item #31.

36 - OFFSHORE DETAILS

Offshore detail was compiled by instrument and graphic methods as described in item #31.

37 - LANDMARKS AND AIDS

Work copies of forms 76-40 were prepared and forwarded to the field editor for verification, location and/or deletion.

38 - CONTROL FOR FUTURE SURVEYS

None.

TP-00764

39 - JUNCTIONS

Refer to the Data Record Form 76-36B, Item 5.

40 - HORIZONTAL AND VERTICAL ACCURACY

Refer to the Photogrammetric Plot Report dated April 1975.

46 - COMPARISON WITH EXISTING MAPS

A comparison has been made with the following U.S. Geological Survey Quadrangle: Marion, Mass., scale 1:24,000, dated 1962.

47 - COMPARISON WITH NAUTICAL CHARTS

A comparison has been made with the following National Ocean Survey Charts: 13229, scale 1:40,000, 11th edition, dated January 18, 1975; 13230, scale 1:40,000, 26th edition, dated November 2, 1974; and 13236, scale 1:20,000, 18th edition, dated October 12, 1974.

ITEMS TO BE APPLIED TO NAUTICAL CHARTS IMMEDIATELY

None.

ITEMS TO BE CARRIED FORWARD

None.

Submitted by,

Gerry L. Hancock
for Irene Perkinson
Cartographic Technician
May 27, 1976

Approved,

Albert C. Rauck, Jr.
for Albert C. Rauck, Jr.
Chief, Coastal Mapping Section, AMC

ADDENDUM TO THE COMPILATION REPORT

TP-00764

FIELD EDIT

The original field edit was accomplished October 1979 by coastal mapping photo party personnel. Field data was applied to the manuscript; however, the manuscript could not be advanced because of incomplete verification of field data.

A supplemental field edit was performed October 1980 by the original field edit party. Primarily, this edit involved the acquisition of additional rock data.

A combination of the field edit activities provided adequate data to advance the manuscript to Class I status.

GEOGRAPHIC NAMES


FINAL NAME SHEET

CM-7407 (Buzzards Bays and Elizabeth Islands, Massachusetts)

TP-00764

Aucoot Cove
Aucoot Creek
Black Point
Cohackett Brook
Converse Point
Hammett Cove
Harbor Beach (locality)
Haskell Island
Hiller Cove
Joes Point
Little Island
Little Neck
Marion
Ram Island
Rose Point
Sippican Harbor
Sippican River
Stewart Island

Approved by:



Charles E. Harrington
Chief Geographer
Nautical Charting Division

FIELD EDIT REPORT

BUZZARDS BAY AND ELIZABETH ISLANDS
MASSACHUSETTS

JOB CM-7407
MAP TP-00764
Oct. 1979

51. METHODS.

The shoreline was inspected by truck, boat and walking where the water depth was too shoal to run a boat.

52. ADEQUACY OF COMPILATION.

Compilation was adequate. The MHL was accepted as compiled. A few changes have been noted on the field edit original.

53. RECOMMENDATIONS.

None.

56. LANDMARKS AND NON-FLOATING AIDS.

Three landmarks were visually verified and two markers were deleted.

57. ROCKS, REEFS AND SHOALS.

There are numerous rocks on Map TP-00764. All were verified on the manuscript.

58. PHOTOGRAPHY.

The photography was adequate.

Robert S. Tibbetts
Robert S. Tibbetts

Field Edit Report
Job CM-7407; TP-00764
Supplemental
Oct. 1980

51. METHODS

Field edit(of the rocks only) was performed by seaward inspection of the entire shoreline from a small boat. The rocks were located by three methods; the manuscript, the photographs, by intersection. Rocks located on the manuscript were just annotated, those on the photographs were first pricked and then annotated (on the photo). Rocks which could not be seen on the photographs or which were too far offshore to positively identify were located by intersection. This was accomplished by dropping a buoy on the rock and later cutting it in by using a Wild T-2 Theodolite. The foul limit for Seal Rocks in Sippican Harbor was defined in this way.

In all three cases the manuscript either contains all the necessary rock data or reference is made to the appropriate source (photos or 76-72).

All work was performed according to photogrammetry instructions of the National Ocean Survey Operations Manual and according to instructions attached to the field edit sheet.

52. ADEQUACY OF COMPILATION

Adequate pending compilation of rocks.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS.

None.

55. EXAMINATION OF PROOF COPY

Not required.

Approved & Forwarded _____

Robert S. Tibbetts
Chief, Photo Party 62
Robert S. Tibbetts

Submitted _____

Gregory A. DaSilva
LTJG, NOAA
Gregory A. DaSilva

REVIEW REPORT TP-00764
SHORELINE

61. GENERAL STATEMENT

Final review for this final field edited map was accomplished at the Atlantic Marine Center in November 1984. For a schedule of the office and field operations, refer to the Summary included in this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS

Not applicable.

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with U.S. Geological Survey Quadrangle Marion, Mass., 1:24,000 scale, dated 1962.

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS

A comparison was made with an unregistered copy of contemporary hydrographic survey H-9724, 1:10,000 scale. This survey was field performed November 1977, inspected by hydrographic quality control January 1983 and is currently awaiting registration. The comparison did reveal an originally compiled Class III "rock" at Lat. $41^{\circ}41.5'$, Long. $70^{\circ}45.2'$ that was transferred to the hydro survey. This "rock" was actually a misinterpretation from the photos and does not exist. Field verification provided by the October 1980 edit confirmed the nonexistence of any permanent feature at the original compiled location. This "rock" does not appear on the final shoreline map but is incorrectly mapped on the hydrographic survey.

65. COMPARISON WITH NAUTICAL CHARTS

A comparison was made with the following NOS Charts: 13236, 22nd edition, 1:20,000 scale, dated March 10, 1984; 13229, 20th edition, 1:40,000 scale, dated March 24, 1984; and 13230, 34th edition, 1:40,000 scale, dated March 10, 1984.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map complies with the Project Instructions, and meets the requirements for National Standards of Map Accuracy.

Submitted by,

Jerry L. Hancock
Jerry L. Hancock
Final Reviewer


TP-00764

Approved for forwarding,



Billy H. Barnes
Chief, Photogrammetric Section, AMC

Approved,



Chief, Photogrammetric Section, Rockville



Chief, Photogrammetry Branch,
Rockville

RESPONSIBLE PERSONNEL		ORIGINATOR	
TYPE OF ACTION	NAME	<input checked="" type="checkbox"/> PHOTO FIELD PARTY	<input type="checkbox"/> HYDROGRAPHIC PARTY
OBJECTS INSPECTED FROM SEAWARD	R. S. TIBBETTS	<input type="checkbox"/> GEODETIC PARTY	<input type="checkbox"/> OTHER (Specify)
JOB/DAYS DETERMINED AND/OR VERIFIED	L. H. DAVIS	FIELD ACTIVITY REPRESENTATIVE	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	F. MARCOTIPIA	OFFICE ACTIVITY REPRESENTATIVE	<input type="checkbox"/> REVIEWER
			<input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION'			
(Consult Photogrammetric Instructions No. 64.)			
OFFICE I. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75		FIELD (Cont'd) B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982	
FIELD I. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection 5 - Field Identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-L 8-12-75		III. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75 III. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75 **PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.	
*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.			

RESPONSIBLE PERSONNEL		ORIGINATOR	
TYPE OF ACTION	NAME	<input checked="" type="checkbox"/> PHOTO FIELD PARTY	<input type="checkbox"/> HYDROGRAPHIC PARTY
OBJECTS INSPECTED FROM SEAWARD	R. S. TIBBETTS	<input type="checkbox"/> GEODETIC PARTY	<input type="checkbox"/> OTHER (Specify)
CONDITIONS DETERMINED AND/OR VERIFIED	L. H. DAVIS	FIELD ACTIVITY REPRESENTATIVE	
FORMS ORIGINATED BY QUALITY CONTROL AND REVIEW GROUP AND FINAL REVIEW ACTIVITIES	F. MARGIOTTA	OFFICE ACTIVITY REPRESENTATIVE	<input type="checkbox"/> REVIEWER <input type="checkbox"/> QUALITY CONTROL AND REVIEW GROUP REPRESENTATIVE
INSTRUCTIONS FOR ENTRIES UNDER 'METHOD AND DATE OF LOCATION' (Consult Photogrammetric Instructions No. 64.)			
OFFICE	1. OFFICE IDENTIFIED AND LOCATED OBJECTS Enter the number and date (including month, day, and year) of the photograph used to identify and locate the object. EXAMPLE: 75E(C)6042 8-12-75	FIELD (Cont'd)	B. Photogrammetric field positions** require entry of method of location or verification, date of field work and number of the photograph used to locate or identify the object. EXAMPLE: P-8-V 8-12-75 74L(C)2982
FIELD	1. NEW POSITION DETERMINED OR VERIFIED Enter the applicable data by symbols as follows: F - Field L - Located V - Verified 1 - Triangulation 2 - Traverse 3 - Intersection 4 - Resection 5 - Field identified 6 - Theodolite 7 - Planetable 8 - Sextant A. Field positions* require entry of method of location and date of field work. EXAMPLE: F-2-6-1 8-12-75	11. TRIANGULATION STATION RECOVERED When a landmark or aid which is also a triangulation station is recovered, enter 'Triang. Rec.' with date of recovery. EXAMPLE: Triang. Rec. 8-12-75	111. POSITION VERIFIED VISUALLY ON PHOTOGRAPH Enter 'V-Vis.' and date. EXAMPLE: V-Vis. 8-12-75

*FIELD POSITIONS are determined by field observations based entirely upon ground survey methods.

**PHOTOGRAMMETRIC FIELD POSITIONS are dependent entirely, or in part, upon control established by photogrammetric methods.

