TP-00891

NOAA FORM 76-35

U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

# DESCRIPTIVE REPORT

Type of Survey	pecial Surv	eys	
Job No. CM-7501		Map No.	T.P00891
Classification No.	Final	Edition l	vol

Field Edited Map

j,

. .

÷

た

-

÷

< ,

<u>.</u>,

nya san L

- P- 6699

# LOCALITY

- State North Carolina
- General Locality ... Oregon Inlet

Locality Pea Island

1974 TO 1975

. . . . . . . . . . . . . . .

## REGISTRY IN ARCHIVES

DATE .....

☆ U.S. GOVERNMENT PRINTING OFFICE: 1974-762-901

10AA FORM 76-36A U. S. DEPARTMENT OF COMMERCE 3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY .	1P-00891
	2 ORIGINAL	MAPEDITI	<sub>он но. (</sub> 1
DESCRIPTIVE REPORT - DATA RECORD	C RESURVEY	MAP CLASS	; Final
		лов 📕	CM-7501
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	NG MAP EDIT	TION
Coastal Mapping Division, Norfolk, VA	TYPE OF SURVEY		PH
OFFICER-IN-CHARGE	ORIGINAL	MAP CLAS	5 <u> </u>
Cdr. Jeffrey G. Carlen	REVISED	19TO 1	9
	L		·
1, OFFICE	2.	FIELD	
General Instructions-OFFICE 1/23/75	Instructions-FIEL Instructions-PHOT Instructions-FIEL	OGRAPHY	10/31/74
I. DATUMS			
1. HORIZONTAL: (X) 1927 NORTH AMERICAN	OTHER (Specify)		
X MEAN HIGH-WATER X MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL	отнея <i>(specify)</i> National Geodetic of 1929	Vertical	Datum
A MAP PROJECTION	4	GRID(S)	
Lowbout Conformal	STATE	ZONE	
Lambert Conformal 5. scale	North Carolina	N.A.	
1:5,000			۸.
III. HISTORY OF OFFICE OPERATIONS			
OPERATIONS	NAME		DATE
1. AEROTRIANGULATION ANAlytic Block BY			
	I. Raborn		3/75
METHOD: Adjustment LANDMARKS AND AIDS BY	N.A.	·	3/75
METHOD: Adjustment LANDMARKS AND AIDS BY			
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY	N.A. D. Phillips		3/75
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY	N.A. D. Phillips N.A.	es	3/75
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Coradomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS EPLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock		3/75 3/75 5/75 5/75 5/75 5/75
METHOD: Adjustment       LANDMARKS AND ALDS BY         2. CONTROL AND BRIDGE POINTS METHOD: Coradomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOURS & CHECKED BY COMPILATION         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to       1:5,000	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn		3/75 3/75 5/75 5/75 5/75 5/75 5/75
METHOD: Adjustment       LANDMARKS AND ALDS BY         2. CONTROL AND BRIDGE POINTS METHOD: Coradomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOURS & CHECKED BY COMPILATION         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to       1:5,000	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White		3/75 3/75 5/75 5/75 5/75 5/75 5/75 6/75
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: CORAdOMAT CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS & PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry States 1:4,000 pant. to 1:5,000 CHECKED BY 4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS       PLOTTED BY         METHOD: CORADOMAT       CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOURS & PLANIMETRY BY         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to 1:5,000       CHECKED BY         4. MANUSCRIPT DELINEATION       CONTOURS & PLANIMETRY BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75 6
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: CORAdomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS & PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry CHECKED BY SCALE: 1:4,000 pant. to 1:5,000 CHECKED BY 4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY Photobathymetry CHECKED BY Smooth compilation drafting CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: CORAdomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS & PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry SCALE: 1:4,000 pant. to 1:5,000 CHECKED BY 4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY Photobathymetry CHECKED BY METHOD: STOOTH COMPILATION CONTOURS & PLANIMETRY BY CHECKED BY METHOD: SUPPORT DATA BY SCALE: 1:4,000	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A.		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS METHOD: Coradomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOURS & PLANIMETRY BY COMPILATION         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry         SCALE:       I:4,000 pant. to 1:5,000       CHECKED BY         Photobathymetry       CHECKED BY         METHOD:       Photobathymetry       CHECKED BY         Smooth compilation drafting       CHECKED BY         SCALE:       1:5,000       CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A.		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75 6
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: CORAdomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS & PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry CHECKED BY SCALE: 1:4,000 pant. to 1:5,000 CHECKED BY 4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY Photobathymetry CHECKED BY METHOD: Photobathymetry BY Smooth compilation drafting CHECKED BY SCALE: 1:5,000 CHECKED BY SCALE: 1:5,000 CHECKED BY SCALE: 1:5,000 CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek		3/75 3/75 5/75 5/75 5/75 6/75 6/75 6/75 6/75 6
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS       PLOTTED BY         METHOD: CORAdomat       CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOUL'S & PLANIMETRY BY         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to 1:5,000       CHECKED BY         4. MANUSCRIPT DELINEATION       CONTOUL'S & PLANIMETRY BY         CHECKED BY       Photobathymetry         METHOD:       Photobathymetry         Smooth compilation drafting       CHECKED BY         Smooth compilation drafting       CHECKED BY         Stale:       1:5,000         CHECKED BY       BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek R. White		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75 6
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS METHOD: CORAdomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOULTS & COMPILATION       CHECKED BY         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry       BY         SCALE:       1:4,000 pant. to 1:5,000       CHECKED BY         4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY       CHECKED BY         Photobathymetry       CHECKED BY         Smooth compilation drafting       CHECKED BY         STALE:       1:5,000       CHECKED BY         State:       1:5,000       CHECKED BY         Scale:       1:5,000       CHECKED BY         Scale:       1:5,000       CHECKED BY         State:       1:5,000       CHECKED BY         Scale:       1:5,000       CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek R. White J.W. Vonasek		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75 6
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS METHOD: Coradomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOULTS & LANIMETRY BY COMPILATION         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to 1:5,000       CHECKED BY         4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY       CHECKED BY         Photobathymetry       CHECKED BY         SMOOTH COMPILATION drafting       CHECKED BY         SCALE:       1:5,000       CHECKED BY         SMOOTH COMPILATION PRIOR TO FIELD EDIT       BY         SCALE:       1:5,000       CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek R. White J.W. Vonasek J.W. Vonasek		3/75 3/75 5/75 5/75 5/75 6/75 6/75 6/75 6/75 6
METHOD: Adjustment LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: CORAdomat CHECKED BY 3. STEREOSCOPIC INSTRUMENT CONTOURS & PLANIMETRY BY COMPILATION CHECKED BY INSTRUMENT: B-8 Photobathymetry FILE SCALE: 1:4,000 pant. to 1:5,000 CHECKED BY 4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY Photobathymetry CHECKED BY METHOD: CHECKED BY STOOTH COMPILATION drafting CHECKED BY SCALE: 1:5,000 CHECKED BY SCALE: 1:5,000 CHECKED BY 5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY 6. APPLICATION OF FIELD EDIT DATA CHECKED BY 7. COMPILATION SECTION REVIEW BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek R. White J.W. Vonasek		3/75 3/75 5/75 5/75 5/75 5/75 6/75 6/75 6/75 6
METHOD: Adjustment       LANDMARKS AND AIDS BY         2. CONTROL AND BRIDGE POINTS METHOD: Coradomat       PLOTTED BY CHECKED BY         3. STEREOSCOPIC INSTRUMENT       CONTOULTS & LANIMETRY BY COMPILATION         COMPILATION       CHECKED BY         INSTRUMENT: B-8       Photobathymetry         SCALE:       1:4,000 pant. to 1:5,000       CHECKED BY         4. MANUSCRIPT DELINEATION CONTOURS & PLANIMETRY BY CHECKED BY       CHECKED BY         Photobathymetry       CHECKED BY         SMOOTH COMPILATION drafting       CHECKED BY         SCALE:       1:5,000       CHECKED BY         SMOOTH COMPILATION PRIOR TO FIELD EDIT       BY         SCALE:       1:5,000       CHECKED BY	N.A. D. Phillips N.A. J.L. Hancock R.White & B. Barn J.L. Hancock R.White & B. Barn R. White & B. Barn R. White J.L.Hancock R. White J.L. Hancock N.A. N.A. J.W. Vonasek R. White J.W. Vonasek J.W. Vonasek		3/75 3/75 5/75 5/75 5/75 6/75 6/75 6/75 6/75 6

\* U.S. G.P.O. 1972-769382/582 REG.#6

NOAA FORM 76-36B

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

## TP-00891

## COMPILATION SOURCES

16-00091							
1. COMPILATION PHOT	• • • • • • • • • • • • • • • • • • • •						
CAMERA(S) Wild R Wild RC-8 6"			TYPES	OF PHOTOGRAPH LEGEND	Y	TIME REF	ERENCE
TIDE STAGE REFEREN	CE		(C) COL	)R	ZONE		
PREDICTED TIDES     REFERENCE STATI		e	(P) PAN	CHROMATIC	Easte		X STANDARD
TIDE CONTROLLED			(I) INFF	ARED B&W	MERID 75th	IAN	DAYLIGHT
NUMBER AND 1		DATE	TIME	SCALE		STAGE O	F TIDE
74C(C)1258-1264 74C(C)1328-1330 74C(C)1406-1400 74E(I)7545R-754 74E(I)7608R-76	0 8 48R	10/31/74 10/31/74 10/31/74 10/31/74 10/31/74	1314-131 1408-140 1426 1314-131 1408-140	9 1:10,0 1:10,0 5 1:5,80	000   000   Refe 00   page	er to the e for tid ormation	following al
REMARKS							
2. SOURCE OF MEAN							
under item 1.							
3. SOURCE OF MEAN The source of prints of the	the MLW	line is the	tide-coo	dinated col			i ratioed
4. CONTEMPORARY H	YDROGRAPH	HIC SURVEYS (List		veys that are sourc	es for photogres DATE(S)		v information.) VEY COPY USED
							· · · · · · · · · · · · · · · · · ·
5. FINAL JUNCTIONS		EAST		SOUTH		WEST	····
TP-00889	`		contemp	prary survey		TP-008	890

jobs in this area.

NOAA FORM 76-368

|--|

(2)

NOAA FORM 76-36B(1)

# U. S. DEPARTMENT OF COMMERCE

		<b>P</b> <u>00891</u>		
ECCATION AND PHOTOGRAPHY	TIDE STA (In operation at time		STAGE OF TIDE	MEAN RANGE
	TIDE STATION	<u>TIDAL ZONE *</u>	FEET	FEET
74C(C)1258÷1264	Jeanette's Pier	18	+0.40 MLW	3.2
74E7545R-7548R	и и	18	+0.40 MLW	3.2
74C(C)1328-1330 1328-1330 1406-1408 1406-1408 74E7545R-7548R 7545R-7548R 7608R-7610R 7608R-7610R	Davis Slough	2 7 7 2 7 2	0.00 MLW -0.01 MLW +0.02 MLW -0.01 MLW -0.02 MLW -0.01 MLW 0.00 MLW	0.9 1.2 1.2 1.2 0.9 1.2 0.9
REMARKS:				<u> </u>
	g page for Tidal Zor			



I.	HISTORY OF FIELD		-	AL OCEAN S
I. 🕅 FIELD INSPECTION O		OPERATIONS		
	PERATION X FIEL	D EDIT OPERATION		
	OPERATION	NAN		DAT
1. CHIEF OF FIELD PARTY		R.S. Tibbett		10/74
I. CHIEF OF FIELD PARTY		L.F. Beugnet		7/75
	RECOVERED BY	R.S. Tibbett		10/74
2. HORIZONTAL CONTROL	ESTABLISHED BY	R.S. Tibbett		10/74
	PRE-MARKED OR IDENTIFIED BY	R.S. Tibbett	<u>s</u>	10/74
	RECOVERED BY	NA		
3. VERTICAL CONTROL	ESTABLISHED BY	NA	<u></u>	
	PRE-MARKED OR IDENTIFIED BY	NA		
,	RECOVERED (Triangulation Stations) BY	NA	- <u>-</u>	
4. LANDMARKS AND	LOCATED (Field Methods) BY	NA		
AIDS TO NAVIGATION	IDENTIFIED BY	<u>NA</u>		
	TYPE OF INVESTIGATION			
5. GEOGRAPHIC NAMES INVESTIGATION	COMPLETE BY			
INVESTIGATION	SPECIFIC NAMES ONLY	L.F. Beugnet		7/75
	NO INVESTIGATION	<u> </u>		
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	NA		
7. BOUNDARIES AND LIMIT		NA	·····	
II. SOURCE DATA	».	······································		
1. HORIZONTAL CONTROL		2. VERTICAL CONTR		
All stations pre	-marked	All stations	<u>pre-marked</u>	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DE	SIGNATION
3. PHOTO NUMBERS (Clarifi	ication of details)			
4. LANDMARKS AND AIDS T	O NAVIGATION IDENTIFIED			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT	NAME

7. SUPPLEMENTAL MAPS AND PLANS

None

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

1 CSI cards form C&GS-152 1 CSI card NOAA FORM 76-53 NOAA FORM 76-36D (3-72) U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

6

.

,

TP-00891

RECORD OF SURVEY USE	RE	CO	RD	OF	SURV	EY	USE
----------------------	----	----	----	----	------	----	-----

	cc	MPILATION STAGE	ES		DATE MANUSCRI	PT FORWARDE
Compilatio	COMPILED	DATE	REN	ARKS	MARINE CHARTS	HYDRO SUPPO
compridt10	n complete					
pending fi		6/13/75	Class III	Manuscript	:	6/13/75
Field Edit	Applied	7/22/75	Class I Ma	nuscript		
<u> </u>						
		+	1			
	AND AIDS TO NAVIG					
	TO MARINE CHART D		L DATA BRANCH	<u></u>		
NUMBERI	CHART LETTER UMBER ASSIGNED	DATE FORWARDED			REMARKS	
		+	1	···		······································
	<u> </u>		<u>}</u>			
	<u></u>	<b></b>				
		+				
					·····	
l		<u> </u>				
	RT TO MARINE CHAR					
			N, AERONAUTICAL	DATA SECTIO	N. DATE FORWARDED:	<del></del>
II. FEDERAL R	ECORDS CENTER DA	TA				
1. ГХІввіо	GING PHOTOGRAPHS			T. KICOM		
					ED BY FIELD PARTIES.	
	CE DATA (except for (					
2. 🖾 CONT 3. 🛄 SOUR	UNT FOR EXCEPTIO		-			
2. 🛛 CONT 3. 🗌 SOUR						
2. X CONT 3. SOUR ACCC	TO FEDERAL RECO	RDS CENTER. DA	TE FORWARDED:			-
2. X CONT 3. SOUR ACCC	ITIONS (This section URVEY NUMBER	shall be completed a		edition is regis		
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED				Г	TYPE OF SURVEY	
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED	TP -	(2) PH -				SURVEY
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND	TP -		TELD EDIT	_	MAP CI ASS	SURVEY
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND						_
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND EDITION			TELD EDIT			FINAL
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND EDITION SI	ATE OF PHOTOGRAP	PHY DATE OF F	TIELD EDIT	<b>D</b> #. D	]ııı. □ıv. □v.	
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND EDITION THIRD	ATE OF PHOTOGRAP	DATE OF F JOB NUMBE (3) PH	TIELD EDIT	<u> </u>		FINAL
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND EDITION THIRD THIRD	ATE OF PHOTOGRAP URVEY NUMBER TP	DATE OF F JOB NUMBE (3) PH	TIELD EDIT	<u> </u>	TYPE OF SURVEY	FINAL
2. X CONT 3. SOUR ACCC 4. DATA V. SURVEY ED SECOND EDITION THIRD EDITION D	ATE OF PHOTOGRAP URVEY NUMBER TP	DATE OF F           JOB NUMBE	TIELD EDIT	□ <i>n</i> . □ □ □n. □	TYPE OF SURVEY REVISED REP MAP CLASS III. IV. V. TYPE OF SURVEY	FINAL GURVEY
2. CONT 3. SOUR ACCO 4. DATA V. SURVEY ED SECOND EDITION THIRD EDITION FOURTH	ATE OF PHOTOGRAP URVEY NUMBER TP ATE OF PHOTOGRAP	DATE OF F           JOB NUMBE          (3)         PH-            DATE OF F           JOB NUMBE              JOB NUMBE              JOB NUMBE	TIELD EDIT	□ <i>n</i> . □ □ □n. □	III.         IV.         V.           TYPE OF SURVEY         REVISED         REV           REVISED         REV         MAP CLASS           III.         IV.         V.	FINAL

NOAA FORM 76-36D



## SUMMARY TP-00886 thru TP-00891

Under a cooperative agreement with the Corps of Engineers, Wilmington District, which became effective in October 1974, these six maps (TP-00886 thru TP-00891) were compiled at 1:5,000 scale in the area of Oregon inlet, North Carolina.

The purpose of this special survey is to provide data for the Corps of Engineers on siltration rates in the entrance channel, possible impacts of entrance channel deepening on adjacent beaches, possible changes effected by dredging on the tidal prism and the circulation pattern, to update and establish tidal datums, and to update nautical charts covering the area.

Field operations, which began in October 1974, generally consisted of aerial photography, establishment of tidal datums, pre-marking of horizontal and vertical control, and field edit.

Aerotriangulation and compilation tide-coordinated photography was furnished at 1:10,000 scale from natural color film taken with the Wild RC-10 super-wide-angle camera. Supplemental black-and-white infrared tide-coordinated photography at 1:5,800 scale, taken concurrently in an independent mode using infrared film in the RC-8 camera, was also furnished.

Six strips of the 1:10,000 scale color photography were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment. Thirteen horizontal control stations and twentyfour vertical control stations were weighted in the block adjustment. This provided horizontal and vertical control for compilation.

Compilation photography was the 1:10,000 scale color photography and the supplemental infrared photography. The Wild B-8, using the 1:10,000 scale photography, was used to compile planimetry, topography, and photobathymetry. The topography consists of 2-foot interval contours and spot elevations referred to the Mean Low Water Datum established by NOS. The photobathymetry consists of discrete soundings and 2-foot interval depth curves referred to the Mean Low Water Datum established by NOS.

All line work is smooth compilation drafting.

One plastic copy of each map, ten ozalid copies of each map, and one set of color printons covering the project were forwarded to:



Department of the Army Wilmington District, Corps of Engineers P.O. 'Box 1890 Wilmington, NC 28401 ATTN: Mr. R.P. Masterson, Jr.

A Chart Maintenance Print for each map was submitted to the Marine Chart Division.

The following items are registered in the Bureau Archives:

1. A plastic copy of each map (1:5,000 scale)

2. A Descriptive Report for each map

Negatives for each map are filed in the Reproduction Division.

All field data are filed in the National Archives.

FIELD OPERATIONS REPORT SPECIAL SURVEYS OREGON INLET, N. C. JOB CM-7501

Operations commenced on October 16, 1974. A total of 25 pre-marks, 15 horizontal and 10 vertical, were placed in position by October 26, 1974. Horizontal panel no. 3 and vertical panel no. 16 were combined into one station due to their proximity. One extra horizontal control panel, included in the above total, was placed near Hill, 1974 which is an auxillary station used in locating some of the other control stations. Photography commenced on October 31, 1974 and was completed November 1, 1974. A total of eight lines were flown with two of them being reflown on the 1st. No high water photography was taken.

Ten of the paneled control stations were in water. These panels were placed in position by jetting down, with a small gasoline powered pump, four two by fours 12 feet in length to a depth of stability. The two by fours were then braced diagonally from the center with one by fours and laterally with fourteen gauge galvanized wire. The panels were then fastened to the top of the resulting structure. All control was paneled with the same configuration of panels. No distinctions were made between vertical control panels and horizontal control panels, i.e., both have 1.6 foot equilateral triangles for center panels and rectangular wing panels.

Nine of the horizontal control stations were located by three point theodolite fixes with check angles. Three were located by traverse, four by angle and distance, one by solar azimuth and distance, and one station was marked direct. The vertical control stations in the water were located with sextant fixes which are included on the back of their respective Control Station Identification Cards. Traverses and three point fixes were entered in Form 76052 Observation of Horizontal Directions which is enclosed with this report.

Information regarding angles and distances, solars and stations marked direct are included on the respective Control Station Identification card of the station involved.

A total of fifteen miles of levels was run to establish elevations on the National Geodetic Vertical Datum of 1929 on seven horizontal control panels and one vertical control panel. These are panel nos. 1, 2, 3 and 16 combined, 9, 10, 11, 12 and 21. Elevations of panel nos. 13, 14 and 15 were effected by transferring the water level from the Davis Slough Tide Staff. Elevations are given in feet above staff zero as no NGVD elevation was available for the staff. Water level transfers were made to panel nos. 7, 22 and 23 from Davis Slough Tide Staff and Old House Slough Tide Staff. Once again elevations were given in feet above staff zero as no NGVD elevations were available for the staffs. Panel nos. 17 and 19 had elevations transferred from the Oregon Inlet Marina Tide Staff and the Duck Island Tide Staff. The statement regarding elevations of previous panels also applies to these panels. The elevations for panel nos. 24 and 25 was transferred by water level from No Name Tide Staff. Fanel no. 18 was transferred from the Duck Island Tide Staff as were the water level stakes for panel nos.4 • and 5. Two water level stakes were used for panel no. 5 as an island was directly between the panel and the tide staff involved. The water level between the two stakes checked almost flat.

Panel nos. 8 and 20 were leveled directly from the Main Channel Tide Staff by differential levels. Elevations were given in feet above staff zero as no NGVD elevation for the staff was available.

The extra panel near Hill 1974 and panel no. 6 were leveled directly from Old House Slough Tide Staff by differential levels. Once again elevations were given above staff zero as no NGVD elevation for the staff was available.

Water tranfers of elevations to panel nos. 7, 13, 14, 15, 18, 19, 22, 23 and 24 were made by using a level rod as a portable tide staff. The rod was held in the water against the center panel and wiggled around until settlement in the sandy bottom ceased. The top of the panel on the rod was then read and observations commenced on the water level on the rod. Simultaneous observations were made on the respective tide staffs and transmitted by radio to the party at the panel, by subtracting the mean water level reading on the rod from the reading at the top of the panel and adding the result to the mean tide staff reading, the elevations of the panels above zero of the tide staffs involved was obtained.

Elevations were transferred to panel nos. 4, 5, 17 and 25 by using a combination of water level and differential leveling. A stake was driven to water level near the stations while tide staff observations were transmitted via radio to the level party. Differential levels were then run from the water level stakes to the panels. By adding the height of the panel above the stake to the mean staff reading, the elevations of the panels above zero of the respective staffs were obtained.

Names used for the tide staffs involved in the above operations were indicated on the job diagram which is included with this report. Information obtained was entered in several Forms 76-77. Levels run to the land stations were entered in Form 638 Wye Leveling. Both are included with this report.

Tide observations during photography and leveling to the Jennette's Pier Tide Staff and the Oregon Inlet Bridge Tide Staff were entered in Form 76-77 Leveling Record - Tide Station. Frior levels had been run to the Jennette's Pier Tide Staff by a tide party from Rockville office. No such levels were run to the Oregon Inlet Bridge Tide Staff. A new tidal bench mark (No. 5, 1974) was established near Oregon Inlet Bridge Tide Staff and this mark was then tied to the existing marks at the Oregon Inlet Marina. The elevations obtained were referred to the zero of the Oregon Inlet Bridge Tide Staff.

Field work was completed on November 19, 1974 and all control panels were removed by November 21st. All pertinent data was completed and sent to Rockville on November 25, 1974.

Richard E. Kesselring C

Michard E. Resselring O Surveying Technician Fhoto Party 62

NOTE: Then we an field in a time at a state

2

## Photogrammetric Plot Report Oregon Inlet, North Carolina CM-7501 March 1975

#### 21. Area Covered

This report pertains to six sheets in the vicinity of Oregon Inlet, North Carolina. The Sheets (1:5,000) are TP-00886 thru TP-00891.

#### 22. Method

Six strips (see sketch) of 1:10,000-scale color photography were bridged by analytic aerotriangulation methods and adjusted to ground with the block adjustment program. Points were established for determining ratios of 1:5,800-scale infrared support photography and also the bridging photography. Common points were located between strips 6 and 7 in order to set models in strip 7 if needed. Data for ruling projections were furnished to the Calcomp to be plotted in the North Carolina State plane coordinate system.

#### 23. Adequacy of Control

The control was adequate, but horizontal panel number 2 (Bodie Island L.H. 1875, SS"A") did not meet the National Map Accuracy Standards in either of the strips or the block. Since the home station was "floated" and fit the adjustment, the substation was eliminated from the adjustment. Thirteen horizontal control stations were weighted in the adjustment. The largest residual in the fit to horizontal control was 1.7 feet.

Twenty-four vertical cotnrol stations were weighted. The largest residual in the fit to these stations was 0.72 foot.

#### 24. Supplemental Data

USGS quadrangles were used to provide vertical control for some of the strips adjustment.

25. Photography

The photography was adequate as to coverage, overlap, and definition.

Respectfully submitted,

July O. Rabon Iver O. Raborn

Approved and forwarded: anau  $L_{H}D$ 

John D. Perrow, Jr. Chief, Aerotriangulation Section

JOB CM-7501 OREGON INLET NORTH CAROLINA I:5000 Scale JAJ. '75

STRIP1	1:10000 COLOR 74C (0)1236-1267
	1: 5800 B/W IR 74 E 7524R-7553K
STRIP 2	1:10000 COLDR 74C(0)1307-1339
	1:58008/WIR 74E 7567R-7587R
	1:5800 " " " 7590R-7617R
STRIP 3	1:10000 COLOR 74 CCO 1384-1417
	1: 5800 B/WIR 74E 7619R-7647R
STRIP 4	1:10000 Cape 74-C(c) 1418-1444
	1:5800 Blu) IR 74.E 76498-7675R
STRIP 5	1: 10000 COLOR 74 C (C) 1448-1484
<b>.</b>	1: 5800 Bludie 74E 76782-7709R 1: 10000 Coupe 74C (c) 1688-1711
STRIP 6	1.1000000000000000000000000000000000000
· ··· ·	7 3000012
0 7	
STRIP (	1.70000
	1:5800 " " " 7738R-7763R

Sheet 1

13



NOAA FORM 76-41 (2-71) USCOMMDC			-	NATIO	U.S. DÉPARTMENT OF COMMERCE National océanic and atmospheric admunstration
34168-1-71 (FORMERLY RM C&GS-164)		DESCRI	PTIVE REPO	DESCRIPTIVE REPORT CONTROL RECORD	
MAP T- P-00891 PR04	PROJECT NO.	CM-7501	SCA	SCALE OF MAP	SCALE FACTOR
STATION		SOURCE OF INFORMATION (INDEX)	DATUM	LATITUDE OR Y COORDINATE LONGITUDE OR X COORDINATE	N.A. 1927 - DATUM DISTANCE FROM GRID OR PROJECTION LINE IN METERS (1 Pt. = 3048006 meter) FORWARD
DIKE, 1962	¥ V₀1. Pg.	. III 3102	н	733,594.63 3.040.743.42	
PEA ISLAND 2, 1962	¥ Vol. Pg.	. III 3105	2	731,697.31 3,035,464.48	
* Notshown on map.			<u>+</u> <u>+</u>		
	-				
J.D. Perrow	DATE	±		снескер ву В.Р.Т.	DATE 12/9/74

. . . . . . . . . . . .

\_\_\_\_\_

## Compilation Report TP-00891

7

#### 31. Delineation

The map was compiled on the Wild B-8 stereoplotter using the 1:10,000 scale photography. Black-and-white infrared photography, taken concurrently, was ratioed and used graphically to supplement compilation of the mean low water line.

### 32. Control

Refer to the Photogrammetric Plot Report bound with this Descriptive Report.

The identification, density, and placement of horizontal and vertical control was adequate.

### 33. Supplemental Data

A diagram, outlining 18 tidal zones within the project area, was furnished. The diagram provided the mean range of tide and the vertical differences between MLW datum and the NGVD of 1929 for each zone. 'N

#### 34. Contours and Drainage

The quality of the photography was adequate for contour compilation. All contours and terrain elevations were referenced to MLW datum.

The mean range of tide on the ocean side of Pea Island is greater than the contour interval. Because of this vertical difference, the 2-foot contour is delineated below the mean high water line.

There was no significant drainage to be compiled on this map.

#### 35. Shoreline and Alongshore Details

There was no preliminary field inspection of thesishoreline.

The mean high water line and the mean low water line were compiled on the stereoplotter using contour compilation methods. The black-and-white infrared photography was used graphically to supplement compilation of the mean low water line. Control data for this compilation was furnished by field methods and the photogrammetric plot.

Shoal areas were delineated from office interpretation of the photography and referred to the field editor.

#### 36. Offshore Details and Photobathymetry

All discrete underwater depths (soundings), 2-foot interval underwater contours (depth curves), and all other pertinent offshore details were compiled on the B-8 stereoplotter. The photobathymetry is referenced to the mean low water datum established by NOS. Areas of questionable compilation accuracy were referred to the field editor and/or the hydrographic party for verification.





- 37. Landmarks and Aids None
- 38. <u>Control for Future Surveys</u> None
- 39. Junctions

Refer to form 76-36B, item #5, submitted with this Descriptive Report.

40. Horizontal and Vertical Accuracy

This map complies with National Map Accuracy Standards.

41. thru 45. Inapplicable

46. <u>Comparison</u> with Existing Maps

A comparison has been made with USGS quadrangle of Pea Island, N.C., scale 1:24,000, edition of 1950, photorevised 1970.

47. Comparison with Nautical Charts

A comparison has been made with the following Nautical Charts:

NOS No.12204 (1229), scale 1:80,000, 20th edition, March 8, 1975. NOS No.12205(129-SC), scale 1:40,000, 9th edition, Feb. 22, 1975.

Items to be Applied to Nautical Charts Immediately - None

Items to be Carried Forward - None

Submitted by,

Jerry L. Harcock

£

Approved and forwarded:

Joseph W Vouasek

Joseph W. Vonasek Chief, Special Projects Section, AMC

Approved:

Victor E. Serena Chief, Photogrammetric Branch, AMC



## 49. NOTES FOR THE HYDROGRAPHER

The Atlantic Hydrographic Party was furnished with preliminary reconnaissance maps of the project area showing approximate shorelines, channels, shallow and shoal areas compiled graphically from the ratio photos.

As the model work progressed, copies of the worksheets were furnished to indicate areas where photobathymetry was being accomplished.

Ozalid copies of the inked manuscripts in an advanced stage of completion were furnished as a final designation of areas lacking photobathymetry. FIELD EDIT REPORT

## JOB CM-7501

## OREGON INLET, NC

MAP TP-00891

51. METHODS

This manuscript was field edited from a skiff and from a truck along the only highway in the area. All corrections, additions or deletions have been noted on the field edit ozalid.

## 52. ADEQUACY OF COMPILATION

There was no field inspection prior to compilation. The area compiled was only a small portion of the manuscript. It was found to be adequate and complete.

## 54. RECOMMENDATIONS

There are no recommendations.

Les J. Beugnet

Leo F. Beugnet " Supervisory Cartographer

10 **J**uly 1975

10AA FORM 75-74 2-74)	DUA			S.DEPARTMENT OF COMME NATIONAL OCEAN SUF	
	PHO				
PROJECTION AND GRIDS	2. TITLE	1P-0	0891 3. MANUSCRIPT NUMBERS	4. MANUSCRIFT SIZE	
JWV	JWV		JWV	JWV	
5. HORIZONTAL CONTROL STA THIRD-ORDER OR HIGHER A	COURACY	OF LESS TH	BLE HORIZONTAL STATIONS IAN THIRD-ORDER ACCURACY c stations)	7. PHOTO HYDRO STATIO	
NA		, , , , , , , , , , , , , , , , , , , ,	NA	NA	
8. BENCH MARKS	9. PLOTTING C	OF SEXTANT	10. PHOTOGRAMMETRIC PLOT REPORT	11. DETAIL POINTS	
NA	NA		JWV	NA	
ALONGSHORE AREAS (Nautical	Chart Data)			J	
12. SHORELINE	13. LOW-WATER	LINE	14. ROCKS, SHOALS, ETC.	15. BRIDGES	
JWV	JWV		J₩V	NA	
16. AIDS TO NAVIGATION	17. LANDMARK	(S	18. OTHER ALONGSHORE PHYSICAL FEATURES	19. OTHER ALONGSHORE CULTURAL FEATURE	
NA	NA		JWU	JWV	
PHYSICAL FEATURES				L	
20. WATER FEATURES		21. NATURAL	GROUND COVER	22. PLANETABLE CONTO	
J₩V		ינ	VW	NA	
23. STEREOSCOPIC	24. CONTOURS	I SIN GENERAL	25. SPOT ELEVATIONS	26. OTHER PHYSICAL	
INSTRUMENT CONTOURS	JWV		JWV	JWV	
CULTURAL FEATURES	UWV		OWV	000	
27. ROADS	28. BUILDINGS	;	29. RAILROADS	30. OTHER CULTURAL	
JWV	WL	7	NA	JWV	
BOUNDARIES		• 		0	
31. BOUNDARY LINES	75.357		32. PUBLIC LAND LINES	···· · ···= ·	
	JWV		1	IA	
MISCELLANEOUS 33. GEOGRAPHIC NAMES		34. JUNCTION	NS	35. LEGIBILITY OF THE	
<b>47</b> 15 1		*** ***		MANUSCRIPT	
JWV	37. DESCRIPTI	JWV	38. FIELD INSPECTION	JWV 39. FORMS	
UN DISCREPANCE OVERLAT	Far DESCRIPTI	TE NEPURI	PHOTOGRAPHS	57, FURMS	
JWV	JW	V	JWV	JWV	
40. REVIEWER	and the		SUPERVISOR, REVIEW SECTION OR UNIT		
Joseph W. Vonasek			Special Projects S	Section	
41. REMARKS (See attached shee	at)	· · · · ·	· · · · · · · · · · · · · · · · · · ·		
FIELD COMPLETION ADDITION					
script is now complete exc	cept as noted un	he field comple ider item 43.	tion survey have been applied t	o the manuscript. The mar	
COMPILER	White		SUPERVISOR	· la	
Richard R. Whi			Joseph W. Vonasel	aser	
43. REMARKS					

## Review Report Photogrammetric Bathymetry and Topographic Map TP-00891 June 1976

## 61. General Statement

The map was reviewed in its Class I (field edit applied) stage by the Quality Control Section. The Descriptive Report contains all of the pertinent information which may be required by users of this map.

62. Comparison with Registered Topographic Surveys - None

63. Comparison with Maps of Other Agencies

Refer to the Compilation Report, item #46.

64. Comparison with Contemporary Hydrographic Surveys

Photobathymetry is a component part of the map. A copy of the map was furnished the hydrographic party to provide support for a standard hydrographic survey. The hydrographic survey was accomplished in all areas not covered by photobathymetry. Sounding lines were run to evaluate the photobathymetry and to resolve questions noted by the compilation office.

The Officer-in-Charge, Atlantic Hydrographic Party, had the final authority and responsibility for resolving discrepancies, if any, between hydrographic and photogrammetric data. All accepted photobathymetry was transferred to the smooth sheets and identified as such by the hydrographer.

A comment is carried on the map as follows: Depths on this map may not be final. Refer to contemporary hydrographic surveys of the area for combined photobathymetry and hydrography.

65. Comparison with Nautical Charts

Refer to Compilation Report, item 47.

66. Adequacy of Results and Future Surveys

This map meets the National Standards of Map Accuracy and complies with compilation instructions and Bureau requirements.

Approved forwarded Chief, Photogrammetric Branch

Chief, Coastal Mapping Division

Submitted by Rolle

# GEOGRAPHIC NAMES

## FINAL NAME SHEET

# PH-7501 (Oregon Inlet, North Carolina)

TP-00891

Atlantic Ocean

Green Island Channel

Pamlico Sound

Pea Island

Pea Island National Wildlife Refuge

Approved by

Chas. E. Harrington Staff Geographer-C51x2



TP-00891 National Archives Data

,

~

1 Discrepancy Print for the Field Editor

- 1 NOAA Form 76-53 Control Station Identification
- 1 Form C&GS-152 Control Station Identification

Photography: None

#### NAUTICAL CHART DIVISION

## **RECORD OF APPLICATION TO CHARTS**

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

## INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.
1. Letter all information.
2. In "Remarks" column cross out words that do not apply.
3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

1			
CHART	DATE	CARTOGRAPHER	REMARKS
12205	9-21-78	MPANAS	Full Part Before After Verification Review Inspection Signed Via
(12956)		· · · · •	Drawing No. 13 (Atoptical Applied)
		1.0.115	
12724	9-22-78	M. PANAS	Full Part Before After Verification Review Inspection Signed Via
(1553)			Drawing No. 39 (Archart 4 Applied)
		· · · · · · · · · · · · · · · · · · ·	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
		· · · · · ·	Drawing No.
			Drawing ive.
		· · · · · · · · · · · · · · · · · · ·	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			• • • • • • • • • • • • • • • • • • •
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		· · ·	Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Diawing Hu.
			Full Part Before After Verification Review Inspection Signed Via
		_ · · · · ·	Drawing No.
		· · · · · · · · · · · · · · · · · · ·	
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	-		
;			
- <u>:</u>			

FORM C&GS-8852 SUPERSEDES ALL EDITIONS OF FORM C&GS-975.

USCOMM-DC 8558-P63