NOAA		

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

DESCRIPTIVE REPORT

Map No.	Edition No.
TP-00972	1
Job No. CM-7715	
Map Classification	
Final Field Edited	
Type of Survey Shoreline	
LOCALIT	Y
State	•
Florida	
General Locality	
Tampa Bay	
Locality Pouriou to Punkon	Udli Taland
Bayview to Bunker	utti istam
·	
1977	78
REGISTRY IN AR	CHIVES
DATE	

*U.S. GOVERNMENT PRINTING OFFICE:1976-669-248

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.	TYPE OF SURVEY	SURVEY TP-00972
	🗖 ORIGINAL	MAP EDITION NO. (1)
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final field
	REVISED	edited
PHOTOGRAMMETRIC OFFICE	LAST PRECEED	ING MAP EDITION
Rockville, Md.	TYPE OF SURVEY	JOB PH
OFFICER-IN-CHARGE	ORIGINAL RESURVEY	MAP CLASS SURVEY DATES:
Cmdr. James Collins	REVISED	19TO 19
I. INSTRUCTIONS DATED	<u> </u>	
1. OFFICE	2.	FIELD
General Instructions-OFFICE-NOS Cooperative Coastal Boundary Mapping=Job PH-7000, 9 December 1977 OFFICE 18 August 1977 Amendment I 3 January 1978		May 1977 Edit Procedures January 1978
Amendment II 7 March 1978		,
11. DATUMS	<u> </u>	
1. HORIZONTAL: 区 1927 NORTH AMERICAN	OTHER (Specify)	
	OTHER (Specify)	
MEAN HIGH-WATER MEAN LOW-WATER MEAN LOWER LOW-WATER MEAN SEA LEVEL		
3. MAP PROJECTION		GRID(S)
Lambert Conformal Conic	Florida	West
1:10,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY METHOD: Analytic Landmarks and aids by	S. Solbeck	April 1978
2. CONTROL AND BRIDGE POINTS PLOTTED BY	J. Taylor	April 1978
METHOD: Coradomat CHECKED BY	N/A N/A	
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY COMPILATION CHECKED BY	N/A	
INSTRUMENT: CONTOURS BY	N/A	
SCALE: CHECKED BY 4. MANUSCRIPT DELINEATION PLANIMETRY BY	E. Allen	July 1978
CHECKED BY	C. Lewis	July 1978
METHOD: Graphic CHECKED BY	_N/A	
HYDRO SUPPORT DATA BY	N/A	
SCALE: 1:10,000 CHECKED BY		
S. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	J. Battley	July 1978
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	E. Allen P. Dempsey	Sept. 1978 Sept. 1978
7. COMPILATION SECTION REVIEW BY	P. Dempsey	Sept. 1978
8. FINAL REVIEW BY	P. Dempsey	Jan. 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY 10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	D Down sort	Ton 7081
II. MAP REGISTERED - COASTAL SURVEY SECTION BY	P. Dempsey E DAUGHECTY	Jan. 1984
NOAA FORM 78-36 A SUPERSEDES FORM C& GS 181 SERIES		

NOAA FORM 76-36B (3-72)			NATIONAL OCEAN	IC AND ATMOSPHER	
•	CO	MPILATION SO	URCES	NATION	IAL OCEAN SURVEY
				TP-	00972
1. COMPILATION PHOTOGRAPHY				,	
RC-8-E, RC-10-B			PHOTOGRAPHY GEND	TIME RE	FERENCE
TIDE STAGE REFERENCE		(4) 401 4		ZONE	
PREDICTED TIDES		(C) COLOR	NA TIC	Eastern	□ STANDARI
REFERENCE STATION RECORDS		R & INFRARE		MERIDIAN	DAYLIGHT
TIDE CONTROLLED PHOTOGRA	РНҮ	II GA INFRARE	<u> </u>	75th	
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE	OF TIDE
77E(C) 4127-4130	10/13/77	0944	1:30,000		tide is in-
77E(C) 4135-4136	10/13/77	0954	1:30,000	applicable f	or the color
		}		photography.	
77BR 0284-0288	11/8/77	1223	1:30,000	Refer to 76-	
	1	ł	1	tide informa	tion.
	1	l		}	
	1	ì		1	
	1	}	1	ł	
	1		Į.		
REMARKS			<u> </u>		
The rectified The rectified 2. SOURCE OF MEAN HIGH-WATER The source of t	LINE:				
2. SOURCE OF MEAN HIGH-WATER	LINE: The MHW line n item l. W	is the tide here the MHN	-coordinated V line is obs	black and whi	Lte infrared
The rectified : 2. SOURCE OF MEAN HIGH-WATER The source of t photographs listed i	LINE: The MHW line n item l. W	is the tide here the MHN	-coordinated V line is obs	black and whi	Lte infrared
The rectified : 2. SOURCE OF MEAN HIGH-WATER The source of t photographs listed i	LINE: The MHW line n item l. W	is the tide here the MHN	-coordinated V line is obs	black and whi	Lte infrared
The rectified of the source of the source of the photographs listed in as mangrove, the approximation of the source of the sourc	LINE: The MHW line In item l. Wearent shorel	is the tide here the MHN ine is delin	-coordinated V line is obs	black and whi	te infrared
The rectified : 2. SOURCE OF MEAN HIGH-WATER The source of t photographs listed i	LINE: The MHW line In item l. Wearent shorel	is the tide here the MHN ine is delin	-coordinated V line is obs	black and whi	Lte infrared
The rectified of the source of the source of the photographs listed in as mangrove, the approximation of the source of the sourc	CINE: The MHW line In item l. We parent shorel OR MEAN LOWER L	is the tide here the MHT ine is delined is delined. OW-WATER LINE: ot available	-coordinated Valine is obsiderated.	black and whicured by vege	te infrared etation, such
The rectified: 2. SOURCE OF MEAN HIGH-WATER The source of to photographs listed in as mangrove, the approximate the source of	CINE: The MHW line In item l. We parent shorel OR MEAN LOWER L	is the tide here the MHT ine is delined is delined. OW-WATER LINE: ot available	-coordinated Valine is obsiderated.	black and whicured by vege	te infrared etation, such
The rectified: 2. SOURCE OF MEAN HIGH-WATER The source of to photographs listed in as mangrove, the approximate the source of	CINE: The MHW line In item l. We parent shorel OR MEAN LOWER L	is the tide here the MHT ine is delined is delined. OW-WATER LINE: ot available	-coordinated Valine is obsiderated.	black and whicured by vege	te infrared etation, such

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER DATE(S) SURVEY COPY USED SURVEY COPY USED SURVEY NUMBER DATE(S) Inapplicable

5. FINAL JUNCTIONS NORTH TP-00970

EAST TP-00973 SOUTH WEST N/AN/A

REMARKS

Final junctions will be made in Coastal Mapping Section.

NOAA FORM 76-36B(1) (7-75)

U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY

TIDE - COORDINATED PHOTOGRAPHY

TP 00972


	TP - 00972		
LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
77-BR-0284-288	SMHW - Safety Harbor (6738)	+ 0.33	
•			
		,	
•	. •		
		1	
!		}	
		}	
		1	
		,	
•		J]
		ł	
	·		

NOAA FORM 76-360 3-72)	5		NATIONAL OCEA	NIC AND ATMO	SPHERIC A	OF COMMERC DMINISTRATIO OCEAN SURVE
		HISTORY OF FIELD				00972
I. TIELD INSP	ECTION OPER	ATION X FIEL	D EDIT OPERATION	Under ltr Chief, Co	. dtd astal Ma	L/30/78 fr apping
	QP	ERATION		NAME		DATE
1. CHIEF OF FIEL	D PARTY	•	R. R. Wagr	ner	\ .	July 1978
		RECOVERED BY	N/A			
2. HORIZONTAL C	CONTROL	ESTABLISHED BY	N/A			
		PRE-MARKED OR IDENTIFIED BY	N/A N/A			
3. VERTICAL CON	ITROL	ESTABLISHED BY	N/A			
		PRE-MARKED OR IDENTIFIED BY	N/A			
	RE	COVERED (Triangulation Stations) BY	N/A			· · · · · ·
4. LANDMARKS AT	ND	LOCATED (Field Methods) BY	N/A			
AIDS TO NAVIG	ATION	IDENTIFIED BY	C. Lewis			July 1978
		TYPE OF INVESTIGATION				
5. GEOGRAPHIC N INVESTIGATION		COMPLETE				
1111 231 1011 . 101	•	SPECIFIC NAMES ONLY NO INVESTIGATION			1	
6. PHOTO INSPEC	TION	CLARIFICATION OF DETAILS BY	C Torris			July 1978
7. BOUNDARIES A		SURVEYED OR IDENTIFIED BY	C. Lewis			inta tato
II. SOURCE DATA						
I. HORIZONTAL C	ONTROL IDE	NTIFIED	2. VERTICAL CO	NTROL IDENTIF	TED	
PHOTO NUMBER		STATION NAME	PHOTO NUMBER	STAT	ION DESIGN	IA TION
3. PHOTO NUMBE 77E-4126, 1 77BR-0288		on of details) 8, 4129, 4130, 4134, 413	5 & 4136			
	ND AIDS TO N	AVIGATION IDENTIFIED			·- <u>-</u>	·
PHOTO NUMBER		OBJECT NAME	PHOTO NUMBER		BJECT NA	ME
77E 4135	DYBN					·
5. GEOGRAPHIC N	NAMES:	REPORT [X] NONE	6. BOUNDARY AN	D LIMITS:] яероят	₹ NONE
7. SUPPLEMENTA						
8. OTHER FIELD	RECORDS (Sk	etch books, etc. DO NOT list data submit	ted to the Geodesy D	livision)		

					5
NOAA FOI (3-72)	RM 76-36D		NATIONAL OCEAN	U. S. DEPARTME	NT OF COMMERCE
]		RECOI	RD OF SURVEY USE		
I. MANUS	CRIPT COPIES				
<u> </u>	c	MPILATION STAGE	S	DATE MANUSCRI	PT FORWARDED
	DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Class	III	7/12/78			
Final		9/20/78			
		 			<u> </u>
II. LANDA	ARKS AND AIDS TO NAVIG	ATION			<u> </u>
I. REP	ORTS TO MARINE CHART D	IVISION, NAUTICAL	DATA BRANCH		
number pages	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED		REMARK\$	
3		6/26/79	Digitized forms (76-	40) submitted.	
					· · · · ·
					
_ =			PILOT BRANCH. DATE FORWAR		
	REPORT TO AERONAUTICA		AERONAUTICAL DATA SECTION	. DATE FORWARDED:	
1. 🗵 2. 🗵	BRIDGING PHOTOGRAPHS;	X DUPLICATE IFICATION CARDS; Geographic Names Re	BRIDGING REPORT; (X) COMP FORM NOS 567 SUBMITTE Port) AS LISTED IN SECTION II, N	D BY FIELD PARTIES.	
4. X	DATA TO FEDERAL RECO	ROS CENTER, DAT	E FORWARDED:		-
IV. SURV	EY EDITIONS (This section	shall be completed ea	ch time a new map edition is regis.	tered)	

4. 🛭 D	ATA TO FEDERAL RECORDS O	ENTER, DATE FORWARDED	D:
IV. SURVEY	EDITIONS (This section shall I	be completed each time a new i	map edition is registered)
	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
SECOND	TP(2)	PH	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
			☐H. □H. □IV. □V. □FINAL
	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
THIRD	TP(3)	PH	REVISED RESURVEY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
			□II. □III. □IV. □V. □FINAL
,	SURVEY NUMBER	JOB NUMBER	TYPE OF SURVEY
FOURTH	TP(4)	PH	REVISED RESURVĖY
EDITION	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	MAP CLASS
- ESTITION			□II. □III. □IV. □V. □FINAL

NOAA FORM 76-36D



SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT

Coastal Zone Map TP-00972 is one of fourteen 1:10,000 scale and one 1:20,000 scale shoreline maps in Project CM-7715. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7715 will show the location of the individual maps from Rattlesnake Key to Oldsmar, Florida. A copy of the layout is included in this Descriptive Report.

Field operations consisted of premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

Color compilation photography was taken with the RC-8-E camera at 1:30,000 scale in October, 1977 and used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:30,000 scale infrared MHW photography taken with the RC-10-B & K cameras in November, 1977.

The Aerotriangulation Unit in Rockville, Maryland bridged five strips of 1:60,000 scale black and white photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland, using graphic methods.

Field edit was completed in August, 1978. Recovery and location of landmarks, fixed aids to navigation, piling, etc., were omitted from the field edit procedures as per memo dated January 30, 1978, from chief, Coastal Mapping Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The editor was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rock-ville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland, in January 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile this final map.

FIELD REPORT FOR CM-7715 & CM-7717

1. GENERAL

This report covers pre-marking, photo identification of control points, high and low water photographs. The project instructions were changed by Chief, Planning Branch in the range of tide for tidal photographs due to weather conditions.

Due to the size of pre-mark targets and the congestion of the area and targets being destroyed it was necessary to photo identify control points. This part of the field work was delayed due to receiving of the necessary photographs.

There were a number of tide gages in operation at the time of photography that could be used to supplement tidal data.

2. HORIZONTAL CONTROL

The following control stations were pre-marked or identified.

Control Point No. 1 DUNEDIN MUN N TANK 1972, Sub-point marked with array No. 1 with one wing. The data for this station was submitted with CM-7612 target No. 8. This station was not marked again because the grass on the golf course is still dead from when it was paneled a year ago. This panel should be transferred from CM-7612 photos.

Control Point No. 2 ROOTH 1926, Marked direct with array No. 1 and two wings.

Control Point No. 3 CYPRESS 2 1960 1975, Sub-point marked with array No. 1 and no wings. No room for wings.

Control Point No. h PETER 19h6, Station marked direct with array No. 1 and no wings.

Control Point No. 5 TAMPA PENINSULAR TELEPHONE CO. MOBILE MAST 1955, Station marked direct on old base for tower without wings at request of owner.

Control Point No. 6 COL 1957. No target used. Station is a good point in center of bay in sea wall.

Control Point No. 7 PORT TAMPA, BLACK MUN TANK 1945, Station marked with array No. 1 on remains of standpipe. The tank has been removed. The four tank footings should be used as wings.

o i

Control Point No. 8 GADSDEN 2 1908, Station marked direct with two wings.

Control Point No. 9 Y6 (FGS) 193h, Station marked direct with two wings.

Control Point No. 19 GANDY 1973, Station marked direct with one wing.

Control Point No. 11 BRIGHTWATER B 1973, Sub-point is center of approx. 12X12 foot dock. No target used, see photo 7707488.

Control Point No. 12 FEDERAL 1973, Station marked direct on top of building. No wings used.

Control Point No. 13 TAMP 1954, Sub-point marked with array No. 1 and one wing.

Control Point No. 14 DESOTO 1973, Sub-point with no target used.

Control Point No. 15 STUMP 1957, Sub-point. Panel destroyed and not replaced. Rockville office stated not needed because other target appears on this line.

Control Point No. 16 SUN CITY POWER CO SILVER WATER TANK 193h, Marked direct in center of four footings with array No. 1 without wings. Tank has been removed.

Control Point No. 17 GILLETTE 1934, Sub-point is the center of three concrete slabs in cemetery. No target used.

Control Point No. 18 MCNIEL 2 1958, Sub-point panel was marked with array No. 1 without wings. This panel was not in place at time of photography. Other sub-points A & B were identified on photo 7707504.

Control Point No. 19 PALM 3 1924, Sub-point marked with array No. 1 without wings. Wings were not used at request of owner.

Control Point No. 20 MANATEE SILVER MUN WATER TANK 1925 (Cor of 10th St. and 9th Ave), Sub-point marked with array No. 1 and no wings.

Control Point No. 21 CONNER 1954, Station marked direct with array No. 1 without wings. No room for wings.

Control Point No. 22 SCHROEDER 1934, Station marked direct with array No. 1 and two wings.

Control Point No. 23 AMBER TR 27 (USE) 1953, Sub-point marked with array No. 1 and two wings.

Control Point No. 2h WHITFIELD ESTATES TANK 193h, Marked direct with array No. 1 and no wings. Tank is destroyed and target placed in center of tank footings.

Control Point No. 25 SARASOTA, RADIO STATION WSPB MAST 1953, Concrete base identified direct on 7707516. The mast has been removed and a new mast was built west of old base in the last part of 1970.

Control Point No. 26 NORTHWEST 1878, Two sub-points were identified on photo 7707518

Control Point No. 27 TT 41 JA 1952, Two sub-points were identified on photo 7707523

3. PHOTOGRAPHS

Bridging - All bridging photography was flown on October 5, 1977.

Low Water - Flown on October 13 and 14, 1977

High Water - Flown on October 1h and November 8, 1977

L. TIDAL DATA

Leveling for tide station 872 6621, Port Tampa was done by this party and is submitted in one NOAA Form 76-77 for prior and after photography. All other tide stations used were leveled by Photo Party 65 when gages were removed. This data is in Tides Branch, Rockville, Maryland.

The following twelve tidal stations were used: 872-6520 (St Petersburg) in two volumes, 872-5943 (Blackburn Point) and 872-5889 (Venice, Roberts Bay) in one volume, 872-6621 (Port Tampa), 872-6247 (Bradenton), 872-6348 (Two Brothers Island), 872-6243 (Anna Maria), 872-6278 (Redfish Point), 872-6537 (Apollo Beach), 872-6159 (Whitfield Estates), 872-6738 (Safety Harbor) and 972-6639 (Ballast Point)

Submitted 1/31/78

Thurst Magner
Robert R. Wagner

Chief, Photo Party 66

PHOTOGRAMMETRIC PLOT REPORT CM-7715 Tampa Bay, Florida April 1978

21. Area Covered

The area covered by this report is the immediate shoreline surrounding Tampa Bay, Florida.

Fourteen 1:10,000 scale manuscripts (TP-00970 thru TP-00982 and TP-00984) and one 1:20,000 scale manuscript (TP-00983) are submitted.

22. Method

Five strips of 1:60,000 scale black-and-white photography were bridged by analytic aerotriangulation methods. Control was field identified. Office identified control was used as a check.

Tie points were used to insure adequate juctioning during the strip adjustments. Tie points were also used to ensure adequate juctioning between project CM-7612 and this project. These latter tie points provided the initial control for strip 77-C 7393 to 7401.

Common points were located on the bridging photography and the tide-coordinated infrared being used for ratio purposes. Additional common points were located between the bridging photography and the 1:30,000 scale color photography for compilation purposes. These latter points were located by the compilation section.

The manuscripts will be plotted by the compilation section.

23. Adequacy of Control

The majority of control proved adequate according to National Map Accuracy standards.

The position for Tampa Peninsular Telephone Company Mobile Mast, 1955 (401 100) would not fit into the adjustment by 310 feet in X and 998 feet in Y. The panel was apparently not located correctly by the field party. The correct image was located and measured accurately. The paneled location was measured on two separate strips and used to tie the strips together.

24. Supplemental Data

USGS quads were used to provide vertical control for the strip adjustments. Nautical charts 11413 and 11414 were used to locate aids and landmarks.

25. Photography

The coverage, overlap, and quality of the photography were adequate for the job.

26. Comments on Strip Adjustment

Prelimary strip adjustments of strips 2 and 4 indicate that discrepencies exist that are not normally expected. In strip 2 three points were used to form the second degree adjustment curve, and two control points were "floated" - to be used as check points. One fit within 2 feet and the other was off about 10 feet. These same two points were also "floated" in strip 3, both fit within less than 3 feet.

A similar phenomenon exists on strip 4 where again three points are used for the adjustment and a seemingly good check point is off about 12 feet.

The cause of this "lack of fit" can not be satisfactorily explained, however, the descrepencies in the vicinity of these control points can be reduced by using them in the adjustment. By doing this, they fit to within 6 feet.


Submitted by,


Steve Solbeck

Approved and forwarded:

Don O. Norman

Acting Chief, Aerotriangulation Section





TAMPA BAY, FLORIDA CM-7715
Accruacy of Control

		Χ	· Y
STRIP #1	258830	075	+ .558
	352820	+ .407	915
	396100	+ .728	+ .686
	398101	+ .318	+ .045
	400100	+ .064	938
	401141	+ .020	+ .559
STRIP #2	487100	-1.574	+ 2.163
	488101	563	- 5.231
	489101	-1.510	+ 2.273
	490100	+4.496	+ .554
	203801	851	+ .243
	262830	+ .222	+ 1.876
STRIP #3	423101	+1.262	+ 1.806
	425101	-1.726	- 2.149
	427100	-1.276	- 1.487
	488101	+1.998	753
	487100	+2.260	+ 1.868
	489101	+2.764	- 2.448
	478100	-3.540	+ 2.008
	398101	+3.021	- 2.046
STRIP #4	398101	-1.366	- 3.579
	400100	+5.121	- 1.143
	478100	-3.185	+ 3.309
	487100	-2.260	+ 1.533
	480100	+1.085	+ .731
	478801	+ .605	851
STRIP #6	528101	-4.052	+ 1.220
	528102	-4.149	277
	530101	-1.116	- 2.404
	532100	-1.592	+ 4.189
	480100	+4.226	- 2.684
	401141	+4.864	- 2.402
	401100	248	+ .134
	401111	-1.335	+ 1.275

NOAA FORM 76-41 (6-75)					U.S. AL OCEANIC AND A	U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
	4	DESCRIPTIV	DESCRIPTIVE REPURI CONTROL RECORD	JRD		
MAP NO.	JOB NO.		GEODETIC DATUM		ORIGINATING ACTIVITY	. **
TP-00972	CM-7715	15	N A 1927		Rockville	e, Md.
ALAN MOLFATA	SOURCE OF	AEROTRI-	COORDINATES IN FEET	GEOGRAPHIC F	GEOGRAPHIC POSITION	0 4 7 1 1 0
	(Index)	POINT	} }	- A	LONGITUDE	
Vortac, St. Petersburg Clear	GPPg7	490141	x= 278,926.290	\$ 27° 54	54' 26.876"	
water International Airport Pie, 1972			y≈ 1,299,625.681	τη 85° 41	41, 04,165"	
Apt Beacon International	GPPg2	1490151	x= 276,782.817	\$ 27° 54'	. 23.560"	
Airport St. Petersburg, 1968			y≈ 1,299,302.917	λ 82° 41'	, 28.036"	
YG (FGS), 1934	P C Pg 8	001064	x= 276,382.548	Φ		
			<i>y</i> = 1,298,010.859	7		
			<i>=</i> χ	ф		
			-ĥ	۲		
			-χ	- 0-		
			y=	γ		· · · · · · · · · · · · · · · · · · ·
			χe	-€-		
			ij=	۲		
			χ=	ф		
			y=	γ		
			<i>=</i> χ	φ		
			ή=	γ		
			=χ	φ		
		!	y=	γ	:	
			=χ	ф		
			zh.	γ		
COMPUTED BY		DATE	COMPUTATION CHECKED BY			DATE
LISTED BY E. Allen		DATE July 1978	LISTING CHECKED BY P.	Dempsey		DATE July 1978
i		DATE	HAND PLOTTING CHECKED BY			DATE
		SUPERSEDES NO	SUPERSEDES NOAA FORM 76-41, 2-71 EDITION WHICH IS OBSOLETE.	TH IS OBSOLETE.		

Compilation Report TP-00972 June 1978

31. Delineation

All features were delineated by graphic compilation using the rectified B&W prints of the color photography. The tidal datum line was compiled from office interpretation of the ratio tide-coordinated B&W infrared photography.

The MHW line was delineated using Tide-coordinated photography taken at +0.33 above MHW. A field edit will be made to validate the interpretation and symbolization of features.

32. Horizontal Control

Horizontal control was adequate (See Photogrammetric Plot Report)

33. Supplemental Data

Field sketches were furnished by Tides and Water level section to locate tide stations.

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from office interpretation of the tide-coordinated B&W infrared photography.

35. Shoreline and Alongshore Detail

Office interpretation of the tide-coordinated B&W infrared photography was adequate for delineating the shoreline and alongshore detail. The GCLW line was not compiled because photography was not available at time of compilation, within accuracy standards.

36. Offshore Detatils

No unusual problems were encountered.

37. Landmarks and Aids

The landmarks and aids shown on this map were only those located by photogrammetric methods or having a triangulation position. All aids and landmarks will be visually verified during field edit.

38. Control for Future Surveys - None

- 39. Refer to Form 76-36B.
- 40. Horizontal and Vertical Accuracy

This map complies with the accuracy requirements for the Florida Coastal Zone Mapping Program as outlined in job instructions PH-7000.

- 41. thru 45. Inapplicable
- 46. Comparison with Existing Maps

Comparison was made with the following 7 1/2 topographic quadrangle:

Safety Harbor, Fla. 1969

47. Comparison with Nautical Charts:

Comparison was made with Chart 11413 (formerly 587)

Submitted by,

Edward D. Allen

Approved) and Forwarded:

J. P. Battley, Jr.

Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-00972, JOB CM-7715

51. METHODS

Field edit was performed under instructions dated 1/30/78 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore and by truck.

Field edit notes will be found on the photographs and discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 8/8/78

Joseph D. Di Mare Surveyong Technician TP-00972 January 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

- 62. Comparison With Registered Topographic Surveys None
- 63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

- 64. Comparison With Contemporary Hydrographic Surveys None
- 65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys

This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by

Patrick J. Dempsey

Cartographer

Approved and Forwarded,

George M. Ball

Chief, Photogrammetric Section

Chief Photogrammetry Branch

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7715 (Tampa Bay, Florida)

TP-00972

Allen Creek

Bayview

Bunker Hill Island

Cabbage Patch Point

Clearwater

Cooper Bayou

Four Corners

Grassy Creek

High Point

Largo Inlet

Long Branch

Old Tampa Bay

St. Petersburg-Clearwater International Airport

Approved by:

Chief Geographer - C3x5

DISSEMINATION OF PROJECT MATERIAL CM-7715

National Archives/Federal Records Center

Red Jacket:

Field Notebooks - NOAA Forms 77-53
NOAA Form 76-77
Bridging photographs
Tidal bench mark descriptions
Sketches and computations
Field edit discrepancy print
Field photographs
CSI cards

Bureau Archives

Registered copy of each map
Descriptive Report of each map

Reproduction Division

8x Reduction negative of each map

Office of Staff Geographer

Geographic Names Standard

PHOTOGRAMMETRIC STIN	NAL OCEAN RTMENT OF	A VERS
TP00972 * CM7715 * 833205 * NA1927 *	IIT CMD ROC TE FLORIDA TY BAYVIEW	MD. * PAGE 1 OF 3 * * ORIGINATING ACTIVIT * COMPILATION
BJECTS INSPECTED FROM SEAWARD * POSITIONS DETERMINED * AND/OR VERIFIED BY * FIELD AND OFFICE * ACTIVITIES *	JOSEPH DI MARE JOSEPH DI MARE EDWARD D. ALLEN N/A JAMES H. TAYLOR	* PHOTO FIELD PARTY * FIELD REPRESENTATIVE * OFFICE COMPILER * DIGITIZER * DATA PROCESSER
KEY FOR KEY FOR LOCATE NUMBER AND DATE (INCLUDI YEAR) OF THE PHOTOGRAPH ITLEY AND LOCATE THE OBJEIPLE 75E(C)6042	NDER METHOD AND DATE OF L * FIELD (CONT.D) * B.PHOTOGRAP B.PHOTOGRAP * DATE OF P OWN. * GRAPH USE * OBJECT. * EXAMPLE	FIELD POSITIONS** SHOW CATION OR VERIFICATION. RK AND NUMBER OF PHOTO-CATE AND IDENTIFY THE
1.NEW POSITION DETERMINED OR VERINE KEY TO SYMBOLS F-FIELD L-LOCATED V-VERIFIED 1-TRIANGULATION 5-FIELD OTENSION 5-FIELD IDER	* 2.TRIANGULATION * WHEN A LANDMAR * ANGULATION STA * REC. WITH DAT * EXAMPLE TRIAN D * 8-12-	STATION RECOVERED K OR AID WHICH IS ALSO A TRI- TION IS RECOVERED, A TRIANG. E OF RECOVERY IS SHOWN. G. REC.
* 3-INTERSECTION 7-PLANETABLE * 4-RESECTION 8-SEXTANT * A.FIELD POSITIONS* SHOW THE METHOD * LOCATION AND DATE OF FIELD WORK, * EXAMPLE F-2-6-L * 8-12-76	* 3.POSITION VERIFIED * SHOWN BY V-VIS AND * EXAMPLE V-VIS * 8-12-75 *	ED VISUALLY ON PHOTOGRAPH AND DATE.
* *FIELD POSITIONS ARE DETERMINED BY FI * OBSERVATIONS BASED ENTIRELY UPON GRO * SURVEY METHODS	ELD * **PHOTOGRAMMETRI UND * DEPENDENT ENTI * ESTABLISHED BY	C FIELD POSITIONS ARE RELY.OR IN PART.UPON CONTROL PHOTOGRAMMETRIC METHODS.
OTE: WHERE THE NAME OF AN AID INCLUI	THE IMMEDIATE GEOGRAPHIC HE GEOGRAPHIC HE GEOGRAPHICH I	DER WHICH IT IS LISTED.

		PHOTOGRAMMETRIC BRANC COASTAL MAPPING DIVISI	H ON DEPAR	AL OCEAN TMENT OF	SURVEY NOAA COMMERCE USA	•	JA AIA VERSIO 78270
SVY T COD C PR. D B C C C C C C C C C C C C C C C C C C	00972 7715 3205 1927	* NONFLOATING AIDS FOR * TO BE CHARTED	T UNI STAT CALIT	CMD, ROC FLORIDA BAYVIEW 08/21/79	• MD• * BAY * * OR	PAGE 2 0 IGINATING COMPILAT	F 3 ACTIV ION
THE	LLOWING	OBJECTS HAVE NOT BEEN IN	ECTED FROM SE	ARD TO DETE	MINE THEIR V	ALUE	DMARKS
CHARTIN NAME	PUT	DESCRIPTION REASON FOR DEL	ATITUDE ONGITUD	こししら	METHOD NOFICE	ND DATE * ATION *	CHARTS AFFECTED
				3 4 1 3 1 1 1 1 1 1 1 1			#
i, is	* *	ONLY THOSE NONFLOATING A THAT WERE VISIBLE ON THE	IDS AND LANDMARI PHOTOGRAPHY AN	S TO NAVIGA LOCATED DU		1 * * . 1	f
p	 	BRIDGING OR COMPILATION	NO	S MAP.	; * * 1	* * 	! ! ! !
1 1		TAMPA BAY				· 1	·
DYBN	* SEWER	OLD TAMPA BAY	* 27 57 24.60 * 82 42 27.30	757.2	*77E4135 * * 10/13/77 *	* * *	
) 			日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日		1	* *	- - -
	1				F * * * · · · · · · · · · · · · · · · ·	* * *	† † † † † † † † † † † † † † † † † † †
					· · · · · · · · · · · · · · · · · · ·	* *	#
	: : : : : : : : : : : : : : : : : : :					# # #	
, , ,	· · · · · · · · · · · · · · · · · · ·					1 * * *	
9 9 8 1 1 1	 	8		t L I I I I I I I I	* * *	* * 	• • • • •
· I · · · · · · · · · · · · · · · · · ·							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

ER 78	H > H	RKS	ART.	t : f I * b I • t	1413			1	•	1 1 · · · · · · · · · · · · · · · · · ·	†	1 · · · · · · · · · · · · · · · · · · ·	†			T
Q > .	OF TIO				+H-1 1 1 + ★ 1 + ★	* * *·	; ; ; * *	† † †• †		; ; ; ; * *	 * *		; ; ! * *:	 - * *.	! ! ! * *	1 2 4 6
; ; ; ; ;	GE 3 ATING OMPILA	ASL	DATE ON FIELD		19/78	, , ,	 			 					1 2 1 2 1 2	
	RIGI	ALU	AND OCATI		10-0*	* *	* *		* *:	*	* * *	* *	* * *	1		
NOA CE USA	* * * * * * * * * * * * * * * * * * *	THEIR	METHOD OF L		A 26		1 1 1 1		· · · · ·		1 · · · · · · · · · · · · · · · · · · ·					
URVE	ILLE	ERMINE	D * C C C C C C C C C C C C C C C C C C	1	1 *TRI 20*	,	* *		* *	* *	* *	**	***	1 1 1 * *	* * *	1 1 1 1 1
EAN FOF	ROCK IDA IEW T	0 057	ALT]	DN T						1		i , , , , , , , , , , , , , , , , , , ,	1 2	1 3	
ONAL	FECO BACO V 8	WARD	NON		113		† † † 		5° 7 4 8	; ; ; ; ;			-			
NAT	STA	OMSE	1 O M D		26.8/ 04.16		} ! ! ! !				1					
* * * * * * * * * *	¦∝ ¬ ;	1 H	TIT		82 41	,	! ! !	: 1	* * * - ;] ;] ;] ;] ;	111111
ANCH	• •	SPE	* * *		* *	* *	* *		* *:	* *	* * *	***	* *	* *	* *	
IC BRA	CHA	BEEN	ETION		197 197		; 1 1 1		• • • •	1 .	i i					
AAMMETRIC MAPPING	XX BE		ION DE NAME		BURG P AP	} *	 	*	4 			1 · · ·	1 3 1 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1
PHOTOGRA	LANDMARKS TO BE	S	TION F		NATIONAL		;	;	- - - -	 	1) 	i i i ,		1
G 0	* * * *	ÚBO OBJ	RD IAN		NTER								1 			
) 	972 15 05 27	9NIMO	7.0		WATER	•	! !	· [:] : [• [! : ! .	:] .] . ! .	1 · · · · · · · · · · · · · · · · · · ·	1 5 1 6 1 5 1	
	P00	FOLL	,		BLUG *	* *	* * *	: 1 	* * .	* *·	* * * * * * * * * * * * * * * * * * *	t t	1 * * * 1	* * *	* * 	
76-40 LISTI	* * * * * * * * * * * * * * * * * * *	I I	I AZ		* VOR			* ! * ! * #	* * *				; ; ; ; ;	# # * * *	; ; ; ;	

FORM C&G5-8352 (3-25-63)

NAUTICAL CHART DIVISION

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO.

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review

DATE	CARTOGRAPHER	REMARKS						
		Full Part Before After Verification Review Inspection Signed Vi						
		Drawing No.						
		Full Part Before After Verification Review Inspection Signed Via						
· - · - · · · · · · · · · · · · · · · ·	<u> </u>	Drawing No.						
	<u> </u>	Diawing No.						
	<u> </u>	Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
	<u> </u>	Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
	· ·	Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
		Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
		Full Part Before After Verification Review Inspection Signed Viz						
		Drawing No.						
		Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
	·							
		Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
		Full Part Before After Verification Review Inspection Signed Via						
		Drawing No.						
	· · ·							
	,							
	·							
	DATE	DATE CARTOGRAPHER						

TOTAL CEGS-8352 SUPERSEDES ALL EDITIONS OF FORM CEGS-978.

ÚSCOMMIDO BSGEIPOT