

TP-01014

TP-01014

NOAA FORM 76-35 (3-76) U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
<h2>DESCRIPTIVE REPORT</h2>	
Map No. TP-01014	Edition No. 1
Job No. CM-7819	
Map Classification Final Field Edited	
Type of Survey Shoreline	
LOCALITY	
State Florida	
General Locality Gulf Hammock	
Locality Live Oak Key to Compass Point	
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 1979 TO 1980 </div>	
REGISTRY IN ARCHIVES	
DATE	

NOAA FORM 76-36A (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMIN.		TYPE OF SURVEY		SURVEY TP. 01014	
DESCRIPTIVE REPORT - DATA RECORD				<input checked="" type="checkbox"/> ORIGINAL		MAP EDITION NO. (1)	
				<input type="checkbox"/> RESURVEY		MAP CLASS Final field edited	
				<input type="checkbox"/> REVISED		JOB PHCM-7819	
PHOTOGRAMMETRIC OFFICE				LAST PRECEDING MAP EDITION			
Rockville, Md.				TYPE OF SURVEY		JOB PH-	
OFFICER-IN-CHARGE				<input type="checkbox"/> ORIGINAL		MAP CLASS	
Cmdr. W. Simmons				<input type="checkbox"/> RESURVEY		SURVEY DATES:	
				<input type="checkbox"/> REVISED		19__ TO 19__	
I. INSTRUCTIONS DATED							
1. OFFICE				2. FIELD			
General Instructions-Office-NOS Cooperative Coastal Boundary Mapping-Job PH-7000 9 Dec 1975 Office - 18 Aug 1977 Amendment I - 3 Jan 1978 Amendment II - 7 Mar 1978				Field Instructions - 11 Aug 1976 27 Dec 1976 Amendment - Field Edit Procedures 30 Jan 1978			
II. DATUMS							
1. HORIZONTAL: <input checked="" type="checkbox"/> 1927 NORTH AMERICAN				OTHER (Specify)			
2. VERTICAL: <input checked="" type="checkbox"/> MEAN HIGH-WATER <input type="checkbox"/> MEAN LOW-WATER <input type="checkbox"/> MEAN LOWER LOW-WATER <input type="checkbox"/> MEAN SEA LEVEL				OTHER (Specify)			
3. MAP PROJECTION				4. GRID(S)			
Transverse Mercator				STATE Florida		ZONE West	
5. SCALE 1:20,000				STATE		ZONE	
III. HISTORY OF OFFICE OPERATIONS							
OPERATIONS				NAME		DATE	
1. AEROTRIANGULATION BY				B. Thornton		Jan 1980	
METHOD: Analytic LANDMARKS AND AIDS BY				N/A			
2. CONTROL AND BRIDGE POINTS PLOTTED BY				J. Taylor		Mar 1980	
METHOD: Cal Comp CHECKED BY				N/A			
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY				N/A			
COMPILATION CHECKED BY							
INSTRUMENT: CONTOURS BY				N/A			
SCALE: CHECKED BY							
4. MANUSCRIPT DELINEATION PLANIMETRY BY				E. Allen		April 1980	
CHECKED BY				P. Dempsey		April 1980	
METHOD: Graphic CONTOURS BY				N/A			
CHECKED BY							
SCALE: 1:20,000 HYDRO SUPPORT DATA BY				N/A			
CHECKED BY							
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY				D. Brant		May 1980	
6. APPLICATION OF FIELD EDIT DATA BY				F. Wright		Sept 1980	
CHECKED BY				P. Dempsey		Sept 1980	
7. COMPILATION SECTION REVIEW BY				F. Wright		Oct 1980	
8. FINAL REVIEW BY				P. Dempsey		Aug 1984	
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY							
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY				P. Dempsey		Aug 1984	
11. MAP REGISTERED - COASTAL SURVEY SECTION BY				E. DAUGHERTY		Nov 1984	

NOAA FORM 76-36B
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

COMPILATION SOURCES

TP 01014

1. COMPILATION PHOTOGRAPHY

CAMERA(S) Wild RC 10		TYPES OF PHOTOGRAPHY LEGEND (C) COLOR (P) PANCHROMATIC (I) <u>INFRARED</u>		TIME REFERENCE	
TIDE STAGE REFERENCE <input type="checkbox"/> PREDICTED TIDES <input checked="" type="checkbox"/> REFERENCE STATION RECORDS <input checked="" type="checkbox"/> TIDE CONTROLLED PHOTOGRAPHY				ZONE Eastern	<input checked="" type="checkbox"/> STANDARD
				MERIDIAN 75th	<input type="checkbox"/> DAYLIGHT
NUMBER AND TYPE	DATE	TIME	SCALE	STAGE OF TIDE	
79 CR 8225 - 8227	11 Feb. 79	1445	1:60,000	Refer to NOAA Form 76-36(B)1	

REMARKS

2. SOURCE OF MEAN HIGH-WATER LINE:

The source of the MHW line is the 1:60,000 rectified black and white infrared photography listed in item 1.

3. SOURCE OF MEAN LOW-WATER OR MEAN LOWER LOW-WATER LINE:

Gulf Coast

There is no GCLW line shown on this map

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.)

SURVEY NUMBER	DATE(S)	SURVEY COPY USED	SURVEY NUMBER	DATE(S)	SURVEY COPY USED

5. FINAL JUNCTIONS

NORTH NO	EAST	SOUTH	WEST
Contemporary Survey	TP-01015	TP-01016	CM -7820 TP-01030

REMARKS

Junctions were made by the Coastal Mapping Section.

NOAA FORM 76-36B(1)
(7-75)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TIDE - COORDINATED PHOTOGRAPHY

TP - 01014

LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
79 C(R) 8225-8227	Cedar Key (Hourly Hgts)	-1.0 (MHW)	2.6

REMARKS:

HISTORY OF FIELD OPERATIONS

I. ☒ FIELD INSPECTION OPERATION☐ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	David H. Minkel	
2. HORIZONTAL CONTROL	RECOVERED BY P.P. 65 ESTABLISHED BY PRE-MARKED OR IDENTIFIED BY P.P. 65	June 79
3. VERTICAL CONTROL	RECOVERED BY ESTABLISHED BY N/A PRE-MARKED OR IDENTIFIED BY	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY LOCATED (Field Methods) BY IDENTIFIED BY D. Minkel & C. Middleton	Feb. 80
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY D. Minkel	Feb 80
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N/A	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED

2. VERTICAL CONTROL IDENTIFIED

PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION

3. PHOTO NUMBERS (Clarification of details)

NOS26MAR79CP 9997, 9998, 9999

4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED

"TOWER" (ldmk) is indicated on photo 9998 (see report)

PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME

5. GEOGRAPHIC NAMES: ☐ REPORT ☒ NONE6. BOUNDARY AND LIMITS: ☐ REPORT ☒ NONE

7. SUPPLEMENTAL MAPS AND PLANS

N/A

8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)

None

HISTORY OF FIELD OPERATIONS

I. ☐ FIELD INSPECTION OPERATION☒ FIELD EDIT OPERATION

OPERATION	NAME	DATE
1. CHIEF OF FIELD PARTY	David H. Minkel	
2. HORIZONTAL CONTROL	RECOVERED BY N/A ESTABLISHED BY N/A PRE-MARKED OR IDENTIFIED BY N/A	
3. VERTICAL CONTROL	RECOVERED BY N/A ESTABLISHED BY N/A PRE-MARKED OR IDENTIFIED BY N/A	
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY N/A LOCATED (Field Methods) BY N/A IDENTIFIED BY N/A	
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION BY	
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY D. Minkel	8/1/80
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY N/A	

II. SOURCE DATA

1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
None		None	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
3. PHOTO NUMBERS (Clarification of details)			
None			
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED			
None			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE		6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input checked="" type="checkbox"/> NONE	
7. SUPPLEMENTAL MAPS AND PLANS			
None			
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)			
None			

NOAA FORM 76-36D
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

RECORD OF SURVEY USE

TP-01014

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☐ BRIDGING PHOTOGRAPHS; ☐ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
ACCOUNT FOR EXCEPTIONS:

1 - NOAA Form 76-52, 1 three ring binder showing 1979 premark panelling data.

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

JOINS JOB CM-7820

CM-7819
PORT RICHEY TO CEDAR KEYS
FLORIDA
SHORELINE MAPPING
SCALE 1:20,000

TP-01014 TP-01015
TP-01016 TP-01017
TP-01018
TP-01019
TP-01020
TP-01021

JOINS JOB CM-7612

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT
TP-01014

Coastal Zone Map TP-01014 is one of eight 1:20,000 scale shoreline maps in project CM-7819. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7819 extends from Cedar Keys to Port Richey. A copy of the layout is included in this Descriptive Report. Field operations consisted of a field inspection, premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

This map was compiled using 1:60,000 scale, black and white, infrared MHW, rectified photography taken with the Wild RC-10-C camera in February, 1979.

The Aerotriangulation Unit in Rockville, Maryland bridged four strips of 1:60,000 scale black and white photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland using graphic methods.

Field edit was completed in August, 1980. Recovery and location of landmarks, fixed aids to navigation, piling etc. were omitted from the field edit procedures as per memo dated January 30, 1978. These items were compiled, to the extent possible, by office photogrammetric methods. The edit was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland in August, 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile the final map.

FIELD INSPECTION REPORT

SHEET TP - 01014

2. Areal Field Inspection

This report is submitted for sheet TP-01014. The area covered is from Compass Point (West of the mouth of the Waccasassa River), West to the Eastern shore of Live Oak Key (East of Cedar Key).

With little exception the shoreline is entirely apparent, consisting of marsh. None of the area covered by this field inspection revealed any evidence of recent human occupation other than the presence of numerous crab pots located offshore.

Photographs NOS26MAR79CP9997 and NOS26MAR79CP9998 cumulatively display five creeks which are annotated "end of navigation". Inspection was attempted at high tide, however, seasonal tide levels prohibited boat travel beyond these points. It is recommended that if doubt arises (as to classification) the field editor be instructed to attempt further navigation during the summer months when tides run higher.

Photograph NOS26MAR79CP9999 at the Western edge of this sheet has a large area circled immediately Southeast of Live Oak Key. The feature circled is charted as Corrigan Reef. Field inspection has indicated that this area contains many small islands, however, the low degree photographic contrast and resolution prohibited the classification of any of these islands. The "fast" islands are composed of shell with varying degrees of light vegetative cover, there are also several areas of "grass in water". It is recommended that the field editor be instructed to classify this area using the newer photography for this job if classification cannot be performed by compilation.

-2-

The photographs for this sheet are 1979 single lens ratio prints, 1:60,000, 3X ratio. Photography furnished consisted of every photo along a flight line. As stated above, the photographs were lacking in contrast and resolution, making photo interpretation very difficult and impossible in some areas. Photographs were considered inadequate, and would have been un-usable if not for the constant nature of the shoreline.

3. Horizontal Control

N/A

4. Vertical Control

N/A

5. Contours and Drains

N/A

6. Woodland Cover

N/A

7. Shoreline and Alongshore Features

The shoreline inspection was conducted from a skiff run close to shore. Except as indicated in section 2 of this report and on the photo's, the shoreline is entirely apparent.

-3-

There are five creeks on this sheet which are suspected of having "fast" shoreline at or near the inland tree line. Recommendations on these creeks are given in section 2 of this report.

No attempt was made to delineate the approximate low water line on the photographs.

There ^{ARE}_^ no overhead or submerged cables or pipelines within the limits of this sheet, additionally there are no shoreline structures.

8. Offshore Features

All offshore islands were visited and are "apparent" unless otherwise indicated on the photographs.

9. Landmarks and Aids

One interior landmark is charted for this sheet. The landmark, (indicated on chart 11408 as "TOWER") is indicated on photograph NOS26MAR79CP9998.

10. Boundaries and Monuments

N/A

11. Other Control

N/A

12. Interior Features

N/A

-4-

13. Geographic Names

N/A

14. Special Reports and Supplemental Data

N/A

Submitted
2/29/80

Clifton S. Middleton Jr.
Clifton S. Middleton Jr.
Surveying Technician

David H. Minkel
David H. Minkel, LTJG NOAA
Chief, Photo Party 65

Photogrammetric Plot Report
Port Richey to Cedar Keys, Florida, CM-7819
February 8, 1980

21. Area Covered

The area covered by this report extends from Cedar Keys to Port Richey. This area is covered by 8 1:20,000 scale sheets; TP-01014 through TP-01021.

22. Method

Four strips of 1:60,000 scale black and white photography were bridged by analytic aerotriangulation methods. The strips of bridging photography were controlled by field identified control and tie points in areas where control was deficient. Tie points also were used in all strips to insure an adequate junction of all strips during the strip adjustments. The infrared photography was drilled so that it could be used for rectification.

23. Adequacy of Control

Control checked well within map accuracy standards and is more than sufficient for its intended use. See attached sheet for accuracy of control in the strip adjustments.

Station Corner 1934, could not be identified on our bridging photography so our office requested photo identifiable points to be located by a field party to replace that point.


24. Supplemental Data

USGS Quadrangles were used to provide vertical control for the adjustment.

25. Photography

The coverage, overlap, and quality of the photography was adequate for the job.

Submitted by,



Brian Thornton

Approved and Forwarded:



Don O. Norman
Chief, Aerotriangulation Section

Accuracy of Control

Strip #1

<u>PT.</u>	<u>X-ERROR</u>	<u>Y-ERROR</u>
473101	-.161	.269
476101	1.906	-.771
477101	-1.402	1.437
479101	-.343	-.935

Strip #2

<u>Pt.</u>	<u>X-ERROR</u>	<u>Y-ERROR</u>
455101	-.134	-.069
459101	.302	.200
479101	-.235	-.365
477101	.064	.242

Strip #3


<u>PT.</u>	<u>X-ERROR</u>	<u>Y-ERROR</u>
428101	.545	1.035
477101	4.163	.277
476101	-2.706	-5.658
462802	-.764	6.306
434100	4.480	-5.317
458801	4.244	4.155
488801	1.166	4.233
489802	.230	-3.456
490101	-4.813	-3.070
445101	2.892	1.438

Strip #4

<u>PT.</u>	<u>X-ERROR</u>	<u>Y-ERROR</u>
455101	.243	.461
490101	-1.750	-1.794
445101	1.753	1.492
479101	-.248	-.162

AEROTRIANGULATION SKETCH
 CM-7819
 PORT RICHEY TO CEDAR KEYS
 FLORIDA
 FEBRUARY 8, 1980

1:60,000 SCALE
 BRIDGING PHOTO



Compilation Report
TP-01014
April 1980

31. Delineation:

All alongshore cultural features and interior planimetry on this map were delineated by graphic compilation using rectified black and white prints of 1:60,000 scale infrared photography. This photography was controlled by map points determined by aerotriangulation.

The MHW line was compiled from the 1:60,000 scale infrared photography.

No Gulf Coast low water line was compiled on this map.

32. Horizontal Control

Horizontal control was adequate (See Photographic Plot Report).

33. Supplemental Data - NONE

34. Contours and Drainage

Contours are not applicable. Drainage was compiled from rectified black and white photography.

35. Shoreline and Alongshore Detail

Office interpretation of the rectified black and white infrared photography was adequate for delineating the shoreline and alongshore features.

36. Offshore Details

The area southeast of Live Oak Key and south of Porpoise Creek that appears to be oysters bars has been referred to the field editor for further classification.

37. Landmarks and Aids

There were no landmarks on this map. There were no aids to navigation located during the bridging or compilation of this map.

38. Control for Future Surveys - NONE

39. Junctions:

Refer to NOAA Form 76-36B

40. Horizontal and Vertical Control

This map complies with accuracy requirements for the Florida Coastal Zone Mapping Program as outlined by Project Instructions PH-7000.

41 - 45 Inapplicable

46. Comparison with Existing Maps

Comparison was made with the following U.S.C.S. quadrangle Maps.

Waccasassa Bay, Florida, 1955, scale, 1:24,000
Sumner, Florida, 1955, scale, 1:24,000
Withlacoochee Bay Florida, 1955, scale, 1:24,000

47. Comparison with Nautical Charts

Comparison was made with Nautical Chart 11408, 17th Edition, September 8, 1979
Crystal River to Horseshoe Point.

Submitted by,



E.D. Allen

Approved and Forwarded:



FR F. Wright
Chief, Coastal Mapping Section

FIELD EDIT REPORT

CM-7819
TP-01014

51. Methods

Field Edit performed on this sheet consisted primarily of resolving one discrepancy item and verifying the shoreline classification. Edit was performed from a small boat run close to shore. All notes were made on the discrepancy print in violet.

52. Adequacy of Compilation

Adequate and complete after application of Field Edit.

53. Map Accuracy

No accuracy test required.


54. Recommendations

None.

55. Examination of Proof Copy

N/A

Submitted; 1 August 1980



David H. Minkel, LTJG NOAA
Chief, Photo Party 65

REVIEW REPORT
TP-01014
AUGUST 1984

61. General Statement

Refer to the summary bound with this Descriptive Report.

62. Comparison With Registered Topographic Surveys - None

63. Comparison With Maps of Other Agencies

Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

64. Comparison With Contemporary Hydrographic Surveys - None


65. Comparison With Nautical Charts

Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys


This map complies with the Project Instructions and meets the requirements for National Standards of Map accuracy.

Submitted by:


Patrick J. Dempsey
Cartographer

Approved and Forwarded:


for Chief, Photogrammetric Section


for Chief, Photogrammetry Branch

6/9/80

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7819 (Live Oak Key to Port Richey, Florida)

TP-01014

Compass Point

Corrigan Reef

Deep Creek

Dorset Creek

Dry Creek

East Griffin Creek

East Pass

Gulf Hammock

Gulf Of Mexico

Hall Creek

Jacks Creek

Kelly Creek

Kelly Creek Point

King Creek

Live Oak Key

Mud Creek

Porpoise Creek

Rocky Run

Salt Island Creek

Sand Creek

Spring Creek

Tarpon Creek

Tripod Creek

Tripod Point

Waccasassa Bay


West Griffin Creek

West Pass

Wilder Creek

Winzy Creek

Approved by:


Charles E. Harrington
Chief Geographer

DISSEMINATION OF PROJECT MATERIAL
CM-7819
NEW PORT RICHEY TO CEDAR KEY

National Archives/Federal Records Center

Job Completion Report

Brown Jacket:

Field Photographs

Discrepancy Prints

Photogrammetric Plot Report

Computer Listings

Tide Data

1 - 3 ring binder containing premark panelling data

Control station identification cards

1 NOAA form 76-52

Bureau Archives

Registered Map

Descriptive Report

Reproduction Division

8x reduction negative of map

Office of Staff Geographer

Geographic Names Standards

