NOAA FORM 76-35 (3-76)				
U.S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION				
NATIONAL OCEAN SURVEY				
DECODING DEDONG				
DESCRIPTIVE REPORT				
Map No. Edition No. 1				
Job No. CM-7821				
Map Classification Final Field Edited				
Type of Survey Shoreline				
LOCALITY				
State				
Florida General Locality				
St. George Sound				
Locality				
St. George Island				
19 79 TO 19 80				
REGISTRY IN ARCHIVES				
DATE .				

•U.S. GOVERNMENT PRINTING OFFICE:1976-669-248

1 OF 19

NOAA FORM 76-36A U. S. DEPARTMENT OF COMMERCE (3-72) NATIONAL OCEANIC AND ATMOSPHERIC ADMIN	TYPE OF SURVEY	SURVEY TP-01043
	A ORIGINAL	MAP EDITION NO. (1)
]	• •
DESCRIPTIVE REPORT - DATA RECORD	RESURVEY	MAP CLASS Final field edited
	AEVISED	лов <u>рнхСМ-7821</u>
PHOTOGRAMMETRIC OFFICE	LAST PRECEEDII	NG MAP EDITION
Rockville, Md.	TYPE OF SURVEY	JOB PH
OFFICER-IN-CHARGE	ORIGINAL	MAP CLASS
Cmdr W. Simmons	RESURVEY	SURVEY DATES:
Char W. Simbons	REVISED	19TO 19
I. INSTRUCTIONS DATED		
1. OFFICE	2. F	TIELD
General Instructions-Office-NOS cooperative coastal boundary mapping-Job PH-7000	Field Instructions Field - 11 Aug 197	7
9 Dec 1975	Amendment - Field	
Office - 18 Aug 1977	30 J ar	1 1978
Amendment I - 3 Jan 1978 Amendment II - 7 Mar 1978	1	
, FML 2 /10		
II. DATUMS	OTHER (Specify)	
1. HORIZONTAL: X 1927 NORTH AMERICAN	,,,,,	
MEAN HIGH-WATER	OTHER (Specify)	
2. VERTICAL:		
MEAN LOWER LOW-WATER MEAN SEA LEVEL		
3. MAP PROJECTION	A. G	RID(S)
	STATE	ZONE
Lambert Conformal Conic	Florida	North
5. SCALE 1:20,000	STATE	ZONE
III. HISTORY OF OFFICE OPERATIONS		
OPERATIONS	NAME	DATE
1. AEROTRIANGULATION BY	S. Solbeck	Jan 1980
METHOD: Analytic LANDMARKS AND AIDS BY 2. CONTROL AND BRIDGE POINTS PLOTTED BY	N/A	Feb 1980
2. CONTROL AND BRIDGE POINTS PLOTTED BY METHOD: Calcomp CHECKED BY	J. Taylor N/A	Feb 1900
3. STEREOSCOPIC INSTRUMENT PLANIMETRY BY	N/A	
COMPILATION CHECKED BY		
INSTRUMENT: CONTOURS BY	N/A	
SCALE: CHECKED BY	T. Colo - 2	T 1000
4. MANUSCRIPT DELINEATION PLANIMETRY BY CHECKED BY	J. Schad P. Dempsey	June 1980 Aug 1980
CONTOURS BY	N/A	
метнор: Graphic снескер ву		
scale: 1:20,000 HYDRO SUPPORT DATA BY	N/A	
CHECKED BY	D. Destrict	A 3000
5. OFFICE INSPECTION PRIOR TO FIELD EDIT BY	D. Brant F Wright	Aug 1980 Oct 1980
6. APPLICATION OF FIELD EDIT DATA CHECKED BY	F. Wright P. Dempsey	Oct 1980 _
7. COMPILATION SECTION REVIEW BY	F. Wright	Nov 1980
8. FINAL REVIEW BY	P. Dempsey	June 1984
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH BY		
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH BY	P. Dempsey	June 1984
11. MAP REGISTERED - COASTAL SURVEY SECTION BY	LE DAUGHERTY	NOV 1984

	DATE 3 Nov 79 1 Feb 79		PHOTOGRAPHY EGEND		STANDARD DAYLIGHT TIDE
CAMERA(S) Wild RC-8-E & RC-10-C TIDE STAGE REFERENCE PREDICTED TIDES REFERENCE STATION RECORDS TIDE CONTROLLED PHOTOGRAPHY NUMBER AND TYPE 79 E(P) 1849, 1851	date 3 Nov 79	TYPES OF L (C) COLOR (P) PANCHE R K INFRAR TIME 1604	PHOTOGRAPHY EGEND ROMATIC ED SCALE 1:60,000	TIME REFE ZONE Eastern MERIDIAN 75th STAGE OF Inapplicable	STANDARD DAYLIGHT
CAMERA(S) Wild RC-8-E & RC-10-C TIDE STAGE REFERENCE PREDICTED TIDES REFERENCE STATION RECORDS TIDE CONTROLLED PHOTOGRAPHY NUMBER AND TYPE 79 E(P) 1849, 1851	3 Nov 79	C) COLOR (P) PANCHE RM INFRAR TIME 1604	SCALE 1:60,000	Eastern MERIDIAN 75th STAGE OF Inapplicable Refer to form	STANDARD DAYLIGHT TIDE
Wild RC-8-E & RC-10-C TIDE STAGE REFERENCE PREDICTED TIDES REFERENCE STATION RECORDS TIDE CONTROLLED PHOTOGRAPHY NUMBER AND TYPE 79 E(P) 1849, 1851	3 Nov 79	C) COLOR (P) PANCHE RM INFRAR TIME 1604	SCALE 1:60,000	Eastern MERIDIAN 75th STAGE OF Inapplicable Refer to form	STANDARD DAYLIGHT TIDE
PREDICTED TIDES IN REFERENCE STATION RECORDS TIDE CONTROLLED PHOTOGRAPHY NUMBER AND TYPE 79 E(P) 1849, 1851	3 Nov 79	(P) PANCHE R M. INFRAR TIME 1604	scale 1:60,000	Eastern MERIDIAN 75th STAGE OF Inapplicable Refer to form	TIDE
TREFERENCE STATION RECORDS TIDE CONTROLLED PHOTOGRAPHY NUMBER AND TYPE 79 E(P) 1849, 1851	3 Nov 79	(P) PANCHE R M. INFRAR TIME 1604	scale 1:60,000	75th STAGE OF Inapplicable	TIDE
NUMBER AND TYPE 79 E(P) 1849, 1851	3 Nov 79	RM INFRAR TIME 1604	scale 1:60,000	75th STAGE OF Inapplicable Refer to form	TIDE
79 E(P) 1849, 1851	3 Nov 79	1604	1:60,000	Inapplicable Refer to form	TIDE
79 E(P) 1849, 1851	3 Nov 79	1604	1:60,000	Inapplicable	•
	- ,,			Refer to form	
79 C(R) 8184-8185 13	l Feb 79	1359	1:60,000		, 73_36R/1\
			1		
	•				
REMARKS		<u> </u>		<u>l. ,</u>	<u></u>
2. SOURCE OF MEAN HIGH-WATER LIN	_				
The source of the Mi the panchromatic pho	otography	listed abo	ve. Shorelin		
fieldman aided in tl	ne compila	tion of the	e MHW line.		
	•				
	•				
3. SOURCE OF MEXICLOW-WATER:ORM	EANIXIXOWERXIX	OWNATERALINE	:		···
GC					
The source of the GO					
			d by the fiel	dman a i ded in t	he.
compilation of the (HCLW line.				

4. CONTEMPORARY HYDROGRAPHIC SURVEYS (List only those surveys that are sources for photogrammetric survey information.) SURVEY NUMBER DATE(5) SURVEY COPY USED SURVEY NUMBER SURVEY COPY USED DATE(S)

5. FINAL JUNCTIONS SOUTH EAST WEST TP-01042 N/AN/ATP-01037 REMARKS

Final junctions made by the compilation section.

NOAA FORM 76-36B(1) (7-75)

U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

TIDE - COORDINATED PHOTOGRAPHY

TP _ 01043

LOCATION AND PHOTOGRAPHY	TIDE STATIONS (In operation at time of photography)	STAGE OF TIDE	MEAN RANGE
79 CR 8184-85	Dog Island East End	+.8 GCLW	
			:
·			
ļ			
REMARKS:		<u> </u>	<u> </u>

HISTORY OF FIELD OPERATIONS TP-0104					
FIELD INSPECTION OP	ERATION FIE	D EDIT OPERATION		-	
	PERATION	NAN	1E	DATE	
. CHIEF OF FIELD PARTY		D C mana	D.C. men		
		R.S. Tibbe R.E. Ledbe	tts	I 77C	
. HORIZONTAL CONTROL	RECOVERED BY		June 79 June 79		
. However the source	PRE-MARKED OR IDENTIFIED BY		CCCI	oune /9	
	RECOVERED BY	N/A			
, VERTICAL CONTROL	ESTABLISHED BY				
	PRE-MARKED OR IDENTIFIED BY				
	RECOVERED (Triangulation Stations) BY	N/A			
LANDMARKS AND AIDS TO NAVIGATION	LOCATED (Field Methods) BY		.		
	TYPE OF INVESTIGATION				
. GEOGRAPHIC NAMES	COMPLETE				
INVESTIGATION	SPECIFIC NAMES ONLY				
	NO INVESTIGATION				
. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	R.E. Ledbet	ter	Nov 79	
. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N/A			
SOURCE DATA	T-	A VERTICAL CASE	OL INFUTIE		
. HORIZONTAL CONTROL II	DENTIFIED	2. VERTICAL CONTR	OL IDENTIFIES	,	
					
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION	DESIGNATION	
3. PHOTO NUMBERS (Cleritic				·	
Mar 79 CP 022	8, Nov 79 EP 1850				
N/A	NAVIGATION IDENTIFIED				
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJ	ECT NAME	
	•				
GEOGRAPHIC NAMES	DEBOOK STORY	4 BOUNDARY AND	IMITE: T		
. GEOGRAPHIC NAMES: . SUPPLEMENTAL MAPS AN	REPORT X NONE	6. BOUNDARY AND L	IMITS: R	EPORT TO NONE	
N/A	=nv				
	Sketch books, etc. DO NOT list data subm	itted to the Geodesy Divis	ion)		
	·				
DAA FORM 76-36C -72)		£11.5	'G.P.O. 1972	2-769381/567 REG	

		NATIONAL OCEA		TMENT OF COMMERCE ERIC ADMINISTRATION ONAL OCEAN SURVEN
	HISTORY OF FIELD	OPERATIONS	TP-01043	· · · · · · · · · · · · · · · · · · ·
I. TIELD INSPECTION OPE	RATION X FIELD	EDIT OPERATION	Under ltr. of from Chief,	ated 1/30/78 Coastal Mappin
OP	ERATION	T	NAME	DATE
1. CHIEF OF FIELD PARTY		I D D' W		
	RECOVERED BY	J.D. Di Mar	<u>e</u>	
2. HORIZONTAL CONTROL	ESTABLISHED BY	N/A	_ 	
ZI HOMEON ME TON MOE	PRE-MARKED OR IDENTIFIED BY	N/A		
	RECOVERED BY	N/A		
3. VERTICAL CONTROL	ESTABLISHED BY	N/A		
	PRE-MARKED OR IDENTIFIED BY	N/A		
R	ECOVERED (Triengulation Stations) BY	N/A		
4. LANDMARKS AND	N/A			
AIDS TO NAVIGATION	IDENTIFIED BY	N/A		
	TYPE OF INVESTIGATION			
5. GEOGRAPHIC NAMES INVESTIGATION	COMPLETE BY			
M 23 10 A 10 M	SPECIFIC NAMES ONLY [X] NO INVESTIGATION			
4: DUOTO INCRECTION		I D Di M		G
6: PHOTO INSPECTION 7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	J.D. Di Mar	e	Sept. 1980
II. SOURCE DATA	SORVETED OR IDENTIFIED 61	<u> </u>	·	
1. HORIZONTAL CONTROL IDE	NTIFIED	2. VERTICAL CO	NTROL IDENTIFIED	<u> </u>
N/A		N/A		
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION	DESIGNATION
3. PHOTO NUMBERS (Clarificati	on of details)			
79CP-0228 verified f	rom field inspection; 79-	EP-1849		
4. LANDMARKS AND AIDS TO N		<u>, : =/</u>		
N/A				<u></u>
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJÉ	CT NAME
5. GEOGRAPHIC NAMES:	REPORT NONE	6. BOUNDARY AN	DLIMITS: RE	PORT X NONE
7. SUPPLEMENTAL MAPS AND	PLANS			
St. George Island St				
8. UTHER FIELD RECORDS (Sk	etch books, etc. DO NOT list data submit	ted to the Geodesy D	livision)	

NOAA FORM (3-72)	1 76-36D			N/	ATIONAL OC	EANIC AI			T OF COMMERCI Administratio
			RECO	RD OF SURVE	Y USE			TP-O	1043
. MANUSÇR	IPT COPIES	-							
	c	MPIL	ATION STAGE	s			DATEM	ANUSCRI	T FORWARDED
Ď	ATA COMPILED		DATE	RE	MARKS		MARINE C	HARTS	HYDRO SUPPOR
						-			·
	<u></u>	<u> </u> 							
<u></u>	<u> </u>	<u> </u> 	<u></u>						
	RKS AND AIDS TO NAVIGA								
1. REPO	RTS TO MARINE CHART D	IVISIO	N, NAUTICAL	DATA BRANCH					
NUMBER	CHART LETTER NUMBER ASSIGNED	F	DATE	-		REMA	RKS		
							·	•	
-						<u></u>			· · · ·
								. <u> </u>	
		ļ						- -	
==	EPORT TO MARINE CHAR								
	EPORT TO AERONAUTICA AL RECORDS CENTER DA		ART DIVISION	, AERONAUTICAL	DATA SECT	TION. DA	TE FORW	ARDED: _	
ī. 🗀 8	RIDGING PHOTOGRAPHS;	ſΧ	DUPLICATE	BRIDGING REPO	ят; <u>ј</u> ≮∏ со	OMPUTER	READOU	TS,	
2. 🗀 C	ONTROL STATION IDENT	FICA	TION CARDS;	FORM NOS	567 SUBMIT	TTED BY	FIELD P	ARTIES.	
3. 🛚 S A	OURCE DATA (except for 0 CCOUNT FOR EXCEPTION	eogra; IS;	phic Names Re	port) AS LISTED I	N SECTION I	II, NOAA F	ORM 76-3	6C.	
4. 🔀 🗈	DATA TO FEDERAL RECO	RDS C	ENTER. DAT	E FORWARDED:					
v. SURVEY	EDITIONS (This section s	hall b			edition is re	gistered)			
	SURVEY NUMBER	/=-	JOB NUMBE			_	YPE OF		
SECOND EDITION	DATE OF PHOTOGRAP		PH				MAPCL		_
	SURVEY NUMBER		JOB NUMBE	<u> </u>	□.ii.		IV.		FINAL
THIRD	TP -	(3)	PH-			_	YPE OF S		JRVEY
EDITION	DATE OF PHOTOGRAP		DATE OF FI		□ 11.	_	MAP CL	ASS	FINAL
 _	SURVEY NUMBER		JOB NUMBE	₹			YPE OF S		
FOURTH	TP		РН		I	REV	ISED	RESC	IRVĖY
EDITION	DATE OF PHOTOGRAPI	17	DATE OF FI	ELD EDIT	□ 11.	□ш.	MAP CL	_	DFINAL

7

SUMMARY TO ACCOMPANY DESCRIPTIVE REPORT TP-01043

Coastal Zone Map TP-01043 is one of thirteen 1:20,000 scale shoreline maps in project CM-7821. These maps are intended for planning purposes for the state of Florida and for the construction and maintenance of NOS Nautical Charts.

The layout for CM-7821 shows the location of the individual maps from St. Marks to Cape San Blas. A copy of the layout is included in this Descriptive Report. Field operations consisted of a field inspection, premarking horizontal control and photographing the area, establishing tidal datums and performing the field edit.

Panchromatic compilation photography was taken with the Wild RC-8-E camera at 1:60,000 scale in October and November, 1979 and used in clarifying detail and compiling landmarks and aids to navigation. The shoreline was compiled using 1:60,000 scale, black and white, infrared GCLW photography taken with the Wild RC-10-C camera in February and March, 1979.

The Aerotriangulation Unit in Rockville, Maryland bridged five strips of 1:60,000 scale black and white panchromatic photography using analytic aerotriangulation methods.

Compilation was completed in the Coastal Mapping Unit, Rockville, Maryland using graphic methods.

Field Edit was completed in October, 1980. Recovery and location of landmarks, fixed aids to navigation, piling, etc. were omitted from the field edit procedures as per memo, dated January 30, 1978, from chief, Photogrammetric Branch. These items were compiled, to the extent possible, by office photogrammetric methods. The edit was required to only visually verify their existence at the time of edit. Their locations were not field checked. Field edit requirements in the foreshore and adjacent areas remain unchanged.

Application of field edit was performed in the Coastal Mapping Unit, Rockville, Maryland.

Final Review was performed in the Quality Control Unit, Rockville, Maryland in June, 1984. This map meets the requirements for National Standards of Map Accuracy.

The context of this Descriptive Report contains all pertinent reports and listings of data used to compile the final map.

FIELD INSPECTION REPORT SHEET TP-01043

2. AREAL FIELD INSPECTION:

This report is submitted for sheet TP-01043. The area covered is the east end of St. George Island. The shoreline is consistent with that of an undeveloped gulf coast barrier island.

Photographs for this sheet are 1979 single lens ratio prints 1:20,000 scale. Photographic quality was good except for sun glare spot along the north shore of St. George Island. No major photo interpretation difficulties were encountered.

Photograph 79 EP 1850 has mean low and high water line profile delineations for this sheet and shoreline field inspection notes for sheet TP-01037. 79cP-0224 (field inspection)

3. HORIZONTAL CONTROL:

N/A

4. <u>VERTICAL CONTROL</u>:

N/A

5. CONTOURS AND DRAINAGE:

Contours are inapplicable. Sloughs have been indicated on photograph.

6. WOODLAND_COVER:

No tree overhang was noted.

7. SHORELINE AND ALONGSHORE FEATURES:

Shoreline inspection was conducted from skiff run close to shore as permitted by shallow depth. The area is predominately fast with some grass in water and apparent shoreline. All of which have been annotated on the photograph.

Mean low and high water lines were located at 3. different areas on the gulf coast side of St. George Island. These have been delineated on photo 79 EP 1850.

No overhead cables, submerged cables or shoreline structures were noted.

- 8. OFFSHORE FEATURES:
 None were noted.
- 9. <u>LANDMARKS AND AIDS</u>: N/A
- 10. BOUNDARIES, MONUMENTS AND LINES:
 N/A
- 11. OTHER CONTROL:
- 12. OTHER INTERIOR FEATURE:
 None were noted.
- 13. GEOGRAPHIC NAMES:To be completed at a later date.
- 14. SPECIAL REPORTS AND SUPPLEMENTAL DATA:
 N/A

Submitted 3/3/80

Ronald E. Lalletten

Ronald E. Ledbetter

Sub Unit Photo Party 62 Photogrammetric Plot Report St. Marks to Cape San Blas, Florida CM 7821 April 18, 1980

Area Covered

The area covered by this report is the coastline of the Gulf of Mexico from Money Beach (near Cape San Blas) east to, and including, St. Marks. The area is covered by 13 1:20,000 scale manuscripts (TP-01032 through TP-01044).

Method

Five strips of 1:60,000 scale black and white panchromatic photography were bridged by analytic aerotriangulation methods. Field identified control was provided. Aids and landmarks, whose ground positions are known, were used as checks.

Common points were located between the strips to ensure their proper junctioning.

The ordering of ratio prints and plotting of manuscripts will be handled by the Compilation Section.

Adequacy of Control

The control proved adequate for completion of the project, but barely within the accuracy standards of this office. See the notes to compiler for an explanation.

Supplemental Data

USGS quads were used to provide vertical control for the project. Nautical Charts were used to locate aids and landmarks.


Photography


The coverage, overlap, and quality of the photography proved adequate for the job.

Approved and Forwarded:

Don O. Norman

Chief, Aerotriangulation Section





FIT TO CONTROL

STRIP 1		Χ .	Y
358100		-4.027	1.926
361100	•	5.685	-3. 753
361146		5.807	-1. 768
367100		920	1.939
3 71 1 0 1	•	- 5.514	167
3 72 1 0 1	•	-2.893	-1.891
3 76101		4.745	4.046
3 79 801	•	-2.541	-2.237
3 79 802	•	-4.331	-1.270
3 7 9 8 03		-5.537	10.226
			•
STRIP 2			
372101		.475	234
3 72 801	•	3.624	2.961
3 72 802		2.782	3.154
83 7801		-1.905	1.331
839801		- 3.819	- 1.490
839802		330	4.158
367100		-1.486	.838
841801		.664	2.571
841150		. 653	-1.768
843 801	•	.986	6.074
843 802		2.730	6.378
845801		-1.262 156	4.567 .421
845802 361100		2.640	658
361146		780	-1.730
847801	•	-2.603	4.180
847802		5.082	1.064
358100		-1.711	.041
849801		-3.465	.308
849802		-3.170	-3.782
849150		4.521	-2.0 97

FIT TO CONTROL (CONT)

STRIP 3	x	Y
386801 386802 386803 376101 377802 390801 390802 391801 391802 393801 393802 371101 395801 395802	.898 -1.486 -2.304 2.990 1.625805 -3.222 2.470 3.796 4.284 3.932 -4.708 -1.266 -1.966	.173 -2.027 .080 1.765424 1.522820337 .724 1.531 2.423 3.077 -3.195886
CMD TD 4		
STRIP 4	000	000
403 801 -404 801 404 802 405 801 405 802 406 802 531101 531102 407 801 407 802 409101	.000 .004 -1.161 .005 -1.226 3.375 2.072 .000 1.451 4.670 7.077	.000 -1.331 .721 1.592 -1.429 -15.431 -22.049 .000 -2.672 -23.995 -22.317 .000
STRIP 5		
526101 531102 532801 532802 532803 361100 361146 361801 403801 533801 533802 533803 534801 534802	.032 155 162 -1.309 .158 -1.130 11.232 9.953 4.832 2.432 -1.000 .909 .467 033 .844	.057 980 -4.951 2.260 1.164 -1.358 .885 -3.618 3.380 -1.832 038 -3.812 .451 242 639

Compilation Report TP-01043 June 1980

31. Delineation

All alongshore cultural features and interior planimetry on this map were delineated by graphic compilation using rectified black-and-white prints of the 1:60,000 scale panchromatic photography and the rectified black-and-white print of the 1:60,000 scale infrared photography. This photography was controlled by map points determined by aerotriangulation.

The MHW line was compiled from the 1:60,000 scale infrared photography (refer to NOAA Form 76-36B), The GCLW line was compiled from the 1:60,000 scale infrared photography (refer to NOAA Form 76-36B). The compilation of the MHW and GCLW lines were aided by shoreline points located by the field methods.

32. Horizontal Control

Horizontal control was adequate (see Photogrammetric Plot Report).

- 33. Supplemental Data None
- 34. Contours and Drainage

Contours are not applicable. Drainage was compiled from rectified black-and-white infrared photography.

35. Shoreline and Alongshore Details

Office interpretation of the rectified black-and-white infrared photography was adequate for delineating the shoreline and alongshore details. The field inspection was used as an aid in interpreting the infrared photography.

36. Offshore Delineation

None were visible on the photography.

- 37. Landmarks and Aids None
- 38. Control for Future Surveys None
- 39. Junctions

Refer to NOAA Form 76-36B

40. Horizontal and Vertical Control

This map complies with accuracy requirement for the Florida Coastal Zone Mapping Program as outlined by Project Instruction PH-7000.

- 41. thru 45. <u>Inapplicable</u>
- 46. Comparison with Existing Maps

Comparison was made with the following USGS quadrangle maps:

Goose Island, Fla., 1950, Scale 1:24,000 Sugar Hill, Fla., 1950, Scale 1:24,000 Carrabelle, Fla., 1943, Scale 1:24,000

47. Comparison with Nautical Charts

Comparison was made with the following Nautical Charts:

11401 18th Edition, April 28, 1979 - Scale 1:80,000 11404 10th Edition, May 26, 1979 - Scale 1:40,000

Submitted by,

James Schad

Approved and Forwarded:

Fary F. Wright

Chief, Coastal Mapping Section

FIELD EDIT REPORT TP-01043, JOB CM-7821

51. METHODS

Field edit was performed under instructions dated 1/30/78 and 2/13/80 from Chief, Coastal Mapping Division, Rockville, Maryland.

The shoreline was inspected from a small boat while cruising just off shore. Field edit notes will be found on photo 79-EP-1849 and the discrepancy print.

52. ADEQUACY OF COMPILATION

Adequate after application of field edit information. Field inspection photo 79-CP-0228 was checked with one discrepancy noted on photo 79-EP-1849.

This manuscript falls within the limits of St. George Island State Park and a brochure is submitted.

53. MAP ACCURACY

No test required.

54. RECOMMENDATIONS

None.

55. EXAMINATION OF PROOF COPY

Not required.

Submitted: 10/3/80

Joseph D. Di Mare Coseph D. Di Mare Chief, Photo Party 66 June 1984

61. General Statement
Refer to the Summary bound with this Descriptive Report.

62. Comparison With Registered Topographic Surveys - None

63. Comparison With Maps of Other Agencies
Refer to the Compilation Report, paragraph 46, bound with this Descriptive Report.

64. Comparison With Contemporary Hydrographic Surveys - None

65. Comparison With Nautical Charts
Refer to the Compilation Report, paragraph 47, bound with this Descriptive Report.

66. Adequacy of Results and Future Surveys
This map complies with the Project Instructions and meets the requirements for National Standards of Map Accuracy.

Submitted by:

Cartographer

Patrick J. Dempsey

REVIEW REPORT

Approved and Forwarded:

Chief, Photogrammetric Section

Chief, Photogrammetry Branch

GEOGRAPHIC NAMES

FINAL NAME SHEET

CM-7821 (St. Marks to Cape San Blas, Florida)

TP-01043

East Pass

East Slough

Gulf of Mexico

Marsh Island

Pilot Harbor

St. George Island

St. George Sound

Approved by:

Charles E. Harrington

Chief Geographer

DISSEMINATION OF PROJECT MATERIAL

CM-7821

National Archives/Federal Records Center

Red Jacket: Two NOAA Forms 76-52
Field Notebooks - Two looseleaf binders
Tidal Bench Mark Descriptions
Sketches and computations
Field Edit Discrepancy Print
Field Photographs
CSI Cards

Bureau Archives

Registered Copy of each map
Descriptive Report of each map

Reproduction Division

8x Reduction Negative of each map

Office of Staff Geographer

Geographic Names Standard

RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. _

INSTRUCTIONS

- A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

 1. Letter all information.

 2. In "Remarks" column cross out words that do not apply.

 3. Give reasons for deviations, if any, from recommendations made under "Comparison with Charts" in the Review.

CHART	DATE	CARTOGRAPHER	REMARKS
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		,	Full Part Before After Verification Review Inspection Signed Via
		·	Drawing No.
·			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	·—————		
			Full Part Before After Verification Review Inspection Signed Via
		· · · · · · · · · · · · · · · · · · ·	Drawing No.
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
*			
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
	·		
			Full Part Before After Verification Review Inspection Signed Via
			Drawing No.
		·	
			Full Part Before After Verification Review Inspection Signed Via
	-		Drawing No.
	· · ·		
	<u> </u>		