

TP-01441

TP-01441

NOAA FORM 76-35
(6-80)

U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

Job No.

DESCRIPTIVE REPORT - DATA RECORD

TYPE OF SURVEY

- ☒ ORIGINAL
☐ RESURVEY
☐ REVISED

SURVEY TP-01441

MAP EDITION NO. (1)

MAP CLASS

JOB XM-CM-8603

PHOTOGRAMMETRIC OFFICE

Photogrammetry Branch
Rockville, Md.

OFFICER-IN-CHARGE

Capt. A. Y. Bryson

LAST PRECEDING MAP EDITION

TYPE OF SURVEY

- ☐ ORIGINAL
☐ RESURVEY
☐ REVISED

JOB PH-_____

MAP CLASS _____

SURVEY DATES:

19__ TO 19__

I. INSTRUCTIONS DATED

1. OFFICE

Aerotriangulation No instructions
furnished

Office July 26, 1988

2. FIELD

Field May 6, 1987

II. DATUMS

1. HORIZONTAL:

☐ 1927 NORTH AMERICANOTHER (Specify)
NAD 1983

2. VERTICAL:

- ☐ MEAN HIGH-WATER
☐ MEAN LOW-WATER
☐ MEAN LOWER LOW-WATER
☐ MEAN SEA LEVEL

OTHER (Specify)

International Great Lakes Datum
(1955)

3. MAP PROJECTION

Lambert Conformal Conic Projection

4. GRID(S)

STATE
MICHIGANZONE
CENTRAL

5. SCALE

1:20,000

STATE

ZONE

III. HISTORY OF OFFICE OPERATIONS

OPERATIONS		NAME	DATE
1. AEROTRIANGULATION METHOD: Analytical	BY	L. Harrod, Jr.	June 1988
	LANDMARKS AND AIDS BY	L. Harrod, Jr.	June 1988
2. CONTROL AND BRIDGE POINTS METHOD: Kongsberg Flatbed Plott	PLOTTED BY	L. Harrod, Jr.	June 1988
	CHECKED BY	N/A	
3. STEREOSCOPIC INSTRUMENT COMPILATION INSTRUMENT: Wild B-8 SCALE: 1:20,000	PLANIMETRY BY	D. Graham	Aug. 1988
	CHECKED BY	J. Schad	Aug. 1988
	CONTOURS BY	N/A	
	CHECKED BY	N/A	
4. MANUSCRIPT DELINEATION METHOD: Smooth Drafting SCALE: 1:20,000	PLANIMETRY BY	D. Graham	Sept. 1988
	CHECKED BY	J. Schad	Sept. 1988
	CONTOURS BY	N/A	
	CHECKED BY	N/A	
	HYDRO SUPPORT DATA BY	N/A	
	CHECKED BY	N/A	
5. OFFICE INSPECTION PRIOR TO FIELD EDIT	BY	N/A	
6. APPLICATION OF FIELD EDIT DATA	BY	N/A	
	CHECKED BY	N/A	
7. COMPILATION SECTION REVIEW	BY	J. Schad	Dec. 1988
8. FINAL REVIEW	BY	J. Schad	Dec. 1988
9. DATA FORWARDED TO PHOTOGRAMMETRIC BRANCH	BY	J. Schad	Nov. 89
10. DATA EXAMINED IN PHOTOGRAMMETRIC BRANCH	BY	P. D. [Signature]	Nov. 89
11. MAP REGISTERED - COASTAL SURVEY SECTION	BY	J. RIKON	Nov. 89

NOAA FORM 76-368
(3-72)U. S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY

COMPILATION SOURCES

TP-01441

1. COMPILATION PHOTOGRAPHY

CAMERA(S)

Wild RC-8(E) F/L 152.71

TYPES OF PHOTOGRAPHY
LEGEND

TIME REFERENCE

TIDE STAGE REFERENCE

ZONE

NOAA FORM 76-36C (3-72)		U. S. DEPARTMENT OF COMMERCE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION NATIONAL OCEAN SURVEY	
HISTORY OF FIELD OPERATIONS		TP-01441	
I. <input checked="" type="checkbox"/> FIELD INSPECTION OPERATION <input type="checkbox"/> FIELD EDIT OPERATION			
OPERATION	NAME	DATE	
1. CHIEF OF FIELD PARTY	J.E. Dunford	May-June 1987	
2. HORIZONTAL CONTROL	RECOVERED BY J.E. Dunford	May 1987	
	ESTABLISHED BY J.E. Dunford	May 1987	
	PRE-MARKED OR IDENTIFIED BY J.E. Dunford	May 1987	
3. VERTICAL CONTROL	RECOVERED BY N/A		
	ESTABLISHED BY N/A		
	PRE-MARKED OR IDENTIFIED BY N/A		
4. LANDMARKS AND AIDS TO NAVIGATION	RECOVERED (Triangulation Stations) BY J.E. Dunford	May 1987	
	LOCATED (Field Methods) BY N/A		
	IDENTIFIED BY N/A		
5. GEOGRAPHIC NAMES INVESTIGATION	TYPE OF INVESTIGATION <input type="checkbox"/> COMPLETE BY <input type="checkbox"/> SPECIFIC NAMES ONLY <input checked="" type="checkbox"/> NO INVESTIGATION		
6. PHOTO INSPECTION	CLARIFICATION OF DETAILS BY	N/A	
7. BOUNDARIES AND LIMITS	SURVEYED OR IDENTIFIED BY	N/A	
II. SOURCE DATA			
1. HORIZONTAL CONTROL IDENTIFIED		2. VERTICAL CONTROL IDENTIFIED	
PHOTO NUMBER	STATION NAME	PHOTO NUMBER	STATION DESIGNATION
877ECC1576	FLAT, 1965		
87 EC 1574	MORAN MICROWAVE TOWER, 1965		
3. PHOTO NUMBERS (Clarification of details)			
N/A			
4. LANDMARKS AND AIDS TO NAVIGATION IDENTIFIED			
PHOTO NUMBER	OBJECT NAME	PHOTO NUMBER	OBJECT NAME
87 Ec 1574	R RELAY TOWER		
5. GEOGRAPHIC NAMES: <input type="checkbox"/> REPORT <input type="checkbox"/> NONE		6. BOUNDARY AND LIMITS: <input type="checkbox"/> REPORT <input type="checkbox"/> NONE	
7. SUPPLEMENTAL MAPS AND PLANS			
N/A			
8. OTHER FIELD RECORDS (Sketch books, etc. DO NOT list data submitted to the Geodesy Division)			
One Field Work Brown Binder			

RECORD OF SURVEY USE

TP-01441

I. MANUSCRIPT COPIES

COMPILATION STAGES			DATE MANUSCRIPT FORWARDED	
DATA COMPILED	DATE	REMARKS	MARINE CHARTS	HYDRO SUPPORT
Final Reviewed Class III Map	Dec. 1988	Chart Maintenance Print		
Final Reviewed Class III Map	Dec. 1988	Notes for Hydrographer Print	Dec. 1989	Dec. 1989

II. LANDMARKS AND AIDS TO NAVIGATION

1. REPORTS TO MARINE CHART DIVISION, NAUTICAL DATA BRANCH

NUMBER	CHART LETTER NUMBER ASSIGNED	DATE FORWARDED	REMARKS
1 pg		Dec. 1989	Cartographic Feature of Charting Interest

2. ☐ REPORT TO MARINE CHART DIVISION, COAST PILOT BRANCH. DATE FORWARDED: _____3. ☐ REPORT TO AERONAUTICAL CHART DIVISION, AERONAUTICAL DATA SECTION. DATE FORWARDED: _____

III. FEDERAL RECORDS CENTER DATA

1. ☒ BRIDGING PHOTOGRAPHS; ☒ DUPLICATE BRIDGING REPORT; ☐ COMPUTER READOUTS.
 2. ☒ CONTROL STATION IDENTIFICATION CARDS; ☐ FORM NOS 567 SUBMITTED BY FIELD PARTIES.
 3. ☒ SOURCE DATA (except for Geographic Names Report) AS LISTED IN SECTION II, NOAA FORM 76-36C.
 ACCOUNT FOR EXCEPTIONS:

4. ☐ DATA TO FEDERAL RECORDS CENTER. DATE FORWARDED: _____

IV. SURVEY EDITIONS (This section shall be completed each time a new map edition is registered)

SECOND EDITION	SURVEY NUMBER TP - _____ (2)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
THIRD EDITION	SURVEY NUMBER TP - _____ (3)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	
FOURTH EDITION	SURVEY NUMBER TP - _____ (4)	JOB NUMBER PH - _____	TYPE OF SURVEY <input type="checkbox"/> REVISED <input type="checkbox"/> RESURVEY MAP CLASS <input type="checkbox"/> II. <input type="checkbox"/> III. <input type="checkbox"/> IV. <input type="checkbox"/> V. <input type="checkbox"/> FINAL
	DATE OF PHOTOGRAPHY	DATE OF FIELD EDIT	

SUMMARY TO ACCOMPANY
DESCRIPTIVE REPORT
TP-01441

Project CM-8603 consisted of the production of Class III shoreline maps. Five 1:20,000-scale and one 1:10,000-scale maps were compiled. The area compiled extends from Beaver Tail Point to Gros Cap, Lake Huron, Michigan.

The purpose of this map, TP-01441, 1:20,000 scale, is to provide contemporary shoreline data for maintenance of the nautical charting program.

Field operations consisted of aerial photography and the recovery, establishment, and identification (premarking) of horizontal control necessary for aerotriangulation. Eight horizontal control stations were paneled for use in aerotriangulation. Field operations for project CM-8603 commenced in May 1987 and concluded in June 1987.

Natural color photographs 1:50,000 scale and 1:30,000 scale were taken in May and June 1987 with the Wild RC-8(E) camera.

Four strips of 1:50,000-scale color photographs and one strip of 1:30,000-scale color photographs were bridged and adjusted to the ground using the General Integrated Analytical Triangulation Program (GIANT).

Horizontal control stations used in the adjustment were premarked panels. Elevations from U.S.G.S. quadrangles were used as vertical control. The amount of aerotriangulated control proved adequate and meets National Standards of Map Accuracy.

Compilation was performed by the Special Project Unit, Rockville Office. This map delineation was based on office interpretation of the natural color photographs using the Wild B-8 stereoplotter and the ratio color photographs. All line work was smooth drafted.

Final review was performed by the Special Project Unit, Rockville office. This map complies with the project instructions and meets the requirement for the National Standard of Map Accuracy.

The Descriptive Report contains all the information pertinent to the completion of this map.


FIELD INSPECTION
TP-01441

There was no field inspection prior to compilation. Field work accomplished consisted of aerial photography and the recovery, establishment and identification (premarking) of horizontal control necessary for aerotriangulation.

AEROTRIANGULATION REPORT
CM-8603
BEAVER TAIL POINT TO GROS CAP
LAKE HURON
MICHIGAN
JUNE, 1988 .

AREA COVERED

This report covers the shoreline and adjacent waterways from
Beaver Tail Point to Gros Cap. The project consists of five



SUPPLEMENTAL DATA

USGS topographic quadrangles were used to obtain vertical control for bridging. NOS Nautical Charts were used to locate aids and landmarks.

PHOTOGRAPHY

The coverage, overlap, and quality of the color photographs were adequate of the job.

Submitted by,



Lloyd W. Harrod Jr.

Approved and Forwarded



Don O. Norman
Chief, Aerotriangulation Unit

10

RATIO VALUES
CM-8603

1:50,000 Bridging Photographs

Ratio Value

87 E (C) 1089 ~ 1101
87 E (C) 1546 ~ 1552
87 E (C) 1559 ~ 1564
87 E (C) 1571 ~ 1576

2.53
2.56
2.56
2.56

1:30,000 Bridging Photographs

87 E (C) 1218 ~ 1220

3.03


FIT TO CONTROL

<u>STATION NAMES</u>	<u>POINT NO.</u>	<u>VALUES IN FEET</u>	
		<u>X</u>	<u>Y</u>
▲ 1. ALBANY BAY Panel #1 Direct	(089100)	1.1	-0.9
▲ 2. MCKAY Panel #2 Direct	(093100)	-1.3	1.5
▲ 3. CEDAR Panel #3 Direct	(094100)	-0.2	-0.2
▲ 4. JAMIESON Sub pt. Panel #4	(099101)	0.2	-0.6
▲ 5. FLAT Sub pt. Panel #5	(101101)	0.4	-0.0
6. MORAN MICROWAVE TOWER Sub pt. Panel #6	(562101)	-86.6	77.0
▲ 7. HISER Sub Pt. Panel #7	(572101)	-0.4	1.2
▲ 8. GREEN Sub Pt. Panel #8	(571101)	0.3	-1.0
9. MORAN MICROWAVE TOWER	(562100)	-83.0	78.5

▲ Points held in the adjustment


Station numbers keyed to horizontal control sketch

HORIZONTAL CONTROL



JOB CM-8603
BEAVER TAIL POINT TO GROS CAP
LAKE HURON
MICHIGAN
SHORELINE MAPPING
SCALE 1:20,000
1:10,000

BRIDGING PHOTOGRAPHS



JOB CM-8603
 BEAVER TAIL POINT TO GROS CAP
 LAKE HURON
 MICHIGAN
 SHORELINE MAPPING
 SCALE 1:20,000
 1:10,000

COMPILATION REPORT
TP-01441

31. DELINEATION

Delineation of detail was accomplished using a Wild B-8 stereoplotter.

32. CONTROL

Horizontal control furnished by the Aerotriangulation Unit was adequate for controlling the stereomodels. Refer to the Aerotriangulation Report bound with this Descriptive Report for additional information.

Vertical Control was achieved by using a combination of elevations provided by the Aerotriangulation Unit, USGS quadrangles, and the land/water interface.

33. SUPPLEMENTAL DATA

None

34. CONTOURS AND DRAINAGE

The compilation of contours was not a requirement of this project. Drainage was compiled based on office interpretation of the bridging/compilation photographs.

35. SHORELINE AND ALONGSHORE DETAILS

The visible line of contact between land features and the water was compiled as the shoreline. Shoreline and alongshore delineation was compiled as described in item 31 of this report.

36. OFFSHORE DETAIL

Offshore detail was compiled by instrument methods as described in item 31 of this report.

37. LANDMARKS AND AIDS

One landmark was confirmed on this map. Refer to the Cartographic Features of Charting Interest page bound with this report.


38. CONTROL FOR FUTURE SURVEYS

None

39. JUNCTIONS

Refer to item 5 of NOAA Form 76-36B, bound with this Descriptive

Report for more information on map junctions.



GEOGRAPHIC NAMES

Final Name Sheet

CM-8603 (Beaver Tail Point to Gros Cap, MI)

TP-01441

Carp River

Charles

Flat Creek

Grosse Point

Horseshoe Bay

Martineau Creek


Platz Lake

Red Creek

Saint Martin Bay

Satago Lake

Approved:



Charles E. Harrington
Chief Geographer
Nautical Charting Division
Charting and Geodetic Services

FINAL REVIEW REPORT
TP-01441

61. GENERAL STATEMENT

Refer to the Summary bound with this Descriptive Report.

62. COMPARISON WITH REGISTERED TOPOGRAPHIC SURVEYS - None

63. COMPARISON WITH MAPS OF OTHER AGENCIES

A comparison was made with the following 1:24,000 scale U.S. Geological Survey quadrangles:

Charles, Michigan, 1964
Evergreen Shores, Michigan, 1964
Moran, Michigan, 1964
Ozark SE, Michigan, 1946 Photorevised 1976

64. COMPARISON WITH CONTEMPORARY HYDROGRAPHIC SURVEYS - None

65. COMPARISON WITH NAUTICAL CHARTS

14881, Scale 1:80,000, 25th Edition, dated December 28, 1985.

66. ADEQUACY OF RESULTS AND FUTURE SURVEYS

This map meets the National Standards of Map Accuracy and requirements specified in the Project Instructions.

Submitted by,

James E. Schad

James E. Schad
Unit Reviewer

Approved for forwarding:

John A. M...
Chief, Special Projects Unit

Approved:

N/A

Chief, Photogrammetric Production Section

Mac G...
Chief, Photogrammetry Branch

CARTOGRAPHIC FEATURES OF CHARTING INTEREST

1 PAGE 1

PROJECT NUMBER: CM 8603


MAP NUMBER: TP-01441

LOCALITY, STATE: Grosse Point, Michigan

SCALE: 1:20,000

DATUM: NAD 1983

The following charted landmarks, nonfloating aids to navigation and possible landmark value have been identified and measured during photogrammetric operations. Refer to Nautical Charting



RECORD OF APPLICATION TO CHARTS

FILE WITH DESCRIPTIVE REPORT OF SURVEY NO. _____

INSTRUCTIONS

A basic hydrographic or topographic survey supersedes all information of like nature on the uncorrected chart.

1. Letter all information.

2. In "Remarks" column cross out words that do not apply.

3. Give reasons for deletion if from recommendations made under HCS provisions with Chart No. 1, P. 1.