

NOAA COASTAL MAPPING PROGRAM PROJECT COMPLETION REPORT

PROJECT WA2202-CS-T

Ports of Longview and Kalama, Washington

Introduction

Coastal Mapping Program (CMP) Project WA2202-CS-T provides highly accurate digital shoreline data for key areas of change within the ports of Longview and Kalama, in Washington. The Geographic Cell (GC) may be used in support of the NOAA Nautical Charting Program (NCP) as well as geographic information systems (GIS) for a variety of coastal zone management applications.

Project Design

The design of Project WA2202-CS-T was accomplished by the Systems and Quality Assurance Branch (SQAB) of the Remote Sensing Division (RSD) in response to the need for updates to the NOAA chart suite in key U.S. ports. Project requirements were formulated as a result of analysis conducted within the Coast and Shoreline Change Analysis Program (CSCAP), in which NOAA nautical chart products are compared to contemporary high-resolution imagery in order to ascertain the need for more current shoreline data. One orthorectified WorldView-2 satellite image with a ground sample distance (GSD) of 0.5 meters, downloaded as a series of tiles, was utilized for the CSCAP analysis. A Chart Evaluation File (CEF) was created once the change analysis was complete. Refer to the CSCAP memorandum for Project WA2202-CS-T for details on the chart comparison process.

Field Operations

Routine CMP field operations did not apply for this project based on the origin of the project imagery, which was obtained from external sources.

Georeferencing

Georeferencing tasks were initiated by a member of the Applications Branch (AB) of the RSD in June 2022. The WorldView imagery was adjusted to features from previous CMP project WA0201 using Esri's ArcGIS (ver. 10.8.1) desktop GIS software. Within ArcGIS, the Georeferencing tool was used, and the imagery was re-sampled using the Nearest Neighbor sampling method. Check points extracted from WA0201 and OR1205 were used to statistically assess the accuracy of the georeferenced imagery. The RMS of the residuals for each measured check point was used to compute a predicted horizontal circular error (CE) of 1.53 meters based on a 95% confidence level. This CE value was doubled and added to the accuracy of the source from which check points were extracted to conservatively predict the accuracy of well-defined points measured during compilation. Positional data is referenced to the North American Datum of 1983 (NAD 83).

Compilation

Data compilation was accomplished by AB personnel in June 2022. Digital feature data was compiled in shapefile format from the satellite imagery using Esri's ArcGIS software. Feature attribution was assigned in compliance with the Coastal Cartographic Object Attribute Source Table (C-COAST), which provides the definition and attribution scheme for the full range of cartographic features pertinent to the CMP.

Spatial data accuracies for WA2202-CS-T were determined according to standard Federal Geographic Data Committee (FGDC) practices. Cartographic features were compiled to meet a horizontal accuracy of 3.8 meters at the 95% confidence level, which is a deductive estimate based on georeferencing statistics. The following table provides information on imagery used to complete this project:

Sensor	Image Source File (Tiles)	Acquisition Date/Time	Tide Level*
WorldView-2	20210529_WV02_ORI_(Tile#).jp2	2021-05-29 / 19:37:37 GMT	0.6 m

* Tide levels are given in meters above MLLW and based on verified observations recorded by the NOS tide station in Longview, WA at the time of image acquisition. The elevation of MHW in Longview is 1.220 meters above MLLW.

Quality Control / Final Review

Final review tasks were completed in September 2024. The review process included analysis of image georeferencing and assessment of the identification and attribution of digital feature data within the GC according to image analysis and criteria defined in C-COAST. The quality control process concluded with an inspection of topological connectivity within the GC using ArcGIS. The entire suite of project products was evaluated for compliance to CMP requirements.

End Products and Deliverables

The following specifies the location and identification of end products generated during the completion of this project:

Remote Sensing Division Electronic Data Library

- CSCAP evaluation memorandum
- Project database
- GC11789 in shapefile format
- Project Completion Report (PCR)
- CEF in shapefile format


NOAA Shoreline Data Explorer

- GC11789 in shapefile format
- Metadata file for GC11789
- PCR in Adobe PDF format


End of Report

PORTS OF LONGVIEW AND KALAMA

WASHINGTON



Overview



WA2202-CS-T

GC11789